

PUBLICATIONS LCC 2005

Characterization of dendrimers

CAMINADE A.-M., LAURENT R., MAJORAL J.-P.

Adv. Drug Deliv. Rev., 2005, **57**, pp. 2130-2146 (LCC-7371).

Size- and shape-control of crystalline zinc oxide nanoparticles: A new organometallic synthetic method

KAHN M.L., MONGE M.A., COLLIÈRE V., SENOCQ F., MAISONNAT A., CHAUDRET B.

Adv. Funct. Mater., 2005, **15**, pp. 458-468 (LCC-7403).

C10-modified artemisinin derivatives: Efficient heme-alkylating agents

LAURENT S., ROBERT A., MEUNIER B.

Angew. Chem. (Int. Ed. Engl.), 2005, **44**, pp. 2060-2063 (LCC-7400).

Dendrimers: Platforms for chemical functionality

NIERENGARTEN J.-F.

Angew. Chem. (Int. Ed. Engl.), 2005, **44**, pp. 2830-2831 (LCC-7438).

One shot laser pulse induced reversible spin transition in the spin-crossover complex [Fe(C₄H₄N₂){Pt(CN)₄}] at room temperature

BONHOMMEAU S., MOLNAR G., GALET A., ZWICK A., REAL J.A., MCGARVEY J.J., BOUSSEKSOU A.

Angew. Chem. (Int. Ed. Engl.), 2005, **44**, pp. 4069-4073 (LCC-7482).

Supramolecular click chemistry with a bisammonium-C₆₀ substrate and a ditopic crown ether host

HAHN U., ELHABIRI M., TRABOLSI A., HERSCHBACH H., LEIZE E., VAN DORSSELAER A., ALBRECHT-GARY A.-M., NIERENGARTEN J.-F.

Angew. Chem. (Int. Ed. Engl.), 2005, **44**, pp. 5338-5341 (LCC-7428).

Mechanism of Cd²⁺ toxicity: Cd²⁺ inhibits photoactivation of Photosystem II by competitive binding to the essential Ca²⁺ site

FALLER P., KIENZLER K., KRIEGER-LISZKAY A.

Biochim. Biophys. Acta, 2005, **1706**, pp. 158-164 (LCC-7485).

Infinite chain structure and steep spin crossover of a Fe^{III} complex with a N₃O₂ pentadentate Schiff-base ligand and 4-aminopyridine

TANIMURA K., KITASHIMA R., BREFUEL N., NAKAMURA M., MATSUMOTO N., SHOVA S., TUCHAGUES J.-P.

Bull. Chem. Soc. Jpn., 2005, **78**, pp. 1279-1282 (LCC-7422).

Metal complexes-based molecular materials as thin films on silicon substrates

DE CARO D., BASSO-BERT M., CASELLAS H., ELGADDARI M., SAVY J.-P., LAMERE J.-F., BACHELIER A., FAULMANN C., Malfant I., Etienne M., Valade L.

C. R. Chimie, 2005, **8**, pp. 1156-1173 (LCC-7393).

Isotope effects on the vibrational spectra of the Fe(Phen)₂(NCS)₂ spin-crossover complex studied by density functional calculations

PALFI V.K., GUILLON T., PAULSEN H., MOLNAR G., BOUSSEKSOU A.

C. R. Chimie, 2005, **8**, pp. 1317-1325 (LCC-7466).

Organometallic approach to nanoparticles synthesis and self-organization

CHAUDRET B.

C.R. Physique, 2005, **6**, pp. 117-131 (LCC-7467).

[Fe(sal²⁻trien)][Ni(dmit)₂]: towards switchable spin crossover molecular conductors

DORBES S., VALADE L., REAL J.A., FAULMANN C.

Chem. Commun., 2005, pp. 69-71 (LCC-7412).

- Rational design of azide-bridged bimetallic complexes. Crystal structure and magnetic properties of $\text{Fe}^{\text{III}}\text{MFe}^{\text{III}}$ ($\text{M} = \text{Ni}^{\text{II}}$ and Cu^{II}) trinuclear species
COLACIO E., COSTES J.-P., DOMINGUEZ-VERA J.M., BEN MAIMOUN I., SUAREZ-VARELA J.
Chem. Commun., 2005, pp. 534-536 (LCC-7480).
- Structural and zeolitic features of a 3D heterometallic porous architecture constructed from a $\{\text{M}(\text{oxalate})_4\}^{4-}$ building unit
IMAZ I., BRAVIC G., SUTTER J.-P.
Chem. Commun., 2005, pp. 993-995 (LCC-7405).
- Supramolecular click chemistry for the self-assembly of a stable $\text{Zn}(\text{II})$ -porphyrin- C_{60} conjugate
TRABOLSI A., ELHABIRI M., URBANI M., DELGADO DE LA CRUZ J.L., AJAMAA F., SOLLADIE N., ALBRECHT-GARY A.-M., NIERENGARTEN J.-F.
Chem. Commun., 2005, pp. 5736-5738 (LCC-7427).
- Discrepancy between the spin distribution and the magnetic ground state for a triaminoxyl substituted triphenylphosphine oxide derivative
BOROBIA O.B., GUIONNEAU PH., HEISE H., KOHLER F.H., DUCASSE L., VIDAL J., VECIANA J., GOLHEN S., OUAHAB L., SUTTER J.-P.
Chem. Eur. J., 2005, **11**, pp. 128-139 (LCC-7406).
- Experimental and computational studies of hydrogen bonding and proton transfer to $[\text{Cp}^*\text{Fe}(\text{dppe})\text{H}]$
BELKOVA N.V., COLLANGE E., DUB P.A., EPSTEIN L.M., LEMENOVSKII D.A., LLEDOS A., MARESCA O., MASERAS F., POLI R., REVIN P.O., SHUBINA E.S., VORONTSOV E.V.
Chem. Eur. J., 2005, **11**, pp. 873-888 (LCC-7475).
- Metal-binding properties of the peptide APP¹⁷⁰⁻¹⁸⁸ : A model of the Zn^{II} -binding site of amyloid precursor protein (APP)
CIUCULESCU E.-D., MEKMOUCHE Y., FALLER P.
Chem. Eur. J., 2005, **11**, pp. 903-909 (LCC-7477).
- An experimental and computational study on the effect of $\text{Al}(\text{O}i\text{Pr})_3$ on atom-transfer radical polymerization and on the catalyst-dormant-chain halogen exchange
POLI R., STOFFELBACH F., MARIA S., MATA J.
Chem. Eur. J., 2005, **11**, pp. 2537-2548 (LCC-7474).
- Lanthanide complexes coordinated by N-substituted (*R*)-1,1'-binaphthyl-2,2'-diamido ligands in the catalysis of enantioselective intramolecular hydroamination
COLLIN J., DARAN J.-C., JACQUET O., SCHULZ E., TRIFONOV A.
Chem. Eur. J., 2005, **11**, pp. 3455-3462 (LCC-7476).
- Pyrazolino[60]fullerene-oligophenylenevinylene dumbbell-shaped arrays: Synthesis, electrochemistry, photophysics, and self-assembly on surfaces
LANGA F., GOMEZ-ESCALONILLA M., RUEFF J.-M., FIGUEIRA DUARTE T.M., NIERENGARTEN J.-F., PALERMO V., SAMORI P., RIO Y., ACCORSI G., ARMAROLI N.
Chem. Eur. J., 2005, **11**, pp. 4405-4415 (LCC-7439).
- Cooperative recognition of C_{60} -ammonium substrates by a ditopic oligophenylenevinylene/crown ether host
ELHABIRI M., TRABOLSI A., CARDINALI F., HAHN U., ALBRECHT-GARY A.-M., NIERENGARTEN J.-F.
Chem. Eur. J., 2005, **11**, pp. 4793-4798 (LCC-7435).
- A highly directional fourfold hydrogen-bonding motif for supramolecular structures through self-assembly of fullerodendrimers
HAHN U., GONZALEZ J.J., HUERTA E., SEGURA M., ECKERT J., CARDINALI F., DE MENDOZA J., NIERENGARTEN J.-F.
Chem. Eur. J., 2005, **11**, pp. 6666-6672 (LCC-7441).

An abrupt spin crossover Fe^{II} complex based on homochiral chain
BREFUEL N., SHOVA S., TUCHAGUES J.-P., MATSUMOTO N.
Chem. Lett., 2005, **34**, pp. 1092-1093 (LCC-7421).

Chemical control of structural and magnetic properties of cobalt nanoparticles
MARGEAT O., AMIENS C., CHAUDRET B., LECANTE P., BENFIELD R.E.
Chem. Mater., 2005, **17**, pp. 107-111 (LCC-7478).

Decoupling of the molecular spin-state and the crystallographic phase in the spin-crossover complex [Feptz₆](BF₄)₂ studied by Raman spectroscopy
OULD-MOUSSA N., MOLNAR G., DUCROS X., ZWICK A., TAYAGAKI T., TANAKA K., BOUSSEKSOU A.
Chem. Phys. Lett., 2005, **402**, pp. 503-509 (LCC-7479).

Heme alkylation by artesunic acid and trioxaquine DU1301, two antimalarial trioxanes
LAURENT S., LOUP C., MOURGUES S., ROBERT A., MEUNIER B.
ChemBioChem, 2005, **6**, pp. 1-6 (LCC-7401).

Porphyrim derivatives for telomere binding and telomerase inhibition
DIXON I.M., LOPEZ F., ESTEVE J.-P., TEJERA A.M., BLASCO M.A., PRATVIEL G., MEUNIER B.
ChemBioChem, 2005, **6**, pp. 123-132 (LCC-6824).

Cytostatic activity of 1,10-phenanthroline derivatives generated by the clip-phen strategy
PITIE M., CROISY A., CARREZ D., BOLDRON C., MEUNIER B.
ChemBioChem, 2005, **6**, pp. 686-691 (LCC-7399).

Characterization of the Zn^{II} binding to the peptide amyloid-β¹⁻¹⁶ linked to Alzheimer's disease
MEKMOUCHE Y., COPPEL Y., HOCHGRAFE K., GUILLOREAU L., TALMARD C., MAZARGUIL H., FALLER P.
ChemBioChem, 2005, **6**, pp. 1663-1671 (LCC-7481).

Preparation of cyclo-phen-type ligands : Chelators of metal ions as potential therapeutic agents in the treatment of neurodegenerative diseases
BOLDRON C., VAN DER AUWERA I., DERAËVE C., GORNITZKA H., WERA S., PITIE M., VAN LEUVEN F., MEUNIER B.
ChemBioChem, 2005, **6**, pp. 1976-1980 (LCC-7370).

Dendritic catanionic assemblies : In vitro anti-HIV activity of phosphorus-containing dendrimers bearing Galβ₁cer analogues
BLANZAT M., TURRIN C.O., AUBERTIN A.-M., COUTURIER-VIDAL C., CAMINADE A.-M., MAJORAL J.-P., RICO-LATTES I., LATTES A.
ChemBioChem, 2005, **6**, pp. 2207-2213 (LCC-7372).

Use of short duplexes for the analysis of the sequence-dependent cleavage of DNA by a chemical nuclease, a manganese porphyrin
MOURGUES S., KUPAN A., PRATVIEL G., MEUNIER B.
ChemBioChem, 2005, **6**, pp. 2326-2335 (LCC-7374).

Direct NMR evidence for the presence of mobile surface hydrides on ruthenium nanoparticles
PERY T., PELZER K., BUNTKOWSKI G., PHILIPPOT K., LIMBACH H.-H., CHAUDRET B.
ChemPhysChem, 2005, **6**, pp. 605-607 (LCC-7398).

A pentaporphyrin as a switching device activated by proton and redox stimuli
CERONI P., BERGAMINI G., AUBERT N., TROIANI V., SOLLADIE N.
ChemPhysChem, 2005, **6**, pp. 2120-2128 (LCC-7432).

Phosphorus dendrimers possessing metallic groups in their internal structure (core or branches): Syntheses and properties
CAMINADE A.-M., MAJORAL J.-P.
Coord. Chem. Rev., 2005, **249**, pp. 1917-1926 (LCC-7386).

The key role of heme to trigger the antimalarial activity of trioxanes

ROBERT A., BENOIT-VICAL F., MEUNIER B.

Coord. Chem. Rev., 2005, **249**, pp. 1927-1936 (LCC-7369).

Thin films of transition metal-containing molecule-based materials : A highlight on electrochemically processed systems

VALADE L., DE CARO D., BASSO-BERT M., MALFANT I., FAULMANN C., GARREAU DE BONNEVAL B., LEGROS J.-P.

Coord. Chem. Rev., 2005, **249**, pp. 1986-1996 (LCC-7381).

Construction of tube- and ladderlike Copper(II) coordination polymers based on the nicotinato tecton

MADALAN A.M., PARASCHIV C., SUTTER J.-P., SCHMIDTMANN M., MULLER A., ANDRUH M.

Cryst. Growth Des., 2005, **5**, pp. 707-711 (LCC-7404).

Subtle reactivity patterns of non-heteroatom-substituted manganese alkynyl carbene complexes in the presence of phosphorus probes

ORTIN Y., LUGAN N., MATHIEU R.

Dalton, 2005, pp. 1620-1636 (LCC-7465).

2 : 2 Fe(III): ligand and "adamantane core" 4 : 2 Fe(III): ligand (hydr)oxo complexes of an acyclic ditopic ligand

GHILADI M., LARSEN F.B., MCKENZIE C.J., SOTOFTE I., TUCHAGUES J.-P.

Dalton, 2005, pp. 1687-1692 (LCC-7423).

Structural and zeolitic features of a series of heterometallic supramolecular porous architectures based on tetrahedral $\{M(C_2O_4)_4\}^{4-}$ primary building units

IMAZ I., BRAVIC G., SUTTER J.-P.

Dalton, 2005, pp. 2681-2687 (LCC-7383).

The first example of a hetero-tetranuclear [(VO)Gd]₂ complex: synthesis, crystal structure and magnetic properties of [VOLGd(hfa)₂CH₃OH]₂.2CH₃OH.2(CH₃)₂CO

COSTES J.-P., SHOVA S., CLEMENTE-JUAN J.M., SUET N.

Dalton, 2005, pp. 2830-2832 (LCC-7486).

Growth and physical properties of individual single-walled carbon nanotubes

PAILLET M., JOURDAIN V., PONCHARAL P., SAUVAJOL J.-L., ZAHAB A., MEYER J.C., ROTH S., CORDENTE N., AMIENS C., CHAUDRET B.

Diam. Relat. Mat., 2005, **14**, pp. 1426-1431 (LCC-7469).

Evolution of the structural parameters and magnetic properties in a series of Di(μ -hydroxy)bis(nitilotriacetato)dichromium(III) complexes

NOVITCHI G., COSTES J.-P., CIORNEA V., SHOVA S., FILIPPOVA I., SIMONOV Y.A., GULEA A.

Eur. J. Inorg. Chem., 2005, pp. 929-937 (LCC-7470).

Orbital splitting and pairing energy in open-shell organometallics: A study of two families of 16-electron complexes [Cp₂M] (M = Cr, Mo, W) and [CpM(PH₃)] (M = Co, Rh, Ir)

POLI R., CACELLI I.

Eur. J. Inorg. Chem., 2005, pp. 2324-2331 (LCC-7471).

The first X-ray characterized monosubstituted ferrocenyl azacrown chalcone: Focus on its calcium interaction/electrochemical detection studies

DELVAUX-NICOT B., MAYNADIE J., LAVABRE D., LEPETIT C., DONNADIEU B.

Eur. J. Inorg. Chem., 2005, pp. 2493-2505 (LCC-7395).

Structural transformations and magnetic effects induced by solvent exchange in the spin crossover complex [Fe(bpp)₂][Cr(bpy)(ox)₂]₂

GIMENEZ-LOPEZ M.C., CLEMENTE-LEON M., CORONADO E., ROMERO F.M., SHOVA S., TUCHAGUES J.-P.

Eur. J. Inorg. Chem., 2005, pp. 2783-2787 (LCC-7420).

Ethylene homo- and copolymerization activity of a series of [ONNO]-type amine bis(phenolate) based vanadium(π -V) catalysts

LORBER C., WOLFF F., CHOUKROUN R., VENDIER L.

Eur. J. Inorg. Chem., 2005, pp. 2850-2859 (LCC-7390).

The reductive elimination of methane from *ansa*-hydrido(methyl)metallocenes of molybdenum and tungsten: Application of Hammond's postulate to two-state reactions

CARREON-MACEDO J.-L., HARVEY J.N., POLI R.

Eur. J. Inorg. Chem., 2005, pp. 2999-3008 (LCC-7472).

Towards molecular conductors with a spin-crossover phenomenon: Crystal structures, magnetic properties and Mossbauer spectra of [Fe(salten)Mepepy][M(dmit)₂] complexes

FAULMANN C., DORBES S., GARREAU DE BONNEVAL B., MOLNAR G., BOUSSEKSOU A., GOMEZ-GARCIA C.J., CORONADO E., VALADE L.

Eur. J. Inorg. Chem., 2005, pp. 3261-3270 (LCC-7473).

Adventures in vanadocene chemistry

CHOUKROUN R., LORBER C.

Eur. J. Inorg. Chem., 2005, pp. 4683-4692 (LCC-7375).

Synthesis and characterization of phosphorus dendrimers containing long, conjugated branches

MAGRO G., MARCHAND P., SEBASTIAN R.M., GUYARD-DUHAYON C., CAMINADE A.-M., MAJORAL J.-P.

Eur. J. Org. Chem., 2005, pp. 1340-1347 (LCC-7402).

The P-stereocontrolled synthesis of PO/PS-chimeric oligonucleotides by incorporation of dinucleoside phosphorothioates bearing an *O*-4-nitrophenyl phosphorothioate protecting group

WOZNIAK L.A., GORA M., BUKOWIECKA-MATUSIAK M., MOURGUES S., PRATVIEL G., MEUNIER B., STEC W.

Eur. J. Org. Chem., 2005, pp. 2924-2930 (LCC-7392).

Restricted rotation in (phenylpyrrolidino)fullerene derivatives

AJAMAA F., FIGUEIRA DUARTE T.M., BOURGOGNE C., HOLLER M., FOWLER P.W., NIERENGARTEN J.-F.

Eur. J. Org. Chem., 2005, pp. 3766-3774 (LCC-7426).

An alternative method for Plasmodium culture synchronization

LELIEVRE J., BERRY A., BENOIT-VICAL F.

Exp. Parasitol., 2005, **109**, pp. 195-197 (LCC-7463).

Ethnomedicine in malaria treatment

BENOIT-VICAL F.

IDrugs, 2005, **8**, pp. 45-52 (LCC-7411).

Two novel iron(II) materials based on dianionic N₄O₂ Schiff bases: Structural properties and spin-crossover characteristics in the series [Fe(3-X,5-NO₂-sal-N(1,4,7,10))] (X = H, 3-MeO, 3-EtO)

SALMON L., BOUSSEKSOU A., DONNADIEU B., TUCHAGUES J.-P.

Inorg. Chem., 2005, **44**, pp. 1763-1773 (LCC-7431).

Synthesis, crystal structures, and nonlinear optical (NLO) properties of new Schiff-base nickel(II) complexes. Toward a new type of molecular switch ?

COSTES J.-P., LAMERE J.-F., LEPETIT C., LACROIX P.G., DAHAN F.

Inorg. Chem., 2005, **44**, pp. 1973-1982 (LCC-7462).

Cation-dependent nuclearity of the copper-azido moiety: Synthesis, structure, and magnetic study

SAHA S., KONER S., TUCHAGUES J.-P., BOUDALIS A.K., OKAMOTO K.-I., BANERJEE S., MAL D.

Inorg. Chem., 2005, **44**, pp. 6379-6385 (LCC-7418).

A 2D layered spin crossover complex constructed by NH...Cl- hydrogen bonds: $(\text{Fe}^{\text{II}}\text{H}_3\text{L}^{\text{Me}})\text{Cl}_3$
($\text{H}_3\text{L}^{\text{Me}}$ = tris[2-((2-methylimidazol-4-yl)methylidene)amino]ethyl]amine

YAMADA M., FUKUMOTO E., OOIDEMIZU M., BREFUEL N., MATSUMOTO N., LIJIMA S., KOJIMA M., RE N., DAHAN F., TUCHAGUES J.-P.
Inorg. Chem., 2005, **44**, pp. 6967-6974 (LCC-7419).

Complexation to Fe^{II} , Ni^{II} , and Zn^{II} of multidentate ligands resulting from condensation of 2-pyridinecarboxaldehyde with alpha,omega-triamines: Selective imidazoildine/hexahydropyrimidine ring opening revisited

BREFUEL N., LEPETIT C., SHOVA S., DAHAN F., TUCHAGUES J.-P.
Inorg. Chem., 2005, **44**, pp. 8916-8928 (LCC-7417).

NH/ π interaction in a spin-crossover complex $[\text{Fe}^{\text{II}}(\text{HL}^{\text{Me}})_2](\text{BPh}_4)_2 \cdot 2\text{CH}_3\text{CN}$ (BPh₄= tetraophenylborate; HL^{Me} =2-methylimidazol-4-yl-methylideneamino-2-ethylpyridine)

ARATA S., TORIGOE H., MATSUMOTO N., DAHAN F., TUCHAGUES J.-P.
Inorg. Chem., 2005, **44**, pp. 9288-9292 (LCC-7416).

Synthesis, characterization and electrochemical behavior of oxo-bridged (arylimido)[tris(3,5-dimethylpyrazolyl)borato] molybdenum(V) complexes

TOPALOGU-SOZUER I., GUNYAR A., DULGER-IRDEM S., BAYA M., POLI R.
Inorg. Chim. Acta, 2005, **358**, pp. 3303-3310 (LCC-7454).

Synthesis, structure and fluorescence of two novel manganese(II) and zinc(II)-1,3,5-benzene tricarboxylate coordination polymers: Extended 3D supramolecular architectures stabilised by hydrogen bonding

MAJUMDER A., SHIT S., ROY CHOUDHURY C., BATTEN S.R., PILET G., LUNEAU D., DARO N., SUTTER J.-P., CHATTOPADHYAY N., MITRA S.
Inorg. Chim. Acta, 2005, **358**, pp. 3855-3864 (LCC-7430).

2D coordination polymers of Nd(III) and Gd(III) with the phenoxyacetate ligand

NOVITCHI G., SHOVA S., COSTES J.-P., MAMULA O., GDANIEC M.
Inorg. Chim. Acta, 2005, **358**, pp. 4437-4442 (LCC-7453).

Two new 1-D dicyanamide bridged polymeric complexes $[\text{Mn}(\mu\text{-}15\text{-dca})_2(\text{salicyh})_2]_n$ and $\{[\text{Ni}(\mu\text{-}15\text{-dca})(\text{TTA})](\text{ClO}_4)\}_n$ (dca = dicyanamide, $\text{N}(\text{CN})_2^-$; salicyh = salicylic hydrazide; TTA = triethylenetetramine): Synthesis, structures and magnetic studies

SEN S., TALUKDER P., MITRA S., ROSAIR G., YAP G., GRAMLICH V., KIM J., MATSUSHITA T., DESPLANCHES C., SUTTER J.-P.
Inorg. Chim. Acta, 2005, **358**, pp. 4534-4540 (LCC-7429).

The radical trap in atom transfer radical polymerization need not be thermodynamically stable. A study of the $\text{MoX}_3(\text{PMe}_3)_3$ catalysts

MARIA S., STOFFELBACH F., MATA J., DARAN J.-C., RICHARD P., POLI R.
J. Am. Chem. Soc., 2005, **127**, pp. 5946-5956 (LCC-7487).

Instant "base-promoted" generation of Roper's-type $\text{Ru}(0)$ complexes $\text{Ru}(\text{CO})_2(\text{PR}_3)_3$ from a simple carbonylchlororuthenium(II) precursor

SENTETS S., MARTINEZ M.C.R., VENDIER L., DONNADIEU B., HUC V., LUGAN N., LAVIGNE G.
J. Am. Chem. Soc., 2005, **127**, pp. 14554-14555 (LCC-7379).

Octasubstituted metal-free phthalocyanine as core of phosphorus dendrimers : A probe for the properties of the internal structure

LECLAIRE J., DAGIRAL R., FERY-FORGUES S., COPPEL Y., DONNADIEU B., CAMINADE A.-M., MAJORAL J.-P.
J. Am. Chem. Soc., 2005, **127**, pp. 15762-15770 (LCC-7376).

Synthesis, neutron structure, and reactivity of the bis(dihydrogen) complex $\text{RuH}_2(\eta^2\text{-H}_2)_2(\text{PCyp}_3)_2$ stabilized by two tricyclopentylphosphines
GRELLIER M., VENDIER L., CHAUDRET B., ALBINATI A., RIZZATO S., MASON S., SABO-ETIENNE S.

J. Am. Chem. Soc., 2005, **127**, pp. 17592-17593 (LCC-7510).

A macrocyclic chiral manganese (III) Schiff base complex as an efficient catalyst for the asymmetric epoxidation of olefins

MARTINEZ A., HEMMERT C., MEUNIER B.

J. Catal., 2005, **234**, pp. 250-255 (LCC-7483).

Use of a locked-nucleic-acid oligomer in the clamped-probe assay for detection of a minority *Pfcr* K76T mutant population of *Plasmodium falciparum*

SENECAU A., BERRY A., BENOIT-VICAL F., LANDT O., FABRE R., LELIEVRE J., CASSAING S., MAGNAVAL J.-F.

J. Clin. Microbiol., 2005, **43**, pp. 3304-3308 (LCC-7389).

The solid-state synthesis of metal nanoparticles from organometallic precursors

WOSTEK-WOJCIECHOWSKA D., JESZKA J.K., AMIENS C., CHAUDRET B., LECANTE P.

J. Colloid Interf. Sci., 2005, **287**, pp. 107-113 (LCC-7455).

Low-temperature (180 K) crystal structures of tetrakis- μ -(niflumato)di(aqua)dicopper(II) *N,N*-dimethylformamide and *N,N*-dimethylacetamide solvates, their EPR properties, and anticonvulsant activities of these and other ternary binuclear Copper(II)niflumate complexes

VIOSAT B., GREENAWAY F.T., MORGANT G., DARAN J.-C., DUNG N.-H., SORENSON J.R.J.

J. Inorg. Biochem., 2005, **99**, pp. 355-367 (LCC-7444).

Phosphorus dendrimers for the controlled elaboration of organic-inorganic materials

CAMINADE A.-M., MAJORAL J.-P.

J. Mater. Chem., 2005, **15**, pp. 3643-3649 (LCC-7387).

Platinum-catalyzed intermolecular hydroamination of terminal alkynes

BRUNET J.-J., CHU N.C., DIALLO O.S., VINCENDEAU S.

J. Mol. Catal. A, 2005, **240**, pp. 245-248 (LCC-7443).

Crystal structure and electrical conductivity of $\{\text{trans}[\text{Ru}(\text{ox})(\text{en})_2\text{NO}]\}_2(\text{TCNQ})_3$ (ox = oxalate, en = ethylenediamine, TCNQ=7,7,8,8-tetracyanoquinodimethane) at ground state

UEDA K., TAKAHASHI M., TOMIZAWA H., MIKI K., FAULMANN C.

J. Mol. Struct., 2005, **751**, pp. 12-16 (LCC-7448).

Synthesis and optical properties of isomeric branched π -conjugated systems

NIERENGARTEN J.-F., ZHANG S., GEGOUT A., URBANI M., ARMAROLI N., MARCONI G., RIO Y.

J. Org. Chem., 2005, **70**, pp. 7550-7557 (LCC-7440).

The first chemical synthesis of the core structure of the benzoylhydrazine-NAD adduct, a competitive inhibitor of the *Mycobacterium tuberculosis* enoyl reductase

BROUSSY S., BERNARDES-GENISSON V., QUEMARD A., MEUNIER B., BERNADOU J.

J. Org. Chem., 2005, **70**, pp. 10502-10510 (LCC-7373).

Resolution of β -aminophosphines with chiral cyclopalladated complexes

CAMUS J.-M., GARCIA P.R., ANDRIEU J., RICHARD P., POLI R.

J. Organomet. Chem., 2005, **690**, pp. 1659-1668 (LCC-7447).

Synthesis and activity of macrocyclized chiral Mn(III)-Schiff-base epoxidation catalysts

MARTINEZ A., HEMMERT C., GORNITZKA H., MEUNIER B.

J. Organomet. Chem., 2005, **690**, pp. 2163-2171 (LCC-7394).

Accelerated methods of synthesis of phosphorus-containing dendrimers

MARAVAL V., LAURENT R., MARCHAND P., CAMINADE A.-M., MAJORAL J.-P.

J. Organomet. Chem., 2005, **690**, pp. 2458-2471 (LCC-7396).

[Pd(H)(SnCl₃)L₂]: The key active species in the catalyzed alkoxycarbonylation reaction of terminal alkenes

NGUYEN D.H., COPPEL Y., URRUTIGOITY M., KALCK P.
J. Organomet. Chem., 2005, **690**, pp. 2947-2951 (LCC-7445).

Synthesis and quadratic molecular hyperpolarizabilities of two new chiral boronates: Computational and experimental study

REYES H., RIVERA J.M., FARFAN N., SANTILLAN R., LACROIX P.G., LEPETIT C., NAKATANI K.
J. Organomet. Chem., 2005, **690**, pp. 3737-3745 (LCC-7446).

Enhancement of light-energy conversion efficiency by multi-porphyrin arrays of porphyrin-peptide oligomers with fullerene clusters

HASOBE T., KAMAT P.K., TROIANI V., SOLLADIE N., AHN T.K., KIM S.K., KIM D., KONGKANAND A., KUWABATA S.
J. Phys. Chem. B, 2005, **109**, pp. 19-23 (LCC-7433).

Fast exciton migration in porphyrin-functionalized polypeptides

FUJITSUKA M., HARA M., TOJO S., OKADA A., TROIANI V., SOLLADIE N., MAJIMA T.
J. Phys. Chem. B, 2005, **109**, pp. 33-35 (LCC-7434).

Metal dilution effects on the spin-crossover properties of the three-dimensional coordination polymer Fe(pyrazine)[Pt(CN)₄]

TAYAGAKI T., GALET A., MOLNAR G., MUNOZ M.C., ZWICK A., TANAKA K., REAL J.A., BOUSSEKSOU A.
J. Phys. Chem. B, 2005, **109**, pp. 14859-14867 (LCC-7461).

Assembly and mechanical properties of phosphorus dendrimer/polyelectrolyte multilayer microcapsules

KIM B.-S., LEBEDEVA O.V., KIM D.H., CAMINADE A.-M., MAJORAL J.-P., KNOLL W., VINOGRADOVA O.I.
Langmuir, 2005, **21**, pp. 7200-7206 (LCC-7388).

Phosphorus dendrimers : nano-objects for nanosciences

MAJORAL J.-P., TURRIN C.O., LAURENT R., CAMINADE A.-M.
Macromol. Symp., 2005, **229**, pp. 1-7 (LCC-7377).

Comparison of bond dissociation energies of dormant species relevant to degenerative transfer and atom transfer radical polymerization

MATYJASZEWSKI K., POLI R.
Macromolecules, 2005, **38**, pp. 8093-8100 (LCC-7460).

Contribution of PCR-based methods to diagnosis and management of imported malaria

BERRY A., FABRE R., BENOIT-VICAL F., CASSAING S., MAGNAVAL J.-F.
Med. Trop., 2005, **65**, pp. 69-79 (LCC-7391).

Synthesis of well-dispersed ruthenium nanoparticles inside mesostructured porous silica under mild conditions

HULEA V., BRUNEL D., GALARNEAU A., PHILIPPOT K., CHAUDRET B., KOOYMAN, FAJULA F.
Microporous Mesoporous Mater., 2005, **79**, pp. 185-194 (LCC-7450).

Multimillimetre-large superlattices of air-stable iron-cobalt nanoparticles

DESVAUX C., AMIENS C., FEJES P., RENAUD P., RESPAUD M., LECANTE P., SNOECK E., CHAUDRET B.
Nature Materials, 2005, **4**, pp. 250-253 (LCC-7442).

Zirconate complexes: multifaceted reagents

MAJORAL J.-P., ZABLOCKA M.
New J. Chem., 2005, pp. 32-41 (LCC-7468).

A photoactive nona-porphyrin with nucleosidic linkers
SOLLADIE N., SOOAMBAR C., HERSCHBACH H., STRUB J.-M., LEIZE E., VAN DORSSELAER A., TALARICO A.M., VENTURA B., FLAMIGNI L.
New J. Chem., 2005, **29**, pp. 1504-1507 (LCC-7425).

Mechanistic studies on DNA damage by minor groove binding copper-phenanthroline conjugates
BALES B.C., KODAMA T., WELEDJI Y.N., PITIE M., MEUNIER B., GREENBERG M.M.
Nucleic Acids Res., 2005, **33**, pp. 5371-5379 (LCC-7380).

Studies on the 4-benzoylpyridine-3-carboxamide entity as a fragment model of the Isoniazid-NAD adduct
BROUSSY S., BERNARDES-GENISSON V., GORNITZKA H., BERNADOU J., MEUNIER B.
Org. Biomol. Chem., 2005, **3**, pp. 666-669 (LCC-7410).

¹H and ¹³C NMR characterization of pyridinium-type isoniazid NAD adducts as possible inhibitors of InhA reductase of *Mycobacterium tuberculosis*
BROUSSY S., BERNARDES-GENISSON V., COPPEL Y., QUEMARD A., BERNADOU J., MEUNIER B.
Org. Biomol. Chem., 2005, **3**, pp. 670-673 (LCC-7409).

Mononuclear and binuclear cyclopentadienyl oxo molybdenum and tungsten complexes: Syntheses and applications in olefin epoxidation catalysis
MARTINS A.M., ROMAO C.C., ABRANTES M., AZEVEDO M.C., CUI J., DIAS A.R., DUARTE V., LEMOS F., LOURENCO T., POLI R.
Organometallics, 2005, **24**, pp. 2582-2589 (LCC-7458).

Coordination modes of boranes in polyhydride ruthenium complexes : σ -borane versus dihydridoborate
LACHAIZE S., ESSALAH K., MONTIEL-PALMA V., VENDIER L., CHAUDRET B., BARTHELAT J.-C., SABO-ETIENNE S.
Organometallics, 2005, **24**, pp. 2935-2943 (LCC-7540).

Intermolecular highly regioselective hydroamination of alkenes with ligandless Platinum(II) catalysts in ionic solvents: Activation role of *n*-Bu⁴PBr
BRUNET J.-J., CHU N.C., DIALLO O.S.
Organometallics, 2005, **24**, pp. 3104-3110 (LCC-7484).

Structure and bonding in a disilazane ruthenium complex. Catalytic selective deuteration of disilazane
AYED T., BARTHELAT J.-C., TANGOUR B., PRADERE C., DONNADIEU B., GRELLIER M., SABO-ETIENNE S.
Organometallics, 2005, **24**, pp. 3824-3826 (LCC-7456).

A new way to Scorpionate Niobium Complexes: Terminal alkyne, imido, and oxo complexes and the rearrangement of (alpha)-agostic ethyl complexes
OULIE P., BREFUEL N., VENDIER L., DUHAYON C., ETIENNE M.
Organometallics, 2005, **24**, pp. 4306-4314 (LCC-7382).

Stereochemically dynamic 2,2'-biphosphole ligands for asymmetric catalysis
ROBE E., ORTEGA C., MIKINA M., MIKOLAJCZYK M., DARAN J.-C., GOUYGOU M.
Organometallics, 2005, **24**, pp. 5549-5559 (LCC-7457).

Existence and stability of lanthanide-main group element multiple bonds. New paradigms in the bonding of the 4f elements. A DFT study of CP(2)CeZ (Z = F+, O, NH, CH-, CH₂ and the ligand adduct CP₂Ce(CH₂)(NH₃))
CLARK D.L., GORDON J.C., HAY P.J., POLI R.
Organometallics, 2005, **24**, pp. 5747-5758 (LCC-7459).

New carboxylate functionalized phosphodi- and trihydrazones as versatile chelating agents of metallic ions in organic solvents and in water
EL KHATIB F., LAUNAY N., HE Z.-L., CAMINADE A.-M., MAJORAL J.-P.
Phosph. Sulf. Silicon, 2005, **180**, pp. 321-330 (LCC-7408).

- High-spin to low-spin relaxation kinetics in the [Fe(TRIM)₂]Cl₂ complex
BONHOMMEAU S., BREFUEL N., PALFI V.K., MOLNAR G., ZWICK A., SALMON L.,
TUCHAGUES J.-P., COSTA J.S., LETARD J.-F., PAULSEN H., BOUSSEKSOU A.
Phys. Chem. Chem. Phys., 2005, **7**, pp. 2909-2914 (LCC-7415).
- Selective photoswitching of the binuclear spin crossover compound {[Fe(bt)(NCS)₂]₂(bpm)} into two
distinct macroscopic phases
OULD-MOUSSA N., MOLNAR G., ZWICK A., MOURI S., TANAKA K., REAL J.A., BOUSSEKSOU
A.
Phys. Rev. Lett., 2005, **94**, pp. 107205/1-4 (LCC-7449).
- Synthesis, crystal structure, and magnetic properties of binuclear Mn^{III}-azido and 1D polymeric Mn^{II}-
 μ 1,3-thiocyanato novel species based on a neutral hexadentate Schiff base
DEOGHORIA S., BERA S.K., MOULTON B., ZAWOROTKO M.J., TUCHAGUES J.-P., MOSTAFA
G., LU T.-H., CHANDRA S.K.
Polyhedron, 2005, **24**, pp. 343-350 (LCC-7413).
- A trinuclear cluster containing the {Fe₃(μ -3-O)}⁷⁺ core : Structural, magnetic and spectroscopic (IR,
Mossbauer, EPR) studies
BOUDALIS A.K., SANAKIS Y., RAPTOPOULOU C.P., TERZIS A., TUCHAGUES J.-P., PERLEPES
S.P.
Polyhedron, 2005, **24**, pp. 1540-1548 (LCC-7414).
- Production of supported asymmetric catalysts in a fluidised bed
DESSPORTES S., STEINMETZ D., HEMATI M., PHILIPPOT K., CHAUDRET B.
Powder Technol., 2005, **157**, pp. 12-19 (LCC-7452).
- The antimalarial drug artemisinin alkylates heme in infected mice
ROBERT A., BENOIT-VICAL F., CLAPAROLS C., MEUNIER B.
Proc. Nat. Acad. Sci., 2005, **102**, pp. 13676-13680 (LCC-7424).
- Water-soluble phosphorus-containing dendrimers
CAMINADE A.-M., MAJORAL J.-P.
Prog. Polym. Sci., 2005, **30**, pp. 491-505 (LCC-7397).
- Resonating piezoelectric membranes for microelectromechanically based bioassay: detection of
streptavidin-gold nanoparticles interaction with biotinylated DNA
NICU L., GUIARDEL M., CHAMBOSSE F., ROUGERIE P., HINH S., TREVISIOL E., FRANCOIS
J.M., MAJORAL J.-P., CAMINADE A.-M., CATTAN E., BERGAUD C.
Sens. Actuat. B, 2005, **110**, pp. 125-136 (LCC-7385).
- The behavior of Au₅₅ nanoclusters on and in thiol-terminated dendrimers monolayers
SCHMID G., EMMRICH E., MAJORAL J.-P., CAMINADE A.-M.
Small, 2005, **1**, pp. 73-75 (LCC-6827).
- Formation of dendrimer nanotubes by layer-by-layer deposition
HA KIM D., KARAN P., GORING P., LECLAIRE J., CAMINADE A.-M., MAJORAL J.-P., GOSELE
U., STEINHART M., KNOLL W.
Small, 2005, **1**, pp. 99-102 (LCC-6826).
- Spontaneous formation of ordered 2D and 3D superlattices of ZnO nanocrystals
KAHN M.L., MONGE M.A., SNOECK E., MAISONNAT A., CHAUDRET B.
Small, 2005, **1**, pp. 221-224 (LCC-7407).
- New ferrocenyl P,S and S,S ligands for asymmetric catalysis
ROUTABOUL L., VINCENDEAU S., DARAN J.-C., MANOURY E.
Tetrahedron Asymmetry, 2005, **16**, pp. 2685-2690 (LCC-7451).

An amphiphilic C₆₀ derivative with a tris(2,2'-bipyridine)ruthenium(II) polar head group: synthesis and incorporation in Langmuir films

CARDINALI F., GALLANI J.-L., SCHERGNA S., MAGGINI M., NIERENGARTEN J.-F.

Tetrahedron Lett., 2005, **46**, pp. 2969-2972 (LCC-7437).

An octa-cationic core-shell dendrimer as a molecular template for the assembly of anionic fullerene derivatives

VAN DE COEVERING R., KREITER R., CARDINALI F., VAN KOTEN G., NIERENGARTEN J.-F., GEBBINK R.J.M.K.

Tetrahedron Lett., 2005, **46**, pp. 3353-3356 (LCC-7436).

A third generation chiral phosphorus-containing dendrimer as ligand in Pd-catalyzed asymmetric allylic alkylation

LAURENT R., CAMINADE A.-M., MAJORAL J.-P.

Tetrahedron Lett., 2005, **46**, pp. 6503-6506 (LCC-7384).

Organometallic derivatives at the core of phosphorus-containing dendrimers

TURRIN C.O., DONNADIEU B., CAMINADE A.-M., MAJORAL J.-P.

Z. Anorg. Allgem. Chem., 2005, **631**, pp. 2881-2887 (LCC-7378).