

Publications LCC 1996

3,3-bis(2-imidazolyl)propionic acid hemihydrate

GIMENO B., SANCHO A., SOTO L., LEGROS J.-P.

Acta Crystallogr., Sect. C, 1996, **52**, pp. 1226-1228 (LCC-4534).

Arbres moléculaires (dendrimères) phosphorés: une future forêt d'applications

MAJORAL J.-P., CAMINADE A.-M.

Actual. Chim., 1996, **4**, pp. 13-18 (LCC-4667).

Hydrures, hydrogène et coordination de liaisons σ

CHAUDRET B.

Actual. Chim., 1996, **7**, pp. 26-35 (LCC-4631).

Tris(pyrazolyl)borato niobium(I) complexes : mono and bis(alkyne) derivatives

LORENTE PH., ETIENNE M., DONNADIEU B.

An. Quim., Int. Ed., 1996, **92**, 88-94 (LCC-4264).

Reactions of $\text{RuH}_2(\text{H}_2)_2(\text{PCy}_3)_2$ with boranes. Synthesis of novel unsaturated and dihydrogen borohydride complexes and reactivity towards water

SABO-ETIENNE S., CHAUDRET B., RODRIGUEZ A.

An. Quim., Int. Ed., 1996, **92**, pp. 131-133 (LCC-4632).

From $1s^4, 2s^2$ to $1s^n$ -diphosphetes ($n=3-6$): the surprising persistence of the P-P bond

SANCHEZ M., REAU R., DAHAN F., REGITZ M., BERTRAND G.

Angew. Chem. (Int. Ed. Engl.), 1996, **35**, pp. 2228-2230 (LCC-3747).

Structure/nuclease activity relationships of DNA cleavers based on cationic metalloporphyrin-oligonucleotide conjugates

MESTRE B., JAKOBS A., PRATVIEL G., MEUNIER B.

Biochem., 1996, **35**, pp. 9140-9149 (LCC-4582).

Carbonylative coupling of iodobenzene to benzophenone with $[\text{n-Bu}_4\text{N}][\text{HFe}(\text{CO})_4]$

BRUNET J.-J., EL ZAIZI A.

Bull. Soc. Chim. Fr., 1996, **133**, 75-82 (LCC-4166).

Regioselective reaction of phosphamides with a zirconocene-benzynes complex. Synthesis and reactivity of novel azaphosphazirconaindanes

DUPUIS L., PIRIO N., MEUNIER P., GAUTHERON B., MAHIEU A., IGAU A., MAJORAL J.-P.

Bull. Soc. Chim. Fr., 1996, **133**, pp. 611-615 (LCC-4671).

Preparation and characterization by electrospray mass spectrometry of cationic metalloporphyrin DNA cleavers

BIGEY P., FRAU S., LOUP C., CLAPAROLS C., BERNADOU J., MEUNIER B.

Bull. Soc. Chim. Fr., 1996, **133**, pp. 679-689 (LCC-4649).

Hoescht 33258, un agent de reconnaissance du petit sillon de l'ADN

FRAU S., BERNADOU J., MEUNIER B.

Bull. Soc. Chim. Fr., 1996, **133**, pp. 1053-1070 (LCC-4596).

From unstable diazoalkenes to stable pseudo-diazoalkenes : creating useful synthons from reactive intermediates

BOURISSOU D., BERTRAND G.

C. R. Séances Acad. Sci., Sér. II, 1996, **322**, 489-506 (LCC-4432).

$[\text{Cp}_2\text{ZrCl}]_n$, a versatile reagent

MAJORAL J.-P., ZABLOCKA M., IGAU A., CENAC N.

Chem. Ber., 1996, **129**, pp. 879-886 (LCC-4676).

Selective functionalization of the 1'-position in ferrocenecarbaldehyde
IFTIME G., MOREAU-BOSSUET C., MANOURY E., BALAVOINE G.
Chem. Commun., 1996, 527-528 (LCC-4358).

Pentadentate dinucleating ligands affording bis(μ -carboxylato-*O,O*)diiron(II) complexes
HEMMERT C., VERELST M., TUCHAGUES J.-P.
Chem. Commun., 1996, 617-618 (LCC-4184).

Study of the complexing properties toward Ru^{II} of new polydentate amphiphilic phosphines containing polyether chains. Unprecedented h³ mode of bonding of the new ligand PPh[(CH₂)₃CHMe₂][(CH₂CH₂O)₃Me] and study of its hemilabile character
VALLS E., SUADES J., DONNADIEU B., MATHIEU R.
Chem. Commun., 1996, 771-772 (LCC-4172).

Double carbonylation of alkynes using NaHFe(CO)₄
PERIASAMY M., RADHAKRISHNAN U., BRUNET J.-J., CHAUVIN R., EL ZAIZI A.
Chem. Commun., 1996, pp. 1499-1500 (LCC-4775).

X-ray characterization of enantiomerically pure 1,1'-diphenyl-3,3',4,4'-tetramethyl-2,2'-biphosphole : a ligand with axial and central chirality
TISSOT O., GOUYGOU M., DARAN J.-C., BALAVOINE G.
Chem. Commun., 1996, pp. 2287-2288 (LCC-4621).

1⁵-phosphetes, benzo-1⁵-phosphetes, naphtho-1⁵-phosphetes : four-p-, eight-p-, and twelve-p-electron systems
HEIM U., PRITZKOW H., FLEISCHER U., GRUTZMACHER H., SANCHEZ M., REAU R., BERTRAND G.
Chem. Eur. J., 1996, **2**, 68-74 (LCC-4034).

Oxidative degradation of polychlorinated phenols catalyzed by metallosulfophthalocyanines
SOROKIN A., MEUNIER B.
Chem. Eur. J., 1996, **2**, pp. 1308-1317 (LCC-4591).

Phosphorus-containing dendrimers : synthesis of macromolecules with tri- and tetrafunctionalization
LARTIGUE M.-L., SLANY M., CAMINADE A.-M., MAJORAL J.-P.
Chem. Eur. J., 1996, **2**, pp. 1417-1426 (LCC-4598).

Synthesis and second-order nonlinear optical properties of new copper(II), nickel(II), and zinc(II) Schiff-base complexes. Toward a role of inorganic chromophores for second harmonic generation
LACROIX P., DI BELLA S., LEDOUX I.
Chem. Mater., 1996, **8**, pp. 541-545 (LCC-4359).

Synthesis and isolation of cuboctahedral and icosahedral platinum nanoparticles. Ligand-dependent structures
RODRIGUEZ A., AMIENS C., CHAUDRET B., CASANOVE M.-J., LECANTE P., BRADLEY J.S.
Chem. Mater., 1996, **8**, pp. 1978-1986 (LCC-4633).

Synthesis, characterization, and magnetic studies of nonagglomerated zerovalent iron particles. Unexpected size dependence of the structure
DE CARO D., OULD ELY T., MARI A., CHAUDRET B., SNOECK E., RESPAUD M., BROTO J.-M., FERT A.
Chem. Mater., 1996, **8**, pp. 1987-1991 (LCC-4652).

From intercalation to aggregation : nonlinear optical properties of stilbazolium chromophores-MPS₃ layered hybrid materials
CORADIN T., CLEMENT R., LACROIX P.G., NAKATANI K.
Chem. Mater., 1996, **8**, pp. 2153-2158 (LCC-4815).

Gas phase formation and reactivity of iron naphthylene cations : a route for polycyclic aromatic hydrocarbon growth

MARTY P., DE PARSEVAL P., KLOTZ A., CHAUDRET B., SERRA G., BOISSEL P.

Chem. Phys. Lett., 1996, **256**, pp. 669-674 (LCC-4634).

Hydridotris(pyrazolyl)borato complexes of the group 5 metals : inorganic and organometallic chemistry
ETIENNE M.

Coord. Chem. Rev., 1996, **156**, pp. 201-236 (LCC-4599).

Hexamethylhydrazinocyclotriphosphazene $N_3P_3(NMeNH_2)_6$: starting reagent for the synthesis of multifunctionalized species, macrocycles, and small dendrimers

KRAEMER R., GALLIOT C., MITJAVILLE J., CAMINADE A.-M., MAJORAL J.-P.

Heteroat. Chem., 1996, **7**, 149-154 (LCC-4426).

Synthesis and multinuclear NMR characterization of iminophosphoranyl phosphines and silanes
GOURMI S., LACASSIN F., BACEIREDO A., BERTRAND G.

Heteroat. Chem., 1996, **7**, pp. 403-407 (LCC-4666).

Synthesis of stable multifunctional C-phosphonio phosphorus vinyl ylides

DYER P., BACEIREDO A., BERTRAND G.

Inorg. Chem., 1996, **35**, 46-50 (LCC-4133).

$[Fe^{II}(TRIM)_2]F_2$, the first example of spin conversion monitored by molecular vibrations

BOUSSEKSOU A., VERELST M., CONSTANT-MACHADO H., LEMERCIER G., TUCHAGUES J.-P., VARRET F.

Inorg. Chem., 1996, **35**, 110-115 (LCC-4471).

Synthesis and characterization of new chiral Schiff base complexes with diiminobinaphthyl or diiminocyclohexyl moieties as potential enantioselective epoxidation catalysts

BERNARDO K., LEPPARD S., ROBERT A., COMMENGES G., DAHAN F., MEUNIER B.

Inorg. Chem., 1996, **35**, 387-396 (LCC-4159).

Kinetic studies on reactions of activated triruthenium carbonyl clusters with phosphorus ligands
JIAN-KUN SHEN, BASOLO F., NOMBEL P., LUGAN N., LAVIGNE G.

Inorg. Chem., 1996, **35**, 755-759 (LCC-4199).

Transition-metal derivatives of the cyclopentadienylphosphine ligands. 11. Reactivity of the dinuclear bridged rhodium(II) complexes toward nitrogen-containing ligands

IRETSKI A., JENNINGS M.C., POILBLANC R.

Inorg. Chem., 1996, **35**, 1266-1272 (LCC-4056).

A genuine example of a discrete bimetallic (Cu, Gd) complex : structural determination and magnetic properties

COSTES J.-P., DAHAN F., DUPUIS A., LAURENT J.-P.

Inorg. Chem., 1996, **35**, 2400-2402 (LCC-4194).

X-ray crystal structure, ab initio calculations, and reactivity of 1,3,2,1⁵-diazaphosphetes : a new type of 4-p-electron 4-membered heterocycle

ALCARAZ G., BACEIREDO A., NIEGER M., SCHOELLER W., BERTRAND G.

Inorg. Chem., 1996, **35**, 2458-2462 (LCC-4171).

Metal complexes of dithiolate ligands : 5,6-dihydro-1,4-dithiin-2,3-dithiolato (ddd^{2-}), 5,7-dihydro-1,4,6-trithiin-2,3-dithiolato (dtd^{2-}), and 2-thioxo-1,3-dithiole-4,5-dithiolato ($dmit^{2-}$). Synthesis, electrochemical studies, crystal and electronic structures, and conducting properties

FAULMANN C., ERRAMI A., DONNADIEU B., MALFANT I., LEGROS J.-P., CASSOUX P., ROVIRA C., CANADELL E.

Inorg. Chem., 1996, **35**, pp. 3856-3873 (LCC-4576).

h^2 -bonded hydrotris (3,5-dimethylpyrazolyl)borate in $[\text{Rh}(\text{HB}(\text{Me}_2\text{pz})_3)(\text{CO})(\text{PMe}_3)]$. X-ray crystal structure and dynamic exchange in solution
CHAUBY V., SERRA-LE BERRE C., KALCK PH., DARAN J.-C., COMMENGES G.
Inorg. Chem., 1996, **35**, pp. 6354-6355 (LCC-4657).

Exchange coupling in niobocene trihydrides, $\text{Nb}(\text{C}_5\text{H}_3\text{RR}')_2\text{H}_3$, and their adducts with copper triad cations, $[\{\text{Nb}(\text{C}^5\text{H}^3\text{RR}')_2\text{H}_3\}^2\text{M}]^+$ ($\text{R}=\text{R}'=\text{H}$; $\text{R}=\text{H}, \text{R}'=\text{SiMe}_3$; $\text{R}=\text{R}'=\text{SiMe}_3$; $\text{M}=\text{Cu}, \text{Ag}, \text{Au}$)
ANTINOLO A., CARRILLO-HERMOSILLA F., CHAUDRET B., FAJARDO M., FERNANDEZ-BAEZA J., LANFRANCHI M., LIMBACH H.-H., MAURER M., OTERO A., PELLINGHELLI M.-A., ANTINOLO A.
Inorg. Chem., 1996, **35**, pp. 7873-7881 (LCC-4635).

Synthesis and crystal structure of $[\text{1,1,2,2-tetramethylguanidinium}][\text{Ni}(\text{dmit})_2]_2$ and $[\text{hexamethylguanidinium}][\text{Ni}(\text{dmit})_2]_2$ ($\text{dmit}=\text{1,3-dithiole-2-thione-4,5-dithiolate}$). Intermolecular orbital overlap integral calculations and electrical conductivities
VELDHUIZEN Y.S.J., VELDMAN N., LAKIN M.T., SPEK A.L., PAULUS P.M., FAULMANN C., HAASNOOT J.G., MAASKANT W.J.A., REEDIJK J.
Inorg. Chim. Acta, 1996, **245**, 27-34 (LCC-4229).

Complexation properties of polyazaphosphorus macrocycles
CAMINADE A.-M., KRAEMER R., MAJORAL J.-P.
Inorg. Chim. Acta, 1996, **246**, pp. 47-52 (LCC-3900).

One-pot synthesis of dicarbonyltris(phosphane)iron(O) complexes from pentacarbonyliron
BRUNET J.-J., KINDELA F.B., NEIBECKER D.
Inorg. Synth., 1996, **31**, pp. 202-210 (LCC-5420).

New BETS conductors with magnetic anions (BETS=bis(ethylenedithio)-tetraselenafulvalene)
KOBAYASHI H., TOMITA H., NAITO T., KOBAYASHI A., SAKAI F., WATANABE T., CASSOUX P.
J. Am. Chem. Soc., 1996, **118**, 368-377 (LCC-4384).

Ligand behavior of a (Z)-phosphazide (a $1,2,3,4-1^5$ -triazaphosphinine) and of the corresponding phosphazene (a $1,2,1^5$ -azaphosphete)
BIEGER K., BOUHADIR G., REAU R., DAHAN F., BERTRAND G.
J. Am. Chem. Soc., 1996, **118**, 1038-1044 (LCC-4162).

Mechanism of the exchange reaction of halodiazirines with nucleophiles revisited. Synthesis of neutral, mono- or dicationic 4-16-membered phosphorus heterocycles
ALCARAZ G., PIQUET V., BACEIREDO A., DAHAN F., SCHOELLER W., BERTRAND G.
J. Am. Chem. Soc., 1996, **118**, 1060-1065 (LCC-4163).

Structure and ferromagnetic interactions in open-shell supramolecular assemblies constructed from radical cations and hexacyanometallate anions
MICHAUT C., OUAHAB L., BERGERAT P., KAHN O., BOUSSEKSOU A.
J. Am. Chem. Soc., 1996, **118**, 3610-3616 (LCC-4185).

Synthesis and reactivity of the first spectroscopically observed 1H-diazirine
DUBAU-ASSIBAT N., BACEIREDO A., BERTRAND G.
J. Am. Chem. Soc., 1996, **118**, pp. 5216-5220 (LCC-4522).

Synthesis and structure of the first chiral tetracoordinated aluminum cation
EMIG N., REAU R., KRAUTSCHEID H., FENSKE D., BERTRAND G.
J. Am. Chem. Soc., 1996, **118**, pp. 5822-5823 (LCC-4523).

CO_2 as the ultimate degradation product in the H_2O_2 oxidation of 2,4,6-trichlorophenol catalyzed by iron tetrasulfophthalocyanine
SOROKIN A., DE SUZZONI-DEZARD S., POUILLAIN D., NOEL J.-P., MEUNIER B.
J. Am. Chem. Soc., 1996, **118**, pp. 7410-7411 (LCC-4585).

Thermal behavior of vanadocene

POIRIER L., TEYSSANDIER F., DANJOY C., VALADE L., SIBIEUDE F., REYNES A., JAUBERTEAU J.-L.

J. Anal. Appl. Pyrol., 1996, **36**, pp. 121-136 (LCC-4626).

Cleavage of double-stranded DNA by manganese tris(methylpyridiniumyl)porphyrin linked to 3'-spermine oligonucleotides

PITIE M., MEUNIER B.

J. Biol. Inorg. Chem., 1996, **1**, pp. 239-246 (LCC-4482).

Deprotonation and self-assembly of a symmetric oxamidate-bridged dinuclear copper(II) complex involving imidazole moieties

DOMINGUEZ-VERA J.M., GALVEZ N., COLACIO E., CUESTA R., COSTES J.-P., LAURENT J.-P.

J. Chem. Soc., Dalton Trans., 1996, 861-865 (LCC-4357).

Comparative study of oxidation by chromium(V) and chromium(VI)

SIGNORELLA S., RIZZOTTO M., DAIER V., FRASCAROLI M. I., PALOPOLI C., MARTINO D., BOUSSEKSOU A., SALA L. F.

J. Chem. Soc., Dalton Trans., 1996, pp. 1607-1611 (LCC-4580).

Synthesis, structure and characterization of mixed cyclopentadienyl-dithiolene metal complexes, $[\text{Co}(\eta\text{-C}_5\text{H}_5)_2][\text{Ni}(\text{C}_3\text{S}_5)_2]_3 \cdot 2\text{MeCN}$ and $[\text{Ni}(\eta\text{-C}_5\text{H}_5)(\text{C}_3\text{S}_5)]$

FAULMANN C., DELPECH F., MALFANT I., CASSOUX P.

J. Chem. Soc., Dalton Trans., 1996, pp. 2261-2267 (LCC-4474).

Organization processes of a pyropheophorbide-spermidine conjugate in the presence or absence of DNA

MANSOURI S., FERY-FORGUES S., MEUNIER B., PAILLOUS N.

J. Chem. Soc., Perkin Trans. 2, 1996, pp. 1649-1654 (LCC-4586).

Carbon-nitrogen bond formation in the reaction of diphenyl diazomethane Ph_2CN_2 with diiron-carbene complexes $(\text{Fe}_2(\text{Co})_7\{\text{m-C}(\text{R})\text{C}(\text{NEt}_2)\})$: conversion of complexes ferraazetidines $[\text{Fe}_2(\text{CO})_6\{\text{m-C}(\text{R})\text{C}(\text{NEt}_2)\text{N}(\text{NPh}_2)\}]$ into $[\text{Fe}_2(\text{CO})_6\{\text{m-C}(\text{R})\text{C}(\text{NEt}_2)\text{NN}(\text{CPh}_2)\}]$

CROCQ V., DARAN J.-C., GOUYGOU M., HEIM B., JEANNIN Y., SPEEL R.

J. Clust. Sci., 1996, **7**, pp. 505-523 (LCC-4645).

Thermal decomposition of $\text{V}(\text{NEt}_2)_4$ in an MOCVD reactor : a low-temperature route to vanadium carbonitride coatings

BONNEFOND P., FEURER R., REYNES A., MAURY F., CHANSOU B., CHOUKROUN R., CASSOUX P.

J. Mater. Chem., 1996, **6**, pp. 1501-1506 (LCC-4581).

Entropy in dissimilarity and chirality measures

CHAUVIN R.

J. Math. Chem., 1996, **19**, pp. 147-174 (LCC-5502).

New bimetallic rhodium-zirconium catalysts for homogeneous olefin hydroformylation

TRZECIAK A.M., ZIOLKOWSKI J.J., CHOUKROUN R.

J. Mol. Catal. A, 1996, **110**, pp. 135-139 (LCC-4584).

Enantioselective epoxidation of olefins by single-oxygen atom donors catalyzed by manganese-glycoconjugated porphyrins

VILAIN-DESHAYES S., ROBERT A., MAILLARD P., MEUNIER B., MOMENTEAU M.

J. Mol. Catal. A, 1996, **113**, pp. 23-34 (LCC-4604).

Kinetic investigations of oxidative degradation of aromatic pollutant 2,4,6-trichlorophenol by an iron-porphyrin complex, a model of ligninase

SHUKLA R. S., ROBERT A., MEUNIER B.

J. Mol. Catal. A, 1996, **113**, pp. 45-49 (LCC-4605).

Ring opening of lactones and anhydrides induced by $[\text{Cp}_2\text{ZrHCl}]_n$

CENAC N., ZABLOCKA M., IGAU A., MAJORAL J.-P., SKOWRONSKA A.

J. Org. Chem., 1996, **61**, 796-798 (LCC-4164).

Phosphorus-containing dendrimers. Easy access to new multi-difunctionalized macromolecules

LAUNAY N., SLANY M., CAMINADE A.-M., MAJORAL J.-P.

J. Org. Chem., 1996, **61**, 3799-3805 (LCC-4464).

Unexpected synthesis of new phosphonium salts from R_3PCS_2 $[\text{Cp}_2\text{ZrHCl}]_n$

GUDIMA A.O., IGAU A., DONNADIEU B., MAJORAL J.-P.

J. Org. Chem., 1996, **61**, pp. 9585-9587 (LCC-4673).

Electrochemical studies of Mn_3HgM (M=Mo, W, Mn, Fe or Co) and Mn_3Au cluster anions

ROSSELL O., SECO M., SEGALES G., MATHIEU R., DE MONTAUZON D.

J. Organomet. Chem., 1996, **509**, 241-247 (LCC-4169).

Diphosphirane and 1,3-diphosphaallyl anion: geometry and bonding

GOUYGOU M., VEITH M., COURET C., ESCUDIE J., HUCH V., KOENIG M.

J. Organomet. Chem., 1996, **514**, pp. 37-43 (LCC-4646).

Cycloaddition reactions of the manganese vinylidene $\text{Cp}'(\text{CO})_2\text{Mn}=\text{C}=\text{C}(\text{H})\text{R}$, carbyne $[\text{Cp}'(\text{CO})_2\text{Mn}^-\text{CCH}_2\text{R}]^+$, and anionic carbene $[\text{Cp}'(\text{CO})_2\text{Mn}=\text{C}(\text{OEt})\text{CHR}]^-(\text{R}=\text{H}, \text{Me})$ complexes with 1,4-diphenyl-1-azabutadiene

GIMENEZ C., LUGAN N., MATHIEU R., GEOFFROY G.L.

J. Organomet. Chem., 1996, **517**, pp. 133-140 (LCC-4556).

Variable temperature multidimensional NMR study of anionic Rh(I) anilido $[(\text{R}_3\text{P})_2\text{Rh}(\text{NHPh})_2]^- \cdot \text{M}^+$ complexes

BRUNET J.-J., COMMENGES G., NEIBECKER D., ROSENBERG L.

J. Organomet. Chem., 1996, **522**, pp. 117-122 (LCC-4766).

Hydroformylation of olefins catalysed with bimetallic systems : $\text{HRh}\{\text{P}(\text{OPH})_3\}_4 + \text{cp}_2\text{ZrH}(\text{CH}_2\text{PPh}_2)$ and $\text{ZRh}(\text{CO})\{\text{P}(\text{OPH})_3\}_3 + \text{cp}_2\text{ZrH}(\text{CH}_2\text{PPh}_2)$

TRZECIAK A.M., ZIOLKOWSKI J.J., CHOUKROUN R.

J. Organomet. Chem., 1996, **525**, pp. 145-149 (LCC-4606).

Synthesis, characterization, and magnetic properties of cobalt nanoparticles from an organometallic precursor

OSUNA J., DE CARO D., AMIENS C., CHAUDRET B., SNOECK E., RESPAUD M., BROTO J.-M., FERT A.

J. Phys. Chem., 1996, **100**, pp. 14571-14574 (LCC-4466).

Dilution effects in a spin crossover system, modelled in terms of direct and indirect intermolecular interactions

CONSTANT-MACHADO H., LINARES J., VARRET F., HAASNOOT J.G., MARTIN J.-P., ZAREMBOWITZ J., DWORKIN A., BOUSSEKSOU A.

J. Phys. I, 1996, **6**, pp. 1203-1216 (LCC-4521).

Polarized IR reflectance studies of the organic conductor $k\text{-(BETS)}_2\text{FeCl}_4$

OLEJNICZAK I., GRAJA A., KUSHCH N.D., CASSOUX P., KOBAYASHI H.

J. Phys. I, 1996, **6**, pp. 1631-1641 (LCC-4629).

$\text{BETS}_4\text{Cu}_2\text{Cl}_6$ and $\text{BETS}_2\text{Fe}_{0.75}\text{Ga}_{0.25}\text{Cl}_4$, new organic metals of the BETS family: synthesis, structure, and properties

KUSHCH N.D., DYACHENKO O.A., GRITSENKO V.V., PESOTSKII S.I., LUBOVSKII R.B., CASSOUX P., FAULMANN C., KOVALEV A.E., KARTSOVNIK M.V., BROSSARD L., KOBAYASHI H., KOBAYASHI A.

J. Phys. I, 1996, **6**, pp. 1997-2009 (LCC-4607).

Comment jouer avec un vieux concept tel que l'antiaromaticité?

BERTRAND G., REAU R., BACEIREDO A.

Lett. Sci. Chim., 1996, **(55)**, pp. 20-22 (LCC-4526).

New BETS superconductors and metals with tetrahedral non-magnetic and magnetic anions (BETS = bis(ethyenedithio)tetraselenafulvalene)

KOBAYASHI H., NAITO T., SATO S., KAWANO K., KOBAYASHI A., TANAKA H., SAITO T., TOKUMOTO M., BROSSARD L., CASSOUX P.

Mol. Cryst. Liq. Cryst., 1996, **284**, pp. 61-72 (LCC-4554).

Molecular compounds exhibiting coupled conducting and magnetic properties and based on (cation)_n[M(dmit)]₂ and (BETS)₂(anion) salts

KUSHSCH N., FAULMANN C., CASSOUX P., VALADE L., Malfant I., LEGROS J.-P., BOWLAS C., ERRAMI A., KOBAYASHI A., KOBAYASHI H.

Mol. Cryst. Liq. Cryst., 1996, **284**, pp. 247-258 (LCC-4536).

On the reactivity of 1,3-diphenylisobenzofuran in the presence of either oxygen or tert-butyl hydroperoxide with catalytic amounts of chromium trioxide

N'AIT AJJOU A., AIT-MOHAND S., MUZART J., RICHARD C., SABO-ETIENNE S.

New J. Chem., 1996, **20**, 571-577 (LCC-4447).

Thermal decomposition of the bis(dihydrogen) complex RuH₂(H₂)₂(PCy₃)₂ in the solid state

CHAUDRET B., DAGNAC P., LABROUE D., SABO-ETIENNE S.

New J. Chem., 1996, **20**, pp. 1137-1141 (LCC-4636).

Technetium labeling of bi, tri and tetradentate ligands derived from 2-aminocyclopentene-1-dithiocarboxylic acid : characterization and biodistribution of their oxo and nitrido ^{99m}technetium complexes

BELHADJ-TAHAR H., COULAIS Y., CROS G., DARBIEU M.-H., TAFANI J.A.M., FABRE J.-M., ESQUERRE J.-P., GUIRAUD R.

Nucl. Med. Biol., 1996, **23**, 353-357 (LCC-4440).

Alkyne and nitrile as h²(3e) ligands in [tris(pyrazolyl)borato]niobium(I) complexes. Synthesis, structure, and coupling reaction

LORENTE PH., CARFAGNA C., ETIENNE M., DONNADIEU B.

Organometallics, 1996, **15**, 1090-1092 (LCC-4167).

(Hydrotris(3,5-dimethylpyrazolyl)borato)niobium alkyne complexes : dichloro and dialkyl derivatives and formation of a butadienyl complex with an α-agostic interaction

ETIENNE M., BIASOTTO F., MATHIEU R., TEMPLETON J.L.

Organometallics, 1996, **15**, 1106-1112 (LCC-4168).

Self-activation of a cluster-bound alkyne toward carbon-carbon bond forming reactions

RIVOMANANA S., MONGIN C., LAVIGNE G.

Organometallics, 1996, **15**, 1195-1207 (LCC-4200).

Zirconium-promoted ring opening. Scope and limitations

CENAC N., ZABLOCKA M., IGAU A., COMMENGES G., MAJORAL J.-P., SKOWRONSKA A.

Organometallics, 1996, **15**, pp. 1208-1217 (LCC-4670).

Versatile reactivity of the bis(dihydrogen) complex RuH₂(H₂)₂(PCy₃)₂ toward functionalized olefins : olefin coordination versus hydrogen transfer via the stepwise dehydrogenation of the phosphine ligand

BOROWSKI A.F., SABO-ETIENNE S., CHRIST DE NEYMET L., DONNADIEU B., CHAUDRET B.

Organometallics, 1996, **15**, 1427-1434 (LCC-4427).

Novel cationic chiral phosphorus ligands and their Zwitterionic hydrocarbonylferrate complexes

BRUNET J.-J., CHAUVIN R., COMMENGES G., DONNADIEU B., LEGLAYE P.

Organometallics, 1996, **15**, 1752-1754 (LCC-4360).

Synthesis and reactivity of stretched-dihydrogen-ruthenium complexes. Unexpected formation of a vinylidene ligand

GUARI Y., SABO-ETIENNE S., CHAUDRET B.

Organometallics, 1996, **15**, pp. 3471-3473 (LCC-4583).

Ground-state geometry preferences in (tris(pyrazolyl)borato)- and cyclopentadienylniobium alkyne complexes

ETIENNE M., DONNADIEU B., MATHIEU R., BAEZA J. F., JALON F., OTERO A., RODRIGO-BLANCO M.-E.

Organometallics, 1996, **15**, pp. 4597-4603 (LCC-4590).

Chiral 1,2,1'-trisubstituted ferrocenes: access to chiral oxaferrrocenophanes

IFTIME G., DARAN J.-C., MANOURY E., BALAVOINE G.G.A.

Organometallics, 1996, **15**, pp. 4808-4815 (LCC-4653).

α -iminoacyl ligands in carbonylmetalates

BRUNET J.-J., CAPPERUCCI A., CHAUVIN R.

Organometallics, 1996, **15**, pp. 5254-5255 (LCC-4776).

[PPh₄][Fe₃(CO)₉(μ -CO)₂{PBPH₃}] : a metal cluster containing an open Fe-Fe-Pb array

REINA R., ROSSELL O., SECO M., PELLINGHELLI M.-A., TIRIPICCHIO A., DE MONTAUZON D.

Organometallics, 1996, **15**, pp. 5347-5349 (LCC-4608).

Regioselective synthesis of tricyclic 1,1-diphosphines

ZABLOCKA M., CENAC N., IGAU A., DONNADIEU B., MAJORAL J.-P., SKOWRONSKA A., MEUNIER P.

Organometallics, 1996, **15**, pp. 5436-5438 (LCC-4672).

Phosphorus and zirconium : a fruitful rendez-vous

MAJORAL J.-P., IGAU A., ZABLOCKA M., MAHIEU A., CENAC N., PIETRUSIEWICZ K.M.

Phosph. Sulf. Silicon, 1996, **109-110**, 185-188 (LCC-4180).

4-p-electron 4-membered phosphorus heterocycles

REAU R., BACEIREDO A., BERTRAND G.

Phosph. Sulf. Silicon, 1996, **109-110**, 429-432 (LCC-4173).

Phosphorus dendrimers : a new class of macromolecules

CAMINADE A.-M., SLANY M., LAUNAY N., LARTIGUE M.-L., MAJORAL J.-P.

Phosph. Sulf. Silicon, 1996, **109-110**, 517-520 (LCC-4181).

Diphosphirenium salt : a new versatile ligand

CANAC Y., BOUHADIR G., REAU R., BACEIREDO A., BERTRAND G.

Phosph. Sulf. Silicon, 1996, **111**, 53 (LCC-4431).

Zirconium promoted ring opening. A new route to phosphinites and polyphosphinites

CENAC N., ZABLOCKA M., IGAU A., MAJORAL J.-P., SKOWRONSKA A.

Phosph. Sulf. Silicon, 1996, **111**, 59 (LCC-4198).

Phosphorus-containing multimacrocycles and cryptands

CAMINADE A.-M., MITJAVILLE J., MAJORAL J.-P.

Phosph. Sulf. Silicon, 1996, **111**, 61 (LCC-4197).

Possible contribution of organometallic species in the solar system ices. Reactivity and spectroscopy

KLOTZ A., MARTY P., BOISSEL P., DE CARO D., SERRA G., MASCETTI J., DE PERSEVAL P., DEROUAULT J., DAUDEY J.-P., CHAUDRET B.

Planet. Space Sci., 1996, **44**, pp. 957-965 (LCC-4894).

Building of lanthanide oxoalkoxides: synthesis and molecular structure of [Gd₆(μ_4 -O)(μ_3 ,h²-OR)₆(μ ,h¹-OR)(OR₄)] (R=C₂H₄OMe)

DANIELE S., HUBERT-PFALZGRAF L., DARAN J.-C.

Polyhedron, 1996, **15**, pp. 1063-1070 (LCC-4654).

Synthesis and characterization of volatile mixed-metal yttrium-barium, barium-copper and yttrium-copper β -diketonatofluoroisopropoxides. Molecular structure of $\text{BaY}_2[\mu\text{-OCH}(\text{CF}_3)_2]_4(\text{thd})_4$

LABRIZE F., HUBERT-PFALZGRAF L., DARAN J.-C., HALUT S., TOBALY P.

Polyhedron, 1996, **15**, pp. 2707-2718 (LCC-4655).

Stereochemistry of $[\text{Cu}(\text{tridentate ligand})_2]$ entities. Crystal and molecular structure and electronic properties of $[\text{Cu}(\text{tedpa})_2](\text{PF}_6)_2$ (tedpa = N,N,N',N'-tetraethyl pyridinedicarboxamide)

GARCIA-LOZANO J., SOTO L., FOLGADO J.V., ESCRIVA E., LEGROS J.-P.

Polyhedron, 1996, **15**, pp. 4003-4009 (LCC-5482).

Californium-252 time-of-flight mass spectrometry of monometallic and bimetallic ruthenium(II) complexes

SASAKI I., DEPRUN C., GAUDEMER A.

Rapid Commun. Mass Spectrom., 1996, **10**, pp. 1531-1535 (LCC-4624).

Bis(stannyl)diazo derivatives and their structural isomers : powerful CN_2^{2-} transfer agents

REAU R., BERTRAND G.

Rev. Hetero. Chem., 1996, **14**, pp. 137-163 (LCC-4527).

A molecular paramagnetic superconductor

CASSOUX P.

Science, 1996, **272**, pp. 1277-1278 (LCC-4535).

Phosphorhydrazide macrocycles and cryptands

CAMINADE A.-M., MAJORAL J.-P.

Synlett, 1996, pp. 1019-1028 (LCC-4609).

Efficient preparation and resolution of trans-1,2-cyclobutanedicarboxylic acid and some of its derivatives

BRUNET J.-J., HERBOWSKI A., NEIBECKER D.

Synth. Commun., 1996, **26**, 483-493 (LCC-4385).

The reaction of enamines with carboxamidines: a convenient route for the synthesis of polyaza heterocycles

BEJAN E., AIT-HADDOU H., DARAN J.-C., BALAVOINE G.G.A.

Synthesis, 1996, **8**, pp. 1012-1018 (LCC-4656).

Aluminum trichloride-promoted aminolysis of cyclic imides and oxazolidinones

BON E., REAU R., BERTRAND G., BIGG D.C.H.

Tetrahedron Lett., 1996, **37**, 1217-1220 (LCC-4161).

Specific functionalization on the surface of dendrimers

SLANY M., CAMINADE A.-M., MAJORAL J.-P.

Tetrahedron Lett., 1996, **37**, pp. 9053-9056 (LCC-4665).