

Publications LCC 2001

Les "trioxaquines" . Nouvelles molécules antipaludiques comportant un squelette trioxane lié à une 4-aminoquinoléine

DECHY-CABARET O., BENOIT-VICAL F., ROBERT A., MEUNIER B.

Actual. Chim., 2001, pp. 9-11 (LCC-6024).

Immobilization of redox-active ligands on an electrode: the dendrimer route

LE DERF F., LEVILLAIN E., TRIPPE G., GORGUES A., SALLE M., SEBASTIAN R.M., CAMINADE A.-M., MAJORAL J.-P.

Angew. Chem. (Int. Ed. Engl.), 2001, **40**, pp. 224-227 (LCC-6025).

Synthesis and self-assembly of monodisperse indium nanoparticles prepared from organometallic precursor [In(n^5 -(C₅H₅)]

SOULANTICA K., MAISONNAT A., FROMEN M.-C., CASANOVE M.-J., LECANTE P., CHAUDRET B.

Angew. Chem. (Int. Ed. Engl.), 2001, **40**, pp. 448-451 (LCC-6094).

The combination of spontaneous resolution and asymmetric catalysis : a model for the generation of optical activity from a fully racemic system

TISSOT O., GOUYGOU M., DALLEMER F., DARAN J.-C., BALAVOINE G.G.A.

Angew. Chem. (Int. Ed. Engl.), 2001, **40**, pp. 1076-1077 (LCC-6071).

Characterization of the alkylation product of heme by the antimalarial drug artemisinin

ROBERT A., CAZELLES J., MEUNIER B.

Angew. Chem. (Int. Ed. Engl.), 2001, **40**, pp. 1954-1957 (LCC-6095).

Organophosphorus dendrimers as new gelators for hydrogels

MARMILLON C., GAUFFRE F., GULIK-KRZYWICKI T., LOUP C., CAMINADE A.-M., MAJORAL J.-P., VORS J.-P., RUMP E.

Angew. Chem. (Int. Ed. Engl.), 2001, **40**, pp. 2626-2629 (LCC-6096).

Selective synthesis of novel In and In₃Sn nanowires by an organometallic route at room temperature

SOULANTICA K., MAISONNAT A., SENOCQ F., FROMEN M.-C., CASANOVE M.-J., CHAUDRET B.

Angew. Chem. (Int. Ed. Engl.), 2001, **40**, pp. 2983-2986 (LCC-6097).

Connaissances actuelles sur le mécanisme d'action de l'isoniazide. Apport d'un modèle chimique d'activation

BERNADOU J., NGUYEN M., MEUNIER B.

Ann. Pharm. Fr., 2001, **59**, pp. 331-337 (LCC-6098).

In vitro activities of DU-1102, a new trioxaquine derivative, against *Plasmodium falciparum* isolates

BASCO L.K., DECHY-CABARET O., NDOUNGA M., MECHE F.S., ROBERT A., MEUNIER B.

Antimicrob. Agents Chemother., 2001, **45**, pp. 1886-1888 (LCC-6099).

Improvement of porphyrin cellular delivery by conjugation to a carrier peptide

CHALOIN L., BIGEY P., LOUP C., MARIN M., GALEOTTI N., PIECHACZYK M., HEITZ F., MEUNIER B.

Bioconjugate Chem., 2001, **12**, pp. 691-700 (LCC-6035).

The nonenzymatic activation of isoniazid by Mn^{II}-pyrophosphate in the presence of NADH produces the inhibition of the enoyl-ACP reductase InhA from *Mycobacterium tuberculosis*.

NGUYEN M., QUEMARD A., MARRAKCHI H., BERNADOU J., MEUNIER B.

C. R. Acad. Sci., Paris, Sér. II c, 2001, **4**, pp. 35-40 (LCC-6388).

Alkylation of heme by artemisinin, an antimalarial drug

CAZELLES J., ROBERT A., MEUNIER B.

C. R. Acad. Sci., Paris, Sér. II c, 2001, **4**, pp. 85-89 (LCC-6389).

Assembling ferromagnetically coupled (Cu, Gd) pairs : toward higher spin entities

COSTES J.-P., DAHAN F.

C. R. Acad. Sci., Paris, Sér.II c, 2001, **4**, pp. 97-103 (LCC-6036).

Structure and properties of BETS salts: κ -(BETS)₈(Cu₂Cl₆)(CuCl₄), τ -(BETS)₂(CuCl₂) and (BETS)₂(CuCl₄)

MALFANT I., COURCET T., FAULMANN C., CASSOUX P., GORNITZKA H., GRANIER F., DOUBLET M.-L., GUIONNEAU PH., HOWARD J.A.K., KUSHCH N.D., KOBAYASHI A.

C. R. Acad. Sci., Paris, Sér.II c, 2001, **4**, pp. 149-160 (LCC-6100).

New procedure towards well dispersed nickel oxide nanoparticles of controlled size

CORDENTE N., TOUSTOU B., COLLIERE V., AMIENS C., CHAUDRET B., VERELST M., RESPAUD M., BROTO J.-M.

C. R. Chimie, 2001, **4**, pp. 143-148 (LCC-6336).

A new binuclear ruthenium complex with an annelated C₇ bridge via an unprecedented [2+2] coupling reaction

RIGAUT S., LE PICHON L., DARAN J.-C., TOUCHARD D., DIXNEUF P.-H.

Chem. Commun., 2001, pp. 1206-1207 (LCC-6040).

In situ formation of gold nanoparticles within functionalised ordered mesoporous silica via an organometallic "chimie douce" approach

GUARI Y., THIEULEUX C., MEHDI A., REYE C., CORRIU R.J.P., GOMEZ-GALLARDO S., PHILIPPOT K., CHAUDRET B., DUTARTRE R.

Chem. Commun., 2001, pp. 1374-1375 (LCC-6072).

Platinum colloids stabilized by bifunctional ligands : self-organization and connection to gold

GOMEZ-GALLARDO S., ERADES L., PHILIPPOT K., CHAUDRET B., COLLIERE V., BALMES O., BOVIN J.-O.

Chem. Commun., 2001, pp. 1474-1475 (LCC-6073).

Dynamic equilibration of n¹-carbene and n²-alkyne moieties within an alkynylcarbene dimanganese complex

ORTIN Y., COPPEL Y., LUGAN N., MATHIEU R., MCGLINCHEY M.J.

Chem. Commun., 2001, pp. 1690-1691 (LCC-6077).

Characterization of an oxaluric acid derivative as a guanine oxidation product

SEGUY C., PRATVIEL G., MEUNIER B.

Chem. Commun., 2001, pp. 2116-2117 (LCC-6041).

New insight into the dynamic behaviour of manganese ketene complexes : evidence for the scrambling of a carbene moiety over carbonyl ligands

ORTIN Y., COPPEL Y., LUGAN N., MATHIEU R., MCGLINCHEY M.J.

Chem. Commun., 2001, pp. 2636-2637 (LCC-6078).

X-H (M=C, N, O, P, S) bond activations induced by b-heterosubstituted zirconaindenes

CADIERNO V., ZABLOCKA M., DONNADIEU B., IGAU A., MAJORAL J.-P., SKOWRONSKA A.

Chem. Eur. J., 2001, **7**, pp. 221-229 (LCC-6480).

On ring carbomers of cyclobutane, cyclopentane, and cyclodecane and cyclization reactions through bis(alkynyl-propargyl) coupling

MAURETTE L., GODARD C., FRAU S., LEPETIT C., SOLEILHAVOUP M., CHAUVIN R.

Chem. Eur. J., 2001, **7**, pp. 1165-1170 (LCC-6026).

Formation of cyclopentadienyl and ruthenacyclopentadienyl derivatives through ynenyl-diyne and ynenyl-alkyne couplings onto a triruthenium cluster core

CABEZA J.A., DEL RIO I., GARCIA-GRANDA S., LAVIGNE G., LUGAN N., MORENO M., NOMBEL P., PEREZ-PRIEDE M., RIERA V., RODRIGUEZ A., SUAREZ M., VAN DER MAELEN J.

Chem. Eur. J., 2001, **7**, pp. 2370-2381 (LCC-6039).

Synthesis and characterization of linear, hyperbranched, and dendrimer-like polymers constituted on the same repeating unit

MERINO S., BRAUGE L., CAMINADE A.-M., MAJORAL J.-P., TATON D., GNANOU Y.

Chem. Eur. J., 2001, **7**, pp. 3095-3105 (LCC-6038).

Step-by-step uncoordination of the pyrazolyl rings of hydrotris(pyrazolyl)borate ligands in complexes of Rh^I and Rh^{III}

PANEQUE M., SIROL S., TRUJILLO M., CARMONA E., GUTIERREZ-PUEBLA E., MONGE M.A., RUIZ C., MALBOSC F., SERRA-LE BERRE C., KALCK PH., ETIENNE M., DARAN J.-C.

Chem. Eur. J., 2001, **7**, pp. 3869-3879 (LCC-6102).

Hybrid molecular-based magnets containing organic NLO chromophores : a search toward an interplay between magnetic and NLO behavior

LACROIX P.G., MALFANT I., BENARD S., RIVIERE E., NAKATANI K.

Chem. Mater., 2001, **13**, pp. 441-449 (LCC-6177).

Organic nonlinear optical chromophores in an inorganic environment. Toward an interplay between magnetism, conductivity, and nonlinear optics

LACROIX P.G.

Chem. Mater., 2001, **13**, pp. 3495-3506 (LCC-6034).

Characterization of a 5'-aldehyde terminus resulting from the oxidative attack at C5' of a 2-deoxyribose on DNA

ANGELOFF A., DUBEY I., PRATVIEL G., BERNADOU J., MEUNIER B.

Chem. Res. Toxicol., 2001, **14**, pp. 1413-1420 (LCC-6101).

A fast efficient metal-mediated oxidation of isoniazid and identification of isoniazid-NAD(H) adducts

NGUYEN M., CLAPAROLS C., BERNADOU J., MEUNIER B.

ChemBioChem, 2001, **2**, pp. 877-883 (LCC-6037).

Complexation of 3,4-bis(cyanamido)cyclobutane-1,2-dione dianion with copper. Crystal structures and spectroscopic data of copper-(I) and -(II) complexes

FABRE P.-L., GALIBERT A.-M., SOULA B., CASTAN P.

Dalton Trans., 2001, pp. 1529-1536 (LCC-6812).

Diastereoselective C-H bond activation of diisopropylamine at a hydridotris(pyrazolyl)borato rhodium fragment

TEUMA E., MALBOSC F., PONS V., SERRA-LE BERRE C., JAUD J., ETIENNE M., KALCK PH.

Dalton Trans., 2001, pp. 2225-2227 (LCC-6103).

Synthesis of new ruthenium clusters containing sulfur, ynyl and diyanyl ligands. Crystal structures of [Ru₃(CO)₉(μ-n²-SCCSiMe₃)-(μ₃-n²-CCSiMe₃)], [Ru₄(CO)₁₂(μ₄-S)(μ-n²-CCSiMe₃)₂] and

[Ru₄(CO)₉(μ-CO)₂(μ₄-S)(μ₄-n²-C(SiMe₃)C(CCSiMe₃))]

ALCALE M.I., CARTY A.J., CHI Y., DELGADO E., DONNADIEU B., HERNANDEZ E., DALLMANN K., SANCHEZ-NIEVES J.

Dalton Trans., 2001, pp. 2502-2507 (LCC-6813).

Second-order optical nonlinearities in coordination chemistry : the case of bis(salicylaldiminato) metal Schiff base complexes

LACROIX P.G.

Eur. J. Inorg. Chem., 2001, pp. 339-348 (LCC-6042).

Versatility of the nature of the magnetic gadolinium(III)-vanadium(IV) interaction - Structure and magnetic properties of two heterobinuclear [Gd, V(O)] complexes

COSTES J.-P., DAHAN F., DONNADIEU B., GARCIA-TOJAL J., LAURENT J.-P.

Eur. J. Inorg. Chem., 2001, pp. 363-365 (LCC-6043).

Cobalt/Mercury carbide clusters based on trigonal-prismatic or octahedral Co_6C skeletons - X-ray crystal structure of $(\text{Net}_4)_2[\text{Co}_6\text{C}(\text{CO})_{12}(\text{HgW}(\text{CO})_3\text{Cp})_2]$

REINA R., RIBA O., ROSSELL O., SECO M., DE MONTAUZON D., FONT-BARDIA M., SOLANS X.

Eur. J. Inorg. Chem., 2001, pp. 1243-1249 (LCC-6823).

Varying topology of dendrimers - A new approach toward the synthesis of di-block dendrimers

MARAVAL V., SEBASTIAN R.M., BEN F., LAURENT R., CAMINADE A.-M., MAJORAL J.-P.

Eur. J. Inorg. Chem., 2001, pp. 1681-1691 (LCC-6044).

Metallophthalocyanines linked to organic copolymers as efficient oxidative supported catalysts

SANCHEZ M., CHAP N., CAZAUX J.-B., MEUNIER B.

Eur. J. Inorg. Chem., 2001, pp. 1775-1783 (LCC-6045).

A novel and perfectly aligned crystal of a ferrocenyl chromophore displaying high quadratic nonlinear optical bulk efficiency

CHIFFRE J., AVERSENG F., BALAVOINE G.G.A., DARAN J.-C., IFTIME G., LACROIX P.G., MANOURY E., NAKATANI K.

Eur. J. Inorg. Chem., 2001, pp. 2221-2226 (LCC-6075).

Synthesis, characterization and ethylene polymerization activity of zirconium complexes containing nonsymmetric diamido ligands derived from 2-aminobenzylamine

GAUVIN R.M., LORBER C., CHOUKROUN R., DONNADIEU B., KRESS J.

Eur. J. Inorg. Chem., 2001, pp. 2337-2346 (LCC-6046).

New rhodium (I) and iridium(I) complexes of the chiral 1,1'-diphenyl-3,3',4,4'-tetramethyl-2,2'-biphosphole ligand - Synthesis and applications to catalytic hydrogenation and hydroformylation reactions

TISSOT O., GOUYGOU M., DALLEMER F., DARAN J.-C., BALAVOINE G.G.A.

Eur. J. Inorg. Chem., 2001, pp. 2385-2389 (LCC-6032).

First example of supported microwave-assisted synthesis of new chiral bipyridines and a terpyridine - Use in asymmetric cyclopropanation

PEZET F., SASAKI I., DARAN J.-C., HYDRIO J., AIT-HADDOU H., BALAVOINE G.

Eur. J. Inorg. Chem., 2001, pp. 2669-2674 (LCC-6033).

Bis[(3,5-dimethyl-1-pyrazolyl)methyl]ethylamine - A versatile ligand for complexation in Rh^{I} cationic complexes

MATHIEU R., ESQUIUS G., LUGAN N., PONS J., ROS J.

Eur. J. Inorg. Chem., 2001, pp. 2683-2688 (LCC-6076).

Solid-state and solution structures of a series of $[(\text{HBPz}_3^{\text{Me},2,4\text{Cl}})\text{Rh}(\text{CO})(\text{PR}_3)]$ complexes

MALBOSC F., CHAUBY V., SERRA-LE BERRE C., ETIENNE M., DARAN J.-C., KALCK PH.

Eur. J. Inorg. Chem., 2001, pp. 2689-2697 (LCC-6047).

Anion conformation and physical properties in BETS salts with the nitroprusside anion and its related ruthenium halide (X = Cl, Br) mononitrosyl complexes : $\text{[}-(\text{BETS})_4[\text{Fe}(\text{CN})_5\text{NO}]$, $(\text{BETS})_2[\text{RuBr}_5\text{NO}]$, and $(\text{BETS})_2[\text{RuCl}_5\text{NO}]$

SANCHEZ M.-E., DOUBLET M.-L., FAULMANN C., MALFANT I., CASSOUX P., KUSHCH L.A., YAGUBSKII E.B.

Eur. J. Inorg. Chem., 2001, pp. 2797-2804 (LCC-6049).

Two-step spin crossover in a mononuclear compound $[\text{Fe}(\text{DPEA})(\text{bim})](\text{ClO}_4)_2 \cdot 0.5 \text{H}_2\text{O}$ - crystal structure, magnetic properties, mössbauer spectroscopy, and photomagnetic effects

MATOUZENKO G.S., LETARD J.-F., LECOCQ S., BOUSSEKSOU A., CAPES L., SALMON L., PERRIN M., KAHN O., COLLET A.

Eur. J. Inorg. Chem., 2001, pp. 2935-2945 (LCC-6898).

Stereoselective synthesis of (5'S)-5'-C-(5-bromo-2-penten-1-yl)-2-deoxyribofuranosyl thymine, a new convertible nucleoside

BANULS V., ESCUDIE J., ZEDDE C., CLAPAROLS C., DONNADIEU B., PLAISANCIE H.
Eur. J. Org. Chem., 2001, pp. 4693-4700 (LCC-6814).

Gold-containing dendrimers : a new class of macromolecules

ROSSELL O., SECO M., CAMINADE A.-M., MAJORAL J.-P.
Gold Bull., 2001, **34**, pp. 88-94 (LCC-6104).

Crystal structure, Mössbauer spectra and thermal behavior of $H_2Fe(CO)_2[P(OPh)_3]_2$

ARION V., BRUNET J.-J., NEIBECKER D.
Inorg. Chem., 2001, **40**, pp. 2628-2630 (LCC-6815).

Preparation and Characterization of Ruthenium (II) Monophosphaferrocene Complexes. Reactivity, Dynamic Solution Behavior and X-Ray Structure of $[RuH_2(h_2-H_2)(1\text{-phenyl-3,4,4-dimethylphosphaferrocene})(PCy_3)_2]$

TONER A.J., DONNADIEU B., SABO-ETIENNE S., CHAUDRET B., SAVA X., MATHEY F., LE FLOCH P.
Inorg. Chem., 2001, **40**, pp. 3034-3038 (LCC-6338).

Enhanced second harmonic generation on passing from a mono- to dicopper(II) bis(salicylaldiminato) schiff base complex

AVERSENG F., LACROIX P.G., Malfant I., PERISSE N., LEPETIT C., NAKATANI K.
Inorg. Chem., 2001, **40**, pp. 3797-3804 (LCC-6176).

Crystal structures and magnetic properties of new cyano-bridged two-dimensional grid-like bimetallic assemblies $[Ni(tn)_2]_2[Cr(CN)_5(NO)OH.H_2O]$ and $[Ni(tn)_2]_2[Co(CN)_6]NO_3.2H_2O$ (tn = 1,3-propanediamine)

KOU H.-Z., TANG J.-K., LIAO D.-Z., GAO S., CHENG P., JIANG Z.-H., YAN S.-P., WANG G.-L., CHANSOU B., TUCHAGUES J.-P.
Inorg. Chem., 2001, **40**, pp. 4839-4844 (LCC-6180).

A trinuclear gadolinium complex : structure and magnetic properties

COSTES J.-P., DAHAN F., NICODEME F.
Inorg. Chem., 2001, **40**, pp. 5285-5287 (LCC-6181).

Pseudo-oxocarbon complexes - crystal structure of a copper(II) complex with 2,4-bis(dicyanomethylene)cyclobutane-1,3-dione

GALIBERT A.-M., SOULA B., DONNADIEU B., FABRE P.-L.
Inorg. Chim. Acta, 2001, **313**, pp. 160-164 (LCC-6816).

1D coordination polymer of copper(II) containing μ -1,1,3 azido ligand with alternating ferro-antiferromagnetic interactions

MAJI T.K., MUKHERJEE P.S., KONER S., MOSTAFA G., TUCHAGUES J.-P., CHAUDHURI N.R.
Inorg. Chim. Acta, 2001, **314**, pp. 111-116 (LCC-6182).

Synthesis and structural characterization of two tungsten(VI) dioxo complexes with *N*, *O*- and *N*, *S*-coordinating ligands

THAPPER A., BALMES O., LORBER C., SVENSSON P.H., HOLM R.H., NORDLANDER E.
Inorg. Chim. Acta, 2001, **321**, pp. 162-166 (LCC-6050).

Complexation of croconate violet with copper(II). Crystal structures, spectroscopic characterizations and redox studies

SOULA B., GALIBERT A.-M., DONNADIEU B., FABRE P.-L.
Inorg. Chim. Acta, 2001, **324**, pp. 90-98 (LCC-6802).

A novel antiferromagnetic organic superconductor κ -(BETS) $_2$ FeBr $_4$ [where BETS = bis(ethylenedithio)tetraselefulvalene]

FUJIWARA H., FUJIWARA E., NAKAZAWA Y., NARYMBETOV B.ZH., KATO K., KOBAYASHI H., KOBAYASHI A., TOKUMOTO M., CASSOUX P.
J. Am. Chem. Soc., 2001, **123**, pp. 306-314 (LCC-6052).

- Guanine oxidation : NMR characterization of a dehydro-guanidinohydantoin residue generated by a 2e-oxidation of d(GpT)
CHWOROS A., COPPEL Y., DUBEY I., PRATVIEL G., MEUNIER B.
J. Am. Chem. Soc., 2001, **123**, pp. 5867-5877 (LCC-6053).
- Equilibria between α - and β -agostic stabilized rotamers of secondary alkyl niobium complexes
JAFFART J., ETIENNE M., MASERAS F., MCGRADY J.E., EISENSTEIN O.
J. Am. Chem. Soc., 2001, **123**, pp. 6000-6013 (LCC-6054).
- First divergent strategy using two AB₂ unprotected monomers for the rapid synthesis of dendrimers
BRAUGE L., MAGRO G., CAMINADE A.-M., MAJORAL J.-P.
J. Am. Chem. Soc., 2001, **123**, pp. 6698-6699 (LCC-6055).
- Ligand-stabilized ruthenium nanoparticles : synthesis, organization, and dynamics
PAN C., PELZER K., PHILIPPOT K., CHAUDRET B., DASSENOY F., LECANTE P., CASANOVE M.-J.
J. Am. Chem. Soc., 2001, **123**, pp. 7584-7593 (LCC-6074).
- Preparation, characterization and crystal structures of manganese(III), iron(III) and copper(II) complexes of the bis[di-1,1-(2-pyridyl)ethyl] amine (BDPEA) ligand; evaluation of their DNA cleavage activities
HEMMERT C., PITIE M., RENZ M., GORNITZKA H., SOULET F., MEUNIER B.
J. Biol. Inorg. Chem., 2001, **6**, pp. 14-22 (LCC-5382).
- Key role of the phosphate buffer in the H₂O₂ oxidation of aromatic pollutants catalyzed by iron tetrasulfophthalocyanine
SANCHEZ M., HADASCH A., FELL R.T., MEUNIER B.
J. Catal., 2001, **202**, pp. 177-186 (LCC-6056).
- Antiplasmodial activity of *Cochlospermum planchonii* and *C. tinctorium* tubercule essential oils
BENOIT-VICAL F., VALENTIN A., MALLIE M., BASTIDE J., BESSIERE J.-M.
J. Essential Oils Research, 2001, **13**, pp. 65-67 (LCC-6610).
- Oxidative damage on double-stranded DNA generated by high-valent metal-oxo species
MEUNIER B.
J. Inorg. Biochem., 2001, **86**, 74 p. (LCC-6775).
- Aryl-Cu(III) complexes : an intermediate in aromatic hydroxylation
RIBAS X., DONNADIEU B., JACKSON D., HODGSON K.O., HEDMAN B., STACK T.D.P., LLOBET A.
J. Inorg. Biochem., 2001, **86**, 399 p. (LCC-6774).
- Structure and properties of novel M(dmit)₂ salts with the Me₃N⁺-TEMPO cation radical (Me₃N⁺-TEMPO=*N,N,N*-trimethyl(1-oxyl-2,2,6,6-tetramethylpiperidin-4-yl)ammonium)
AONUMA S., CASELLAS H., FAULMANN C., GARREAU DE BONNEVAL B., MALFANT I., CASSOUX P., LACROIX P.G., HOSOKOSHI Y., INOUE K.
J. Mater. Chem., 2001, **11**, pp. 337-345 (LCC-5433).
- Synthesis, electrical behaviour, and crystal and electronic band structures of two different phases of the (SMeEt₂)[Pd(dmit)₂]₂ salt. consequences of cationic disorder on the electrical properties
FAULMANN C., DOUBLET M.-L., GRANIER F., GARREAU DE BONNEVAL B., MALFANT I., LEGROS J.-P., TOGONIDZE T., CASSOUX P.
J. Mater. Chem., 2001, **11**, pp. 2205-2210 (LCC-6057).
- Homogeneous hydrogenation of arenes catalyzed by the bis(dihydrogen) complex [RuH₂(H₂)₂(PCy₃)₂]
BOROWSKI A.F., SABO-ETIENNE S., CHAUDRET B.
J. Mol. Catal. A, 2001, **174**, pp. 69-79 (LCC-6070).

Synthesis and reactivity of μ -bis(carbene)dimanganese complexes. X-ray structures of $\{\text{Cp}'(\text{CO})_2\text{Mn}\}_2$ $\{\mu=\text{C}(\text{OEt})\text{CH}_2\text{CH}_2(\text{EtO})\text{C}=\}$, $(E)\text{-}\{\text{Cp}'(\text{CO})_2\text{Mn}\}_2$ $\{\mu=\text{CH}(\text{EtO})\text{C}=\}$ and $\{\text{Cp}'(\text{CO})_2\text{Mn}\}_2$ $\{\mu=\text{CN}(\text{Ph})\text{CH}(\text{Ph})\text{CHCH}(\text{Ph})\text{N}(\text{Ph})\text{C}=\}$

RABIER A., LUGAN N., MATHIEU R.

J. Organomet. Chem., 2001, **617-618**, pp. 681-695 (LCC-6067).

A new class of trapezine-ruthenium(II) complexes : synthesis, crystal structure and NMR spectroscopic properties

AITALI M., AIT ITTO M.Y., HASNAOUI A., RIAHI A., KARIM A., DARAN J.-C.

J. Organomet. Chem., 2001, **619**, pp. 265-270 (LCC-6059).

Very large neutral and polyanionic Fe/Au cluster-containing dendrimers

BENITO M., ROSSELL O., SECO M., SEGALÉS G., MARAVAL V., LAURENT R., CAMINADE A.-M., MAJORAL J.-P.

J. Organomet. Chem., 2001, **622**, pp. 33-37 (LCC-5492).

A single-strand polymer of hexacoordinated zinc(II) phosphodiester complex

ANGELOFF A., DARAN J.-C., BERNADOU J., MEUNIER B.

J. Organomet. Chem., 2001, **624**, pp. 58-62 (LCC-6060).

Palladium(II) complexes with hemilabile amphiphilic phosphines

VALLS E., SUADES J., MATHIEU R., PINIELLA J.F., ALVAREZ-LARENA A.

J. Organomet. Chem., 2001, **626**, pp. 139-144 (LCC-6061).

Highly efficient reduction of ferrocenyl derivatives by borane

ROUTABOUL L., CHIFFRE J., BALAVOINE G.G.A., DARAN J.-C., MANOURY E.

J. Organomet. Chem., 2001, **637-639**, pp. 364-371 (LCC-6030).

New chiral ferrocenyl-pyridinium salts for non-linear optics

ROQUE K., BARANGE F., BALAVOINE G.G.A., DARAN J.-C., LACROIX P.G., MANOURY E.

J. Organomet. Chem., 2001, **637-639**, pp. 531-537 (LCC-6031).

Structure and bonding in a series of neutral and cationic transition metal-benzene n_6 complexes $[\text{M}(n_6\text{-C}_6\text{H}_6)]n^+$ ($\text{M}=\text{Ti, V, Cr, Fe, Co, Ni}$ and Cu). Correlation of charge transfer with the bathochromic shift of the E_1 ring vibration

CHAQUIN P., COSTA D., LEPETIT C., CHE M.

J. Phys. Chem. A, 2001, **105**, pp. 4541-4545 (LCC-6817).

Modeling of the tridentate amorphous silica ligand

GARROT J.-M., LEPETIT C., CHE M., CHAQUIN P.

J. Phys. Chem. A, 2001, **105**, pp. 9445-9453 (LCC-6818).

Molecular magnets and conductors on surfaces

CASELLAS H., DE CARO D., VALADE L., ARIES L.

J. Phys. IV, 2001, **11**, pp. Pr3-271-277 (LCC-6280).

Synthesis of organo-soluble metallophthalocyanines bearing electron-withdrawing substituents

SANCHEZ M., FACHE E., BONNET D., MEUNIER B.

J. Porph. Phtal., 2001, **5**, pp. 867-872 (LCC-6819).

Linear, hyperbranched, and dendrimer-like polymers containing phosphorus: synthesis and properties

MAJORAL J.-P., CAMINADE A.-M., MERINO S., BRAUGE L., TATON D., GNANOU Y.

Macromol. Symp., 2001, **174**, pp. 301-306 (LCC-6093).

TSC and broadband dielectric spectroscopy studies of β relaxation in phosphorus-containing dendrimers

DANTRAS E., LACABANNE C., CAMINADE A.-M., MAJORAL J.-P.

Macromolecules, 2001, **34**, pp. 3808-3811 (LCC-6062).

Segmental mobility in phosphorus-containing dendrimers. Studies by fluorescent spectroscopy

BRAUGE L., CAMINADE A.-M., MAJORAL J.-P., SŁOMKOWSKI S., WOLSZCZAK M.

Macromolecules, 2001, **34**, pp. 5599-5606 (LCC-6063).

Les trioxaquinones, une nouvelle génération de molécules antipaludiques
BENOIT-VICAL F., DECHY-CABARET O., ROBERT A., MEUNIER B.
Med. Trop., 2001, **61**, 242 p. (LCC-7217).

Guanine oxidation in double-stranded DNA by MnTMPyP/KHSO₅: at least three independent reaction pathways
LAPI A., PRATVIEL G., MEUNIER B.
Metal-Based Drugs, 2001, **8**, pp. 47-56 (LCC-6092).

Synthesis and magnetic properties of nickel nanorods
CORDENTE N., RESPAUD M., SENOCQ F., CASANOVE M.-J., AMIENS C., CHAUDRET B.
Nano Lett., 2001, **1**, pp. 565-568 (LCC-6079).

Synthesis, X-ray crystal structure, NMR characterization and theoretical calculations on [Cp₂Ta(n²-H₂)(CO)]⁺, the first thermally stable group 5 dihydrogen complex
SABO-ETIENNE S., RODRIGUEZ V., DONNADIEU B., CHAUDRET B., EL MAKARIM H.A., BARTHELAT J.-C., ULRICH S., LIMBACH H.-H., MOISE C.
New J. Chem., 2001, pp. 55-62 (LCC-5430).

Switching nonlinear optical properties by proton transfer in hydrogen-bonded merocyanine dyes : a theoretical investigation at the semi-empirical level
LACROIX P.G., LEPETIT C., DARAN J.-C.
New J. Chem., 2001, **25**, pp. 451-457 (LCC-6064).

H₂-induced structural evolution in non-crystalline rhodium nanoparticles
CHOUKROUN R., DE CARO D., CHAUDRET B., LECANTE P., SNOECK E.
New J. Chem., 2001, **25**, pp. 525-527 (LCC-6069).

Aromaticity and homoaromaticity of annulene ring carbomers
LEPETIT C., GODARD C., CHAUVIN R.
New J. Chem., 2001, **25**, pp. 572-580 (LCC-6027).

Oxidation of photochromic spirooxazines by coinage metal cations. Part I. Reaction with AgNO₃ : formation and characterisation of silver particles
UZNANSKI P., AMIENS C., DONNADIEU B., COPPEL Y., CHAUDRET B.
New J. Chem., 2001, **25**, pp. 1486-1494 (LCC-6080).

Oxidation of photochromic spirooxazines by coinage metal cations. Part II. Oxidation by gold(III) compounds and synthesis of gold colloids
UZNANSKI P., AMIENS C., BARDAJI M., DONNADIEU B., COPPEL Y., CHAUDRET B., LAGUNA A.
New J. Chem., 2001, **25**, pp. 1495-1499 (LCC-6081).

Convenient method for the preparation of 2'-deoxyribosylurea by thymidine oxidation and NMR study of both anomers
DUBEY I., PRATVIEL G., ROBERT A., MEUNIER B.
Nucleosides Nucleotides, 2001, **20**, pp. 1463-1471 (LCC-6082).

Cyanophosphine derivatives: nitrile or cyanide functionality?
MARAVAL A., IGAU A., LEPETIT C., CHROSTOWSKA A., SOTIROPOULOS J.-M., PFISTER-GUILLOUZO G., DONNADIEU B., MAJORAL J.-P.
Organometallics, 2001, **20**, pp. 25-34 (LCC-6108).

Intermolecular C-H...O and C-H...p interactions in the chloroform solvate (CH₃)₃Si-C=C-C=C-Si(OCH₂CH₂)₃N;2CHCl₃: crystallographic, spectroscopic, and DFT studies
BRUNEL L., CARRE F., DUTREMEZ S.G., GUERIN CH., DAHAN F., EISENSTEIN O., SINI G.
Organometallics, 2001, **20**, pp. 47-54 (LCC-6065).

Chiral phosphine-phosphonium ylide rhodium complexes
VIAU L., LEPETIT C., COMMENGES G., CHAUVIN R.
Organometallics, 2001, **20**, pp. 808-810 (LCC-6028).

Malonodinitrile CH₂(CN)₂ as synthon for the preparation of unprecedented N-phosphino-b-diketiminato ligands
MARAVAL A., ARQUIER D., IGAU A., COPPEL Y., DONNADIEU B., MAJORAL J.-P.
Organometallics, 2001, **20**, pp. 1716-1718 (LCC-6482).

Toward an understanding of the mechanism of metal exchange in (propargyl alcohol)CO₂(CO)₆ clusters: syntheses and structures of [n⁵-C₅Ph₂R₂-C=C-TMS)(Fe(CO)₂(μ-H)]Co₂(CO)₆, R = Ph or Et
DUNN J.A., BRITTEN J.F., DARAN J.-C., MCGLINCHEY M.J.
Organometallics, 2001, **20**, pp. 4690-4694 (LCC-6066).

Ruthenium carbene complexes containing a triazolidene cationic ligand
CHAUMONNOT A., DONNADIEU B., SABO-ETIENNE S., CHAUDRET B., BURON C., BERTRAND G., METIVIER P.
Organometallics, 2001, **20**, pp. 5614-5616 (LCC-6106).

Size and composition effects in polymer-protected ultrafine bimetallic Pt_xRu_{1-x} (0 < x < 1) particles
DASSENNOY F., CASANOVE M.-J., LECANTE P., PAN C., PHILIPPOT K., AMIENS C., CHAUDRET B.
Phys. Rev. B, Rapid Commun., 2001, **63**, 235407(7) (LCC-6105).

Spin transitions in a series of Fe^{II} molecular complexes induced by a strong-pulsed magnetic field
NEGRE N., CONSEJO C., GOIRAN M., BOUSSEKSOU A., VARRET F., TUCHAGUES J.-P., BARBASTE R., ASKENAZY S., HAASNOOT J.G.
Physica B, 2001, **294-295**, pp. 91-95 (LCC-6183).

Synthesis and applications of water-soluble dendrimers
MAJORAL J.-P., CAMINADE A.-M., SEBASTIAN R.M., MAGRO G., LOUP C., TURRIN C.O., LAURENT R.
Polym. Mater. Sci. Eng., 2001, **84**, pp. 166-167 (LCC-6083).

Applications of dendritic molecules in material sciences
CAMINADE A.-M., MAJORAL J.-P., TURRIN C.O., MARAVAL V., SEBASTIAN R.M., SUTRA P.
Polym. Mater. Sci. Eng., 2001, **84**, pp. 302-303 (LCC-6107).

From classical antimalarial drugs to new compounds based on the mechanism of action of artemisinin
ROBERT A., BENOIT-VICAL F., DECHY-CABARET O., MEUNIER B.
Pure Appl. Chem., 2001, **73**, pp. 1173-1188 (LCC-6084).

Staying Neutral for a Change
CASSOUX P.
Science, 2001, **291**, pp. 263-264 (LCC-6283).

Nanosized tin oxide sensitive layer on a silicon platform for domestic gas applications
FAU P., SAUVAN M., TRAUTWEILER S., NAYRAL C., ERADES L., MAISONNAT A., CHAUDRET B.
Sens. Actuat. B, 2001, **78**, pp. 83-88 (LCC-6085).

Simple and efficient syntheses of 1,10-phenanthrolines substituted at C3 or C3 and C8 by methoxy or hydroxy groups
BOLDRON C., PITIE M., MEUNIER B.
Synlett, 2001, pp. 1629-1631 (LCC-6086).

Antiferromagnetism and superconductivity of BETS conductors with Fe³⁺ ions
KOBAYASHI H., TANAKA H., OJIMA E., FUJIWARA H., NAKAZAWA Y., OTSUKA T., KOBAYASHI A., TOKUMOTO M., CASSOUX P.
Synth. Met., 2001, **120**, pp. 663-666 (LCC-7175).

Structure and properties of M(dmit)₂ salts of cations with a magnetic nitroxide radical

AONUMA S., CASELLAS H., FAULMANN C., GARREAU DE BONNEVAL B., MALFANT I., LACROIX P.G., CASSOUX P., HOSOKOSHI Y., INOUE K.

Synth. Met., 2001, **120**, pp. 993-994 (LCC-6087).

New salts derived from BETS and M(dmit)₂ molecules with magnetic or long-lived excited states counter-ions

CASSOUX P., FAULMANN C., GARREAU DE BONNEVAL B., MALFANT I., AONUMA S., SANCHEZ M.-E.

Synth. Met., 2001, **120**, pp. 1085-1086 (LCC-6088).

New chiral phosphorus-containing dendrimers with ferrocenes on the periphery

TURRIN C.O., CHIFFRE J., DARAN J.-C., DE MONTAUZON D., CAMINADE A.-M., MANOURY E., BALAVOINE G.G.A., MAJORAL J.-P.

Tetrahedron, 2001, **57**, pp. 2521-2536 (LCC-6089).

A practical kinetic resolution of 4-acetyl[2.2]paracyclophane

DORIZON PH., MARTIN C., DARAN J.-C., FIAUD J.-C., KAGAN H.

Tetrahedron Asymmetry, 2001, **12**, pp. 2625-2630 (LCC-6068).

Regioselective dechlorination of 2,3-dichloronitrobenzene into 3-chloronitrobenzene and regioselective dechlorination-hydrogenation into 3-chloroaniline

ANGELOFF A., BRUNET J.-J., LEGARS P., NEIBECKER D., SOUYRI D.

Tetrahedron Lett., 2001, **42**, pp. 2301-2303 (LCC-6820).

Phosphorus dendrimers as new tools to deliver active substances

GOLLER R., VORS J.-P., CAMINADE A.-M., MAJORAL J.-P.

Tetrahedron Lett., 2001, **42**, pp. 3587-3590 (LCC-6090).

Kinetic resolution of P-chiral tertiary phosphines and chlorophosphines : a new approach to optically active phosphoryl and thiophosphoryl compounds

PERLIKOWSKA W., GOUYGOU M., DARAN J.-C., BALAVOINE G.G.A., MIKOLAJCZYK M.

Tetrahedron Lett., 2001, **42**, pp. 7841-7845 (LCC-6029).

Possible modes of action of the artemisinin-type compounds

OLLIARO P.L., HAYNES R.K., MEUNIER B., YUTHAVONG Y.

Trends Parasitol., 2001, pp. 122-126 (LCC-6091).