

Publications LCC 2002

From mechanistic studies on artemisinin derivatives to new modular antimalarial drugs

ROBERT A., DECHY-CABARET O., CAZELLES J., MEUNIER B.

Acc. Chem. Res., 2002, **35**, pp. 167-174 (LCC-6112).

Novel heterobimetallic complexes [Cp₂V(μ-n₂:n₄-butadiyne)MCp₂] (M = Ti, Zr)

ZHAO J.S., GU A.P., HE S.-Y., CHOUKROUN R., VALADE L., CASSOUX P.

Acta Chim. Sin., (Eng. Ed.), 2002, **60**, pp. 687-691 (LCC-6282).

Stereochemistry of two new polyfunctionalized *gem*-dihalocyclopropanes

ZIYAT H., AIT ITTO M.Y., AITALI M., KARIM A., RIAHI A., DARAN J.-C.

Acta Crystallogr., Sect. C, 2002, **58**, pp. o90-o93 (LCC-6125).

Bis(isoquinoline-1-carboxylato-κ²O,N)(1,10-phenanthroline-κ²N,N')-zinc(II)

dimethylformamide

sesquisolvate

DARAN J.-C., LEMOINE P., VIOSSAT B.

Acta Crystallogr., Sect. C, 2002, **58**, pp. 210-212 (LCC-6120).

(BETS)₂[Fe(tdas)₂]₂: a new metal in the molecular conductor family

PILIA L., FAULMANN C., MALFANT I., COLLIERE V., MERCURI M.L., DEPLANO P., CASSOUX P.

Acta Crystallogr., Sect. C, 2002, **58**, pp. m240-m242 (LCC-6124).

Nonacarbonyl-μ-hydroxo-(μ³,n²-triisopropylsilyl-ethynyl)triruthenium

DELGADO E., DONNADIEU B., HERNANDEZ E., PAZ MARTIN M., ZAMORA F.

Acta Crystallogr., Sect. E, 2002, **58**, pp. m571-m573 (LCC-6770).

From artemisinin to "trioxaquines"

ROBERT A., BENOIT-VICAL F., DECHY-CABARET O., MAGNAVAL J.-F., SEGUELA J.-P., MEUNIER B.

Acta Tropica, 2002, **83**, S102 (LCC-6677).

Unprecedented ferromagnetic interaction in homobinuclear erbium and gadolinium complexes : structural and magnetic studies

COSTES J.-P., CLEMENTE-JUAN J.M., DAHAN F., NICODEME F., VERELST M.

Angew. Chem. (Int. Ed. Engl.), 2002, **41**, pp. 323-325 (LCC-6165).

Aryl C-H activation by Cu^{II} to form an organometallic aryl-Cu^{III} species : a novel twist on copper disproportionation

RIBAS X., DONNADIEU B., JACKSON D., HODGSON K.O., HEDMAN B., STACK T.D.P., LLOBET A., MAHIA J., PARELLA T., XIFRA R.

Angew. Chem. (Int. Ed. Engl.), 2002, **41**, pp. 2991-2994 (LCC-6797).

Shape control of thermodynamically stable cobalt nanorods through organometallic chemistry

DUMESTRE F., CHAUDRET B., AMIENS C., FROMEN M.-C., CASANOVE M.-J., RENAUD P., ZURCHER P.

Angew. Chem. (Int. Ed. Engl.), 2002, **41**, pp. 4286-4289 (LCC-6343).

Christallochimie des complexes à visée thérapeutique du cuivre (II) et du zinc (II) par des anti-inflammatoires non-stéroïdiens

VIOSSAT B., MORGANT G., SORENSON J.R.J., ROCH-ARVEILLER M., DARAN J.-C., GREENAWAY F.T., NGUYEN HUY D.

Ann. Pharm. Fr., 2002, **60**, pp. 102-114 (LCC-6532).

Mn^{III} pyrophosphate as an efficient tool for studying the mode of action of isoniazid on the InhA protein of *Mycobacterium tuberculosis*

NGUYEN M., QUEMARD A., BROUSSY S., BERNADOU J., MEUNIER B.

Antimicrob. Agents Chemother., 2002, **46**, pp. 2137-2144 (LCC-6126).

Synthesis and reactivity of small phosphorus-containing dendritic wedges (dendrons)
BRAUGE L., MARAVAL V., LAURENT R., CAMINADE A.-M., MAJORAL J.-P.
ARKAT, 2002, **V**, pp. 151-160 (LCC-6113).

Acridine conjugates of 3-clip-phen: influence of the linker on the synthesis and the DNA cleavage activity of their copper
BOLDRON C., STEVEN A., PITIE M., MEUNIER B.
Bioconjugate Chem., 2002, **13**, pp. 1013-1020 (LCC-6152).

Hommage à Fernand Gallais
CASSOUX P.
C. R. Chimie, 2002, **5**, pp. 185-208 (LCC-7174).

Synthesis and X-ray crystal structure of [VC₃((-)-sparteine)] and [FeCl₂((-)-sparteine)]
LORBER C., CHOUKROUN R., COSTES J.-P., DONNADIEU B.
C. R. Chimie, 2002, **5**, pp. 251-255 (LCC-6127).

Synthesis and stereochemical study of a trioxaquine prepared from *cis*-bicyclo[3.3.0]octane-3,7-dione
DECHY-CABARET O., ROBERT A., MEUNIER B.
C. R. Chimie, 2002, **5**, pp. 297-302 (LCC-6128).

New phosphorus-containing dendrimers with ferrocenyl units in each layer
TURRIN C.O., CHIFFRE J., DARAN J.-C., DE MONTAUZON D., BALAVOINE G., MANOURY E., CAMINADE A.-M., MAJORAL J.-P.
C. R. Chimie, 2002, **5**, pp. 309-318 (LCC-6122).

Is the isonicotinoyl radical generated during activation of isoniazid by Mn^{III}-pyrophosphate ?
NGUYEN M., CLAPAROLS C., MEUNIER B.
C. R. Chimie, 2002, **5**, pp. 325-330 (LCC-6129).

Alkylation of heme by the antimalarial drug artemisinin
ROBERT A., COPPEL Y., MEUNIER B.
Chem. Commun., 2002, pp. 414-415 (LCC-6114).

Aurophilic complexes as gold atom sources in organic media
BARDAJI M., UZNANSKI P., AMIENS C., CHAUDRET B., LAGUNA A.
Chem. Commun., 2002, pp. 598-599 (LCC-6335).

One pot synthesis of nitrogen-containing polycyclic δ -lactones by double nucleophilic of bis(trimethylsilyl)ketene acetals to pyridines
RUDLER H., DENISE B., PARLIER A., DARAN J.-C.
Chem. Commun., 2002, pp. 940-941 (LCC-6317).

Phosphorus-containing dendrimers bearing galactosylceramide analogs : self assembly properties
BLANZAT M., TURRIN C.O., PEREZ E., RICO-LATTES I., CAMINADE A.-M., MAJORAL J.-P.
Chem. Commun., 2002, pp. 1964-1965 (LCC-6115).

The specific contribution of phosphorus in dendrimer chemistry
MAJORAL J.-P., CAMINADE A.-M., MARAVAL V.
Chem. Commun., 2002, pp. 2929-2942 (LCC-6148).

Synthesis and photochemical behavior of phosphorus dendrimers containing azobenzene units within the branches and/or on the surface
SEBASTIAN R.M., BLAIS J.-C., CAMINADE A.-M., MAJORAL J.-P.
Chem. Eur. J., 2002, **8**, pp. 2172-2183 (LCC-6116).

Reactivity of vanadocene with a nitrile -CN bond activated by a tris(fluorophenyl)borane as Lewis acid : formation of borane adducts of vanada(IV)azirine complexes-EPR Evidence for an intramolecular C-F...V interaction
CHOUKROUN R., LORBER C., DONNADIEU B.
Chem. Eur. J., 2002, **8**, pp. 2700-2704 (LCC-6130).

$[N(CH_3)_4]_2[Mn(H_2O)]_3[Mo(CN)_7]_2 \cdot 2H_2O$: a new high T_C cyano-bridged ferrimagnet based on the $[Mo^{III}(CN)_7]^{4-}$ building block and induced by counterion exchange
LARIONOVA J., CLERAC R., DONNADIEU B., GUERIN C.
Chem. Eur. J., 2002, **8**, pp. 2712-2716 (LCC-6798).

Unequivocal synthetic pathway to heterodinuclear (4f, 4f) complexes : magnetic study of relevant (Ln^{III}, Gd^{III}) and (Ln^{III}, Gd^{III}) complexes
COSTES J.-P., NICODEME F.
Chem. Eur. J., 2002, **8**, pp. 3442-3347 (LCC-6163).

Dinuclear Co^{II}/Gd^{III} and Co^{II}/Gd^{III} complexes derived from hexadente Schiff bases : synthesis, structure and magnetic properties
COSTES J.-P., DAHAN F., GARCIA-TOJAL J.
Chem. Eur. J., 2002, **8**, pp. 5430-5434 (LCC-6161).

Synthesis and crystal structure of heterodimetallic complexes $[Cp_2V(\mu-n^2 : n^4-PhC_4Ph)MCP_2']$ (M = Ti, Zr ; Cp' = C₅H₅, C₅H₄SiMe₃)
ZHAO J.S., GU A.P., HE S.-Y., CHOUKROUN R., VALADE L., CASSOUX P.
Chem. J. Chin. Univ., 2002, **23**, pp. 1833-1836 (LCC-6973).

Quadratic hyperpolarizability of carbomeric structure
DUCERE J.-M., LEPETIT C., LACROIX P.G., HEULLY J.L., CHAUVIN R.
Chem. Mater., 2002, **14**, pp. 3332-3338 (LCC-6178).

Characterization of the dehydro-guanidinohydantoin oxidation product of guanine in a dinucleotide
CHWOROS A., SEGUY C., PRATVIEL G., MEUNIER B.
Chem. Res. Toxicol., 2002, **15**, pp. 1643-1651 (LCC-6166).

A new chromium-based molecular magnet grown as thin film by chemical vapor deposition
CASELLAS H., DE CARO D., VALADE L., CASSOUX P.
Chem. Vap. Deposit., 2002, **8**, pp. 145-147 (LCC-6281).

Alkylation of microperoxidase-11 by the antimalarial drug artemisinin
RODRIGUEZ M., CLAPAROLS C., ROBERT A., MEUNIER B.
ChemBioChem, 2002, **11**, pp. 1147-1148 (LCC-6154).

Organometallic derivatives of phosphorus-containing dendrimers. Synthesis, properties and applications in catalysis
CAMINADE A.-M., MARAVAL V., LAURENT R., MAJORAL J.-P.
Curr. Org. Chem., 2002, **6**, pp. 739-774 (LCC-6117).

Complexation of a Schiff base ligand having two coordination sites (N₂O₂ and O₂O₂) with lanthanide ions (Ln=La, Pr) : an NMR study
COSTES J.-P., LAUSSAC J.-P., NICODEME F.
Dalton Trans., 2002, pp. 2731-2736 (LCC-6168).

Multi-temperature X-ray diffraction, Mössbauer spectroscopy and magnetic susceptibility studies of a solvated mixed-valence trinuclear iron formate, $[Fe_3O(HCO_2)_6(NC_5H_4CH_3)_3]$
OVERGAARD J., RENTSCHLER E., TIMCO G.A., GERBELEU N.V., ARION V., BOUSSEKSOU A., TUCHAGUES J.-P., LARSEN F.K.
Dalton Trans., 2002, pp. 2981-2986 (LCC-6216).

Characterization of two conformers in the co-ordination chemistry of 3, 4-bis(cyanamido)cyclobutane-1, 2-dione dianion : syntheses, crystal structures and electrochemical study of nickel(II) complexes
GALIBERT A.-M., CORTADELLAS O., SOULA B., DONNADIEU B., FABRE P.-L.
Dalton Trans., 2002, pp. 3743-3750 (LCC-6799).

Synthesis and characterisation of dimanganese(III) complexes of 1,5-bis(X-salicylidenamino)penta-3-ol (X = 3- or 5-methoxy) and their catalytic activity toward hydrogen peroxide disproportionation
PALOPOLI C., GONZALES-SIERRA M., ROBLES G., DAHAN F., TUCHAGUES J.-P., SIGNORELLA S.

Dalton Trans., 2002, pp. 3813-3819 (LCC-6217).

Kinetic study of fatty acids esterification in a continuous flow multistage reactor
GUIRAUD R., LAFAGE B., TAXIL P., PELLEGGATTA J.-L., BLANDY C.

Entropie, 2002, **238**, pp. 18-23_ (LCC-6118).

Synthesis and reactivity of group 6 and 10 complexes of the bis(dialkylaminophosphanyl)imine
 $iPrN=C[CH_2P(NiPr_2)_2]_2$

DAHAN F., DYER P., HANTON M.J., JONES M., MINGOS D.M.P., WHITE A.J.P., WILLIAMS D.J., WILLIAMSON A.-M.

Eur. J. Inorg. Chem., 2002, pp. 732-742 (LCC-6800).

Synthesis of a new potentially hemilabile ligand : 1-[2-(diphenylphosphanyl)ethyl]-3,5-dimethylpyrazole, and comparison of its bonding properties with the related 1-[2-(ethylamino)ethyl]-3,5-dimethylpyrazole ligand toward Rh^I

ESQUIUS G., PONS J., YANEZ R., ROS J., MATHIEU R., DONNADIEU B., LUGAN N.

Eur. J. Inorg. Chem., 2002, pp. 2999-3006 (LCC-6157).

From P-metalated trans-iminodiphosphanes to N-metalated cis-iminodiphosphanes: an unprecedented rearrangement

ZABŁOCKA M., OWSIANIK K., IGAU A., SKOWRONSKA A., MAJORAL J.-P.

Eur. J. Inorg. Chem., 2002, **4**, pp. 801-804 (LCC-6485).

A convenient procedure for the preparation of 1-(diisopropylamino)phospholes. Application to the synthesis of new 2,2'-biphosphole disulfides

HYDRIO J., GOUYGOU M., DALLEMER F., BALAVOINE G.G.A., DARAN J.-C.

Eur. J. Org. Chem., 2002, pp. 675-685 (LCC-6132).

Phosphorus-containing dendrimers: from material science to biology

MAJORAL J.-P., CAMINADE A.-M., LAURENT R., SUTRA P.

Heteroat. Chem., 2002, **5**, pp. 474-485 (LCC-6119).

A mechanistic investigation of oxidative addition of methyl iodide to $[Tp^*Rh(CO)(L)]$

CHAUBY V., DARAN J.-C., SERRA-LE BERRE C., MALBOSC F., KALCK P., GONZALEZ O.D., HASLAM C.E., HAYNES A.

Inorg. Chem., 2002, pp. 3280-3290 (LCC-6131).

Synthesis, structure and magnetic properties of tetranuclear cubane-like and chain-like iron(II) complexes based on the N_4O pentadentate dinucleating ligand 1,5-bis[(2-pyridylmethyl)amino]penta-3-ol

CLEMENTE-JUAN J.M., MACKIEWICZ C., VERELST M., DAHAN F., BOUSSEKSOU A., SANAKIS Y., TUCHAGUES J.-P.

Inorg. Chem., 2002, **41**, pp. 1478-1491 (LCC-6184).

Comparative study of structure-properties relationship for novel β -halogenated lanthanide porphyrins and their nickel and free bases precursors as a function of number and nature of halogens atoms

SPYROULIAS G.A., DESPOTOPOULOS A.P., RAPTOPOULOU C.P., TERZIS A., DE MONTAUZON D., POILBLANC R., COUTSOLELOS A.G.

Inorg. Chem., 2002, **41**, pp. 2648-2659 (LCC-6801).

Dinuclear (Fe^{III} , Gd^{III}) complexes deriving from hexadentate Schiff bases : synthesis, structure and Mössbauer and magnetic properties

COSTES J.-P., CLEMENTE-JUAN J.M., DAHAN F., DUMESTRE F., TUCHAGUES J.-P.

Inorg. Chem., 2002, **41**, pp. 2886-2891 (LCC-6162).

Synthesis and structure of a series of new d¹-aryl imido-vanadium(IV) complexes stabilized by N-donor ligands

LORBER C., CHOUKROUN R., DONNADIEU B.

Inorg. Chem., 2002, **41**, pp. 4214-4226 (LCC-6133).

First fluorescent ferrocenyl compound as multiresponsive calcium-sensing device. NMR, electrochemical, and photophysical preliminary investigations in ch₃cn

MAYNADIE J., DELAVAUUX-NICOT B., FERY-FORGUES S., LAVABRE D., MATHIEU R.

Inorg. Chem., 2002, **41**, pp. 5002-5004 (LCC-6048).

Novel rectangular [Fe₄(μ₄-OHO)(μ-OH)₂]⁷⁺ versus "butterfly" [Fe₄(μ₃-O)₂]⁸⁺ core topology in the Fe^{III}/RCO₂⁻/phen reaction systems (R = Me, Ph ; phen = 1, 10-phenanthroline) : preparation and properties of [Fe₄(OHO)(OH)₂(O₂CMe)₄(phen)₄](ClO₄)₃, [Fe₄O₂(O₂CPh)₇(phen)₂](ClO₄), and [Fe₄O₂(O₂CPh)₈(phen)₂]

LALIOTI N., SPYROULIAS G.A., RAPTOPOULOU C.P., TERZIS A., BOUSSEKSOU A., TANGOULIS V., TUCHAGUES J.-P., PERLEPES S.P., BOUDALIS A.K.

Inorg. Chem., 2002, **41**, pp. 6474-6487 (LCC-6185).

Mass effect on the equienergetic high-spin/low-spin states of spin-crossover in 4,4'-bipyridine-bridged iron(II) polymeric compounds : synthesis, structure and magnetic Mössbauer and theoretical studies

MOLINER N., CARMEN MUNOZ M., LETARD S., SALMON L., TUCHAGUES J.-P., BOUSSEKSOU A., REAL J.A.

Inorg. Chem., 2002, **41**, pp. 6997-7005 (LCC-6214).

Hydrothermal investigation of the lanthanide (Ln=La, Ce, Pr, Nd, Sm) 2,6-pyridinedicarboxylate system

BROUCA-CABARRECQ C., FERNANDES A., JAUD J., COSTES J.-P.

Inorg. Chim. Acta, 2002, **332**, pp. 54-60 (LCC-6169).

Spectroscopic properties of iron-thiosemicarbazone compounds. Structure of [Fe(C₇H₇N₄S)₂] · 1,25H₂O

GARCIA-TOJAL J., DONNADIEU B., COSTES J.-P., SERRA J.L., LEZAMA L., ROJO T.

Inorg. Chim. Acta, 2002, **333**, pp. 132-137 (LCC-6164).

Structural and spectroscopic characterization of a five-coordinate (Fe(NO))⁶ complex derived from an iron complex with carboxamido N and thiolato S donors

CHATEL S., CHAUVIN A.S., TUCHAGUES J.-P., LEDUC P., BILL E., CHOTTARD J.-C., MANSUY D., ARTAUD I.

Inorg. Chim. Acta, 2002, **336**, pp. 19-28 (LCC-6215).

NMR characterization of covalent adducts obtained by alkylation of heme with the antimalarial artemisinin

ROBERT A., COPPEL Y., MEUNIER B.

Inorg. Chim. Acta, 2002, **339**, pp. 488-496 (LCC-6158).

Vibrational progressions in the valence ionizations of transition metal hydrides : evaluation of metal-hydride bonding and vibrations in (n⁵-C₅R₅)Re(NO)(CO)[R=H, CH₃]

LICHTENBERGER D.L., GRUHN N.E., RAI-CHAUDHURI A., RENSHAW S.K., JIAO H., SEYLER J., IGAU A.

J. Am. Chem. Soc., 2002, **124**, pp. 1417-1423 (LCC-6487).

Stable formally zerovalent and diamagnetic monovalent niobium and tantalum complexes based on diazadiene ligands

DAFF P.J., ETIENNE M., DONNADIEU B., KNOTTENBELT S.Z., MCGRADY J.E.

J. Am. Chem. Soc., 2002, **124**, pp. 3818-3819 (LCC-6111).

Sigma-borane and dihydroborate complexes of ruthenium

MONTIEL-PALMA V., LUMBIERRES M., DONNADIEU B., SABO-ETIENNE S., CHAUDRET B.

J. Am. Chem. Soc., 2002, **124**, pp. 5624-5625 (LCC-6339).

A minor groove binding copper-phenanthroline conjugate produces direct strand breaks via β -elimination of 2-deoxyribonolactone

BALE B.C., PITIE M., MEUNIER B., GREENBERG M.M.
J. Am. Chem. Soc., 2002, **124**, pp. 9062-9063 (LCC-6123).

Manganese(III) porphyrin catalysts for the oxidation of terpene derivatives: a comparative study

MARAVAL V., ANCEL J.-E.
J. Catal., 2002, **206**, pp. 349-357 (LCC-6387).

Recent advances in malaria chemotherapy

ROBERT A., DECHY-CABARET O., CAZELLES J., BENOIT-VICAL F., MEUNIER B.
J. Chin. Chem. Soc., 2002, **49**, pp. 301-310 (LCC-6121).

Structural and magnetic study of bimetallic Co1-xRhx particles

FROMEN M.-C., SERRES A., ZITOUN D., RESPAUD M., AMIENS C., CHAUDRET B., LECANTE P., CASANOVE M.-J.

J. Magn. Magn. Mater., 2002, **242**, 610 p. (LCC-6342).

Synthesis, crystal structures, and quadratic nonlinear optical properties in a series of push-pull boronate derivatives

REYES H., MUNOZ B.M., FARFAN N., SANTILLAN R., ROJAS-LIMA S., LACROIX P.G., NAKATANI K.

J. Mater. Chem., 2002, **12**, pp. 2898-2903 (LCC-6179).

Catalytic investigation of rhodium nanoparticles in hydrogenation of benzene and phenylacetylene

PELLEGATTA J.-L., BLANDY C., COLLIERE V., CHOUKROUN R., CHAUDRET B., CHENG P., PHILIPPOT K.

J. Mol. Catal. A, 2002, **178**, pp. 55-61 (LCC-6058).

The vibrational spectra of the elementoorganic starburst dendrimers

KOVALENKO V.I., FURER V.L., VANDYUKOV A.E., SHAGIDULLIN R.R., MAJORAL J.-P., CAMINADE A.-M.

J. Mol. Struct., 2002, **604**, pp. 45-56 (LCC-6134).

Alkylating capacity and reaction products of antimalarial trioxanes after activation by a heme model

CAZELLES J., ROBERT A., MEUNIER B.

J. Org. Chem., 2002, **67**, pp. 611-619 (LCC-6135).

1-Diisopropylaminophospholes : synthesis and X-ray characterisations of new palladium and platinum complexes

HYDRIO J., GOUYGOU M., DALLEMER F., BALAVOINE G.G.A., DARAN J.-C.

J. Organomet. Chem., 2002, **643-644**, pp. 19-26 (LCC-6316).

The reaction of potassium hydridopentacarbonylchromate with acrylates. X-ray structure of [PPN]⁺[CH₂CH(COOEt)Cr(CO)₅]⁻

ANDRIEU B., BRUNET J.-J., DIALLO O.S., DONNADIEU B., LIENAFI J., ROBLOU E.

J. Organomet. Chem., 2002, **643-644**, pp. 27-30 (LCC-6806).

Synthesis of dendrimers with phosphine end groups at each generation

BALUEVA A., MERINO S., CAMINADE A.-M., MAJORAL J.-P.

J. Organomet. Chem., 2002, **643-644**, pp. 112-124 (LCC-6136).

Synthesis and Characterization of Monodisperse Zinc and Zinc Oxide Nanoparticles from the Organometallic Precursor [Zn(C₆H₁₁)₂].

RATABOUL F., NAYRAL C., CASANOVE M.-J., MAISONNAT A., CHAUDRET B.

J. Organomet. Chem., 2002, **643-644**, pp. 307-312 (LCC-6337).

Synthesis and crystal structure of highly soluble ansa-titano- and zirconocene dichloride complexes [Me₂Si(η ⁵-C₅H₂(SiMe₃)₂)₂MCl₂ (M=Ti, Zr)

DOUZIECH B., CHOUKROUN R., LORBER C., DONNADIEU B.

J. Organomet. Chem., 2002, **649**, pp. 15-20 (LCC-6110).

- Alkynethiolate ligands in the syntheses of iron carbonyl derivatives. Crystal structure of [(n⁵-C₅H₅)Fe(CO)₂(SCCSiMe₃)]
- DELGADO E., DONNADIEU B., GARCIA S., ZAMORA F.
J. Organomet. Chem., 2002, **649**, pp. 21-24 (LCC-6805).
- X-ray crystal structures of noel platinum(II) and palladium(II) complexes of dialkyl phosphonated phosphines
- GUERRERO G., MUTIN P.H., DAHAN F., VIOUX A.
J. Organomet. Chem., 2002, **649**, pp. 113-120 (LCC-6803).
- "Diopium", a chiral phosphoniophosphine derived from Kagan's diop. Rhodium complexes and reducing catalytic properties
- VIAU L., CHAUVIN R.
J. Organomet. Chem., 2002, **654**, pp. 180-186 (LCC-6804).
- Thermal and optical switching of molecular spin states in the [[FeL(H₂B(pz)₂)₂] spin-crossover system (L = bpy, phen)
- MOLINER N., SALMON L., CAPES L., MUNOZ M.C., LETARD J.-F., BOUSSEKSOU A., TUCHAGUES J.-P., MC GARVEY J., DENNIS A.C., CASTRO M., BURRIEL R., REAL J.A.
J. Phys. Chem. B, 2002, **106**, pp. 4276-4283 (LCC-6218).
- Vibrational spectroscopy of cyanide-bridged, iron(II) spin-crossover coordination polymers : estimation of vibrational contributions to the entropy change associated with the spin transition
- MOLNAR G., NIEL V., GASPAR A.B., REAL J.A., ZWICK A., BOUSSEKSOU A., MCGARVEY J.J.
J. Phys. Chem. B, 2002, **106**, pp. 9701-9707 (LCC-6807).
- Development and physical properties of magnetic organic superconductors based on BETS molecules
- KOBAYASHI H., FUJIWARA H., TANAKA H., AKUTSU H., TAMURA I., OTSUKA T., KOBAYASHI A., TOKUMOTO M., CASSOUX P.
J. Phys. Chem. Solids, 2002, **63**, pp. 1235-1238 (LCC-6808).
- Dielectric study of local relaxations in dendritic macromolecules
- DANTRAS E., CAMINADE A.-M., MAJORAL J.-P., LACABANNE C.
J. Phys. D. : Appl. Phys., 2002, **35**, pp. 5-8 (LCC-6137).
- From studies on artemisinin derivatives to trioxaquinones
- MEUNIER B.
J. Porph. Phtal., 2002, **6**, pp. 271-273 (LCC-6237).
- Introduction
- CASSOUX P.
J. Solid State Chem., 2002, pp. 355-357 (LCC-7172).
- Molecular Metals, a Summary
- CASSOUX P.
J. Solid State Chem., 2002, pp. 712-713 (LCC-7173).
- A New Paramagnetic Pd(dmit)₂ Salt : tris(2,2'-Bipyridine)Nickel(II) Bis(1,3-Dithiole-2-Thione-4,5-Dithiolato)Palladate(II) Mono-Acetonitrile ; [Ni(bpy)₃][Pd(dmit)₂] . CH₃CN
- MULDER M.J.J., FAULMANN C., HAASNOOT J.G., REEDIJK J.
J. Solid State Chem., 2002, **168**, pp. 390-395 (LCC-6284).
- TTF[Ni(dmit)₂]₂ : now as thin films and nanowires
- VALADE L., CASELLAS H., ROQUES S., FAULMANN C., DE CARO D., ZWICK A., ARIES L.
J. Solid State Chem., 2002, **168**, pp. 438-443 (LCC-6170).
- Enthalpy relaxation in phosphorus-containing dendrimers
- DANTRAS E., DANDURAND J., LACABANNE C., CAMINADE A.-M., MAJORAL J.-P.
Macromolecules, 2002, **35**, pp. 2090-2094 (LCC-6139).

Magnetic organic superconductors based on BETS molecules - Interplay of conductivity and magnetism
KOBAYASHI H., FUJIWARA E., FUJIWARA H., TANAKA H., TAMURA I., BIN Z., GRITSENKO V.V., OTSUKA T., KOBAYASHI A., TOKUMOTO M., CASSOUX P.

Mol. Cryst. Liq. Cryst., 2002, **379**, pp. 9-18 (LCC-6974).

From molecule-based (super)conductors to thin film, nanowires and nanorings

CASSOUX P., DE CARO D., VALADE L., CASELLAS H., DAFFOS B., SANCHEZ VERGARA M.E.

Mol. Cryst. Liq. Cryst., 2002, **380**, pp. 45-52 (LCC-6138).

Antiferromagnetic organic superconductors, $\text{BETS}_2\text{FeX}_4$ (X = Br, Cl)

KOBAYASHI H., FUJIWARA H., TANAKA H., OTSUKA T., KOBAYASHI A., TOKUMOTO M., CASSOUX P.

Mol. Cryst. Liq. Cryst., 2002, **380**, pp. 139-144 (LCC-6975).

Structure and properties of $\text{M}(\text{dmit})_2$ salts with Me_3N^+ -tempo or TTF-(HO)tempo

AONUMA S., CASELLAS H., GARREAU DE BONNEVAL B., FAULMANN C., MALFANT I., CASSOUX P.

Mol. Cryst. Liq. Cryst., 2002, **380**, pp. 263-268 (LCC-6150).

Monolayers of a fourth-generation thiol-terminated dendrimer

EMMRICH E., FRANZKA S., SCHMID G., MAJORAL J.-P.

Nano Lett., 2002, **2**, pp. 1239-1242 (LCC-6495).

Thin films of hydroxy-TEMPO-substituted TTF and of its charge-transfer complex with TCNQ

CASELLAS H., DE CARO D., VALADE L., FRAXEDAS J.

New J. Chem., 2002, **26**, pp. 915-919 (LCC-6140).

Synthesis and magnetic properties of nanoscale bimetallic Co_1Rh_1 particles

ZITOUN D., AMIENS C., CHAUDRET B., RESPAUD M., FROMEN M.-C., LECANTE P., CASANOVE M.-J.

New J. Phys., 2002, **4**, pp. 77.1-77.11 (LCC-6333).

Third-order nonlinear optical properties and two-photon absorption in branched oligothiénylenevinylenes

NUNZI J.-M., SAHRAOUI B., KITZYK I.V., BERDOWSKI J., CAMINADE A.-M., MAJORAL J.-P., MARTINEAU A.C., FRERE P., RONCALI J., JANCZAREK F.

Optical Mater., 2002, **209**, pp. 461-466 (LCC-6151).

Fast and reversible intramolecular cleavage of an Au-C bond in the spiked-triangular metal complexes $[\text{Fe}_3\text{Au}(\mu_4, \eta^2\text{-CC}^t\text{Bu})(\text{CO})_9(\text{PR}_3)]$ (R=Ph, $i\text{Pr}$)

DELGADO E., DONNADIEU B., GARCIA M.E., GARCIA S., RUIZ M. A., ZAMORA F.

Organometallics, 2002, **21**, pp. 780-782 (LCC-6809).

Parallel approaches to mono- and bis-propargylic activation via $\text{CO}_2(\text{CO})_8$ and $[\text{Ru}_3(\mu\text{-Cl})(\text{CO})_{10}]^-$

SOLEILHAVOUP M., SACCAVINI C., LEPETIT C., LAVIGNE G., MAURETTE L., DONNADIEU B., CHAUVIN R.

Organometallics, 2002, **21**, pp. 871-883 (LCC-6810).

Cationic vanadium (IV) methyl complexes $[\text{Cp}_2\text{VMe}(\text{CH}_3\text{CN})][\text{B}(\text{C}_6\text{H}_5)_4]^-$ and $[\text{Cp}_2\text{VMe}(\text{THF})][\text{MeB}(\text{C}_6\text{F}_5)_3]$

CHOUKROUN R., LORBER C., DONNADIEU B.

Organometallics, 2002, **21**, pp. 1124-1126 (LCC-6109).

Behavior of an optically active ferrocene chiral shell located within phosphorus-containing dendrimers

TURRIN C.O., CHIFFRE J., DE MONTAUZON D., BALAVOINE G., MANOURY E., CAMINADE A.-M., MAJORAL J.-P.

Organometallics, 2002, **21**, pp. 1891-1897 (LCC-6141).

Synthesis and characterization of new amphiphilic phosphines and palladium metallosurfactants
VALLS E., SOLSONA A., SUADES J., MATHIEU R., COMELLES F., LOPEZ-IGLESIAS C.
Organometallics, 2002, **21**, pp. 2473-2480 (LCC-6142).

Preparation of zwitterionic 18-electron d⁰-anionic-metallocene complexes induced by β -heterosubstituted aza-zirconaindenes
CADIerno V., ZABLOCKA M., DONNADIEU B., IGAU A., MAJORAL J.-P.
Organometallics, 2002, **21**, pp. 3215-3220 (LCC-6488).

Ligand substitution processes on carbonylmetal derivatives. 3.¹ reaction of hydridopentacarbonylchromates with phosphines
BRUNET J.-J., DIALLO O.S., DONNADIEU B., ROBLOU E.
Organometallics, 2002, **21**, pp. 3388-3394 (LCC-6143).

Selective functionalization of chiral ferrocenyl acetals, easy access to various tri- and tetrasubstituted ferrocenes with controlled geometry
CHIFFRE J., COPPEL Y., BALAVOINE G.G.A., DARAN J.-C., MANOURY E.
Organometallics, 2002, **21**, pp. 4552-4555 (LCC-6312).

Iminophosphine palladium complexes in catalytic Stille coupling reactions : from monomers to dendrimers
KOPROWSKI M., SEBASTIAN R.M., MARAVAL V., ZABLOCKA M., CADIerno V., DONNADIEU B., IGAU A., CAMINADE A.-M., MAJORAL J.-P.
Organometallics, 2002, **21**, pp. 4680-4687 (LCC-6159).

Exchange processes in complexes with two ruthenium (n²-silane) linkages: role of the secondary interactions between silicon and Hydrogen Atoms
ATHEAUX I., DELPECH F., DONNADIEU B., SABO-ETIENNE S., CHAUDRET B., HUSSEIN K., BARTHELAT J.-C., BRAUN T., DUCKETT S.B., PERUTZ R.N.
Organometallics, 2002, **21**, pp. 5347-5357 (LCC-6370).

How do the electronic structures of low-symmetry metal-hydride and alkyl complexes compare ? Photoelectron spectroscopy and computational studies of (n⁵-C₅R₅)Re(NO)(L)R' (L=CO, P(C₆H₅)₃ ; R, R'=H, CH₃)
LICHTENBERGER D.L., GRUHN N.E., RAI-CHAUDHURI A., RENSHAW S.K., GLADYSZ J.A., JIAO H., SEYLER J., IGAU A.
Organometallics, 2002, **21**, pp. 5494-5504 (LCC-6489).

Phosphorus-containing dendrimers : towards applications
MAJORAL J.-P., CAMINADE A.-M., LAURENT R., TURRIN C.O.
Phosph. Sulf. Silicon, 2002, **177**, pp. 1481-1484 (LCC-6144).

Phosphorus-containing dendrimers : synthesis and properties
MAJORAL J.-P., MARAVAL V., SEBASTIAN R.M.
Phosph. Sulf. Silicon, 2002, **177**, pp. 1493-1497 (LCC-6145).

Dynamic response of the spin-crossover solid Co(H₂(fsa)₂en)(py)₂ to a pulsed magnetic field
BOUSSEKSOU A., BOUKHEDDADEN K., GOIRAN M., CONSEJO C., BOILLOT M.L., TUCHAGUES J.-P.
Phys. Rev. B-Cond. Matt., 2002, **65**, pp. 172412/1-17412/ (LCC-6219).

Magnetic enhancement in nanoscale CoRh particles
ZITOUN D., RESPAUD M., FROMEN M.-C., CASANOVE M.-J., LECANTE P., AMIENS C., CHAUDRET B.
Phys. Rev. Lett., 2002, **89**, pp. 037203.1-037203. (LCC-6334).

Antiplasmodial and cytotoxic activity of galipinine and other tetrahydroquinolines from *Galipea officinalis*
JAQUEMOND-COLLET I., BENOIT-VICAL F., VALENTIN A., STANISLAS E., MALLIE M., FOURASTE I.
Planta Med., 2002, **68**, pp. 68-69 (LCC-6608).

Coexistence of antiferromagnetic order and superconductivity in organic conductors
KOBAYASHI H., TANAKA H., OJIMA E., FUJIWARA H., OTSUKA T., KOBAYASHI A.,
TOKUMOTO M., CASSOUX P.

Polyhedron, 2002, **20**, pp. 1587-1592 (LCC-6146).

Inorganic-organic hyperbranched polymers designed for layer-by-layer self-assembly
PELESHANKO S., MAJORAL J.-P., CAMINADE A.-M., KNOLL W., TSUKRUK V.V.

Polym. Prepr. (Am. Chem. Soc., Div. Polym. Chem.), 2002, **43**, 421 p. (LCC-6171).

Examples of molecular switching in inorganic solids, due to temperature, light, pressure and magnetic field

VARRET F., BLEUZEN A., BOUKHEDDADEN K., BOUSSEKSOU A., CODJOVI E., ENACHESCU C., GOUJON A., LINARES J., MENENDEZ N., VERDAGUER M.

Pure Appl. Chem., 2002, **74**, pp. 2159-2168 (LCC-6784).

Catalytic degradation of chlorinated phenols

MEUNIER B.

Science, 2002, **269**, pp. 270-271 (LCC-6147).

Calculation of IR spectra of the elementoorganic dendrimers

FURER V.L., KOVALENKO V.I., VANDYUKOV A.E., MAJORAL J.-P., CAMINADE A.-M.

Spectrochim. Acta. A, 2002, pp. 2905-2912 (LCC-6153).

Synthesis and first applications of a new family of chiral monophosphine ligand : 2,5-diphenylphospholanes

GUILLEN F., RIVARD M., TOFFANO M., LEGROS J.-Y., DARAN J.-C., FIAUD J.-C.

Tetrahedron, 2002, **58**, pp. 5895-5904 (LCC-6314).

Synthesis of novel tricyclic derivatives of 7-azabenzonorbornene system

SAMOYLENKO V.P., VOITENKO Z.V., DONNADIEU B., BONNET J.-J.

Tetrahedron, 2002, **58**, pp. 6103-6110 (LCC-6811).

New chiral phosphole ligands: their coordination behaviour and application in palladium-catalysed asymmetric allylic substitution

HYDRIO J., GOUYGOU M., DALLEMER F., DARAN J.-C., BALAVOINE G.G.A.

Tetrahedron Asymmetry, 2002, **13**, pp. 1097-1102 (LCC-6313).

Epoxydation aérobie des terpènes naturels : étude de l'activité catalytique des nouveaux complexes Ru-1,2,4-triazépines

FDIL N., AIT ITTO M.Y., AITALI M., KARIM A., DARAN J.-C.

Tetrahedron Lett., 2002, **43**, pp. 8769-8771 (LCC-6311).

Metal-oxo species in P450 enzymes and biomimetic models. Oxo-hydroxo tautomerism with water-soluble metalloporphyrins

MEUNIER B., BERNADOU J.

Top. Catal., 2002, **21**, pp. 47-54 (LCC-6155).