

PUBLICATIONS LCC 2006

164 articles dont

5 *Angewandte Chemie*

7 *Chemistry : An European Journal*

5 *Dalton Transactions*

20 *European Journal of Inorganic Chemistry*

10 *Inorganic Chemistry*

6 *Journal of Organometallic Chemistry*

6 *JACS*

11 *New Journal of Chemistry*

6 *Organometallics*

4 *Tetrahedron*

3 *Tetrahedron Letters*

Articles parus dans des revues

Three new enantiomerically pure ferrocenylphosphole compounds

CORTES J.G.L., VINCEDEAU S., DARAN J.-C., MANOURY E., GOUYGOU M.

Acta Crystallogr., Sect. C, 2006, **62**, pp. m188-m191 (LCC-7543).

(2*S*, 4*S*, *S*_{FC})-2-[2-(Diphenylthiophosphinoyl)ferrocenyl]-4-methoxy-methyl-1,3-dioxane

DARAN J.-C., MANOURY E., ROUTABOUL L., RIVALS F.

Acta Crystallogr., Sect. C, 2006, **62**, pp. m378-m380 (LCC-7595).

{2,5-bis[3-(*tert*-butylaminoxyl)-phenyl]-1,1-dimethyl-3,4-diphenylsilole-*kO*}bis(1,1,1,5,5,5-hexafluoropentane-2,4-dionato)manganese(II)

ROQUES N., GERBIER P., IMAZ I., GUIONNEAU PH., SUTTER J.-P.

Acta Crystallogr., Sect. C, 2006, **C62**, pp. m386-m388 (LCC-7592).

2,3-diphenyl-2,3-dihydrospiro[1,3-oxazole-5(4*H*),1'(3'*H*)-2-benzofuran]-3'-one

DARAN J.-C., FIHI R., ROUSSEL C., LAGHRIB N., AZROUR M., CIAMALA K., VEBRELD J.

Acta Crystallogr., Sect. E, 2006, **62**, pp. o329-o331 (LCC-7522).

Dichloro(2,5-diphenyl-3,4-di-2-pyridyl-cyclopenta-2,4-dienone)cobalt(II)

KHALAJI A.D., AMIRNASR M., DARAN J.-C.

Acta Crystallogr., Sect. E, 2006, **62**, pp. m687-m689 (LCC-7530).

Ethyl 2-[(1,7,7-trimethylbicyclo[2.2.1]hept-2-ylidene)hydrazono]-2-(4-nitrophenylsulfanyl)acetate

FEDDOULI A., AIT ITTO M.Y., HASNAOUI A., RIAHI A., DARAN J.-C.

Acta Crystallogr., Sect. E, 2006, **62**, pp. o699-o700 (LCC-7521).

Di- μ -iodo-bis{[*N,N'*-bis(3,3-diphenylprop-2-enylidene)propane-1,3-diamine- k^2N,N']copper(I)}

KHALAJI A.D., AMIRNASR M., DARAN J.-C.

Acta Crystallogr., Sect. E, 2006, **62**, pp. m2200-m2201 (LCC-7676).

Bis[*N,N'*-bis(3,3-diphenylprop-2-enylidene)-ethane-1,2-diamine- k^2N,N']copper(I) triiodide

KHALAJI A.D., AMIRNASR M., DARAN J.-C.

Acta Crystallogr., Sect. E, 2006, **62**, pp. m3183-m3184 (LCC-7675).

Poly{[(2-amino-5-bromopyridine-*kN*)copper(I)]- μ -3-iodo}

KHALAJI A.D., AMIRNASR M., DARAN J.-C.

Acta Crystallogr., Sect. E, 2006, **62**, pp. m3222-m3224 (LCC-7674).

Synthesis of ruthenium nanoparticles stabilized by heavily fluorinated compounds
TRISTANY M., CHAUDRET B., DIEUDONNE P., GUARI Y., LECANTE P., MATSURA V.,
MORENO-MANAS M., PHILIPPOT K., PLEIXATS R.
Adv. Funct. Mater., 2006, **16**, pp. 2008-2015 (LCC-7663).

DNA oxydation by copper and manganese complexes
PITIE M., BOLDRON C., PRATVIEL G.
Adv. Inorg. Chem., 2006, **58**, pp. 77-130 (LCC-7581).

Highly luminescent Cu^I complexes for light-emitting electrochemical cells
ARMAROLI N., ACCORSI G., HOLLER M., MOUDAM O., NIERENGARTEN J.-F., ZHOU Z.,
WEGH R.T., WELTER R.
Adv. Mater., 2006, **18**, pp. 1313-1316 (LCC-7549).

Water-soluble group 8 and 9 transition metal complexes containing a trihydrazinophosphaadamantane
ligands : catalytic applications in isomerization of allylic alcohols and cycloisomerization of (Z)-enynols
in aqueous medium
DIAZ-ALVAREZ A.E., CROCHET P., ZABLOCKA M., DUHAYON C., CADIerno V., GIMENO J.,
MAJORAL J.-P.
Adv. Synth. Catal., 2006, **348**, pp. 1671-1679 (LCC-7598).

Electrospray mass spectrometry analysis of dendritic branches bearing peripheral fullerene subunits
HERSCHBACH H., HOSOMIZU K., HAHN U., LEIZE E., VAN DORSSELAER A., IMAHORI H.,
NIERENGARTEN J.-F.
Anal. Bioanal. Chem., 2006, **386**, pp. 46-51 (LCC-7585).

Simultaneous excitation of propagating and localized surface plasmon resonance in nanoporous gold
membranes
YU F., AHL S., CAMINADE A.-M., MAJORAL J.-P., KNOLL W., ERLEBACHER J.
Anal. Chem., 2006, **78**, pp. 7346-7350 (LCC-7604).

Co^{II} Chemistry of 2,6-di-(2-pyridylcarbonyl)-pyridine : an icosanuclear Co cluster exhibiting
superparamagnetic relaxation
BOUDALIS A.K., RAPTOPOULOU C.P., ABARCA B., BALLESTEROS R., CHADLAOUI M.,
TUCHAGUES J.-P., TERZIS A.
Angew. Chem. (Int. Ed. Engl.), 2006, **45**, pp. 432-435 (LCC-7491).

Photoswitching the dielectric constant of the spin crossover complex [Fe(L)(CN)₂].H₂O
BONHOMMEAU S., GUILLON T., LAWSON DAKU L.M., DEMONT P., SANCHEZ COSTA J.,
LETARD J.-F., MOLNAR G., BOUSSEKSOU A.
Angew. Chem. (Int. Ed. Engl.), 2006, **45**, pp. 1625-1629 (LCC-7526).

Water-soluble dendrimeric two-photon tracers for in vivo imaging
KRISHNA T.R., PARENT M., WERTS M.H.V., MOREAUX S., GMOUH S., CHARPAK S.,
CAMINADE A.-M., MAJORAL J.-P., BLANCHARD-DESCE M.
Angew. Chem. (Int. Ed. Engl.), 2006, **45**, pp. 4645-4648 (LCC-7562).

Relationship between one-electron transition metal reactivity and radical polymerization processes
POLI R.
Angew. Chem. (Int. Ed. Engl.), 2006, **45**, pp. 5058-5070 (LCC-7667).

Multilayer sequential assembly of thin films that display room-temperature spin crossover with hysteresis
COBO S., MOLNAR G., REAL J.A., BOUSSEKSOU A.
Angew. Chem. (Int. Ed. Engl.), 2006, **45**, pp. 5786-5789 (LCC-7572).

Experimental study of LO phonons and excitons in ZnO nanoparticles produced by room-temperature
organometallic synthesis
DEMANGEOT F., PAILLARD V., CHASSAING P.M., PAGES C., KAHN M.L., MAISONNAT A.,
CHAUDRET B.
Appl. Phys. Lett., 2006, **88**, pp. 071921(1-3) (LCC-7520).

Microstructured liposome array
CHAIZE B., NGUYEN M., RUYSSCHAERT T., LE BERRE V., TREVISIOL E., CAMINADE A.-M., MAJORAL J.-P., PRATVIEL G., MEUNIER B., WINTERHALTER M., FOURNIER D.
Bioconjugate Chem., 2006, **17**, pp. 245-247 (LCC-7504).

Chimie des fullerènes/Fullerene chemistry
NIERENGARTEN J.-F., MARTIN N.
C. R. Chimie, 2006, **9**, pp. 859-860 (LCC-7554).

Photoinduced electron and energy transfer processes in fullerene C₆₀-metal complex hybrid assemblies
CLIFFORD J., ACCORSI G., CARDINALI F., NIERENGARTEN J.-F., ARMAROLI N.
C. R. Chimie, 2006, **9**, pp. 1005-1013 (LCC-7552).

Ammonium-crown ether interactions for the construction of fullerene-containing photoactive supramolecular devices
NIERENGARTEN J.-F., HAHN U., FIGUEIRA DUARTE T.M., CARDINALI F., SOLLADIE N., WALTHER M.E., VAN DORSSELAER A., HERSCHBACH H., LEIZE E., ALBRECHT-GARY A.-M., TRABOLSI A., ELHABIRI M.
C. R. Chimie, 2006, **9**, pp. 1022-1030 (LCC-7553).

Structure-dependent photoinduced electron transfer in fullerodendrimers with light-harvesting oligophenylenevinylene terminals
ARMAROLI N., ACCORSI G., CLIFFORD J., ECKERT J., NIERENGARTEN J.-F.
Chem. Asian J., 2006, **1**, pp. 564-574 (LCC-7603).

One-pot cross-metathesis/tandem carbonyl ylide formation-intramolecular cycloaddition of an unsaturated 2-diazo-3,6-diketoester
HODGSON D.M., ANGRISH D., LABANDE A.
Chem. Commun., 2006, pp. 627-628 (LCC-7519).

A modular approach to two-photon absorbing organic nanodots : brilliant dendrimers as an alternative to semiconductor quantum dots
MONGIN O., THATAVARATHY R.K., WERTS M.H.V., CAMINADE A.-M., MAJORAL J.-P., BLANCHARD-DESCE M.
Chem. Commun., 2006, pp. 915-917 (LCC-7503).

Synthesis and excited state properties of a [60]fullerene derivative bearing a star-shaped multi-photon absorption chromophore
FIGUEIRA DUARTE T.M., CLIFFORD J., AMENDOLA V., GEGOUT A., OLIVIER J., CARDINALI F., MENEGHETTI M., ARMAROLI N., NIERENGARTEN J.-F.
Chem. Commun., 2006, pp. 2054-2056 (LCC-7550).

Oligonuclear 3d-4f complexes as tectons in designing supramolecular solid-state architectures: Impact of the nature of linkers on the structural diversity
GHEORGHE R., CUCOS P., ANDRUH M., COSTES J.-P., DONNADIEU B., SHOVA S.
Chem. Eur. J., 2006, **12**, pp. 187-203 (LCC-7517).

A versatile bis-porphyrin tweezer host for the assembly of noncovalent photoactive architectures: A photophysical characterization of the tweezers and their association with porphyrins and other guests
FLAMIGNI L., TALARICO A.M., VENTURA B., REIN R., SOLLADIE N.
Chem. Eur. J., 2006, **12**, pp. 701-712 (LCC-7488).

A two-state computational investigation of methane C-H and ethane C-C oxidative addition to [CpM(PH₃)_n]⁺ (M = Co, Rh, Ir; n=0, 1)
PETIT A., RICHARD P., CACELLI I., POLI R.
Chem. Eur. J., 2006, **12**, pp. 813-823 (LCC-7518).

Synthesis of fullerodendrons with an ammonium unit at the focal point and their cooperative self-assembly on a fluorescent ditopic crown ether receptor

NIERENGARTEN J.-F., HAHN U., TRABOLSI A., HERSCHBACH H., CARDINALI F., ELHABIRI M., LEIZE E., VAN DORSSELAER A., ALBRECHT-GARY A.-M.

Chem. Eur. J., 2006, **12**, pp. 3365-3373 (LCC-7538).

A variety of spin-crossover behaviors depending on the counter anion: two-dimensional complexes constructed by NH₄⁺Cl⁻ hydrogen bonds, [FeIIH₃LMe]Cl.X (X = PF₆⁻, AsF₆⁻, SbF₆⁻, CF₃SO₃⁻; H₃LMe = Tris[2-[(2-methylimidazol-4-yl)methylidene]amino]ethyl]amine)

YAMADA M., HAGIWARA H., TORIGOE H., MATSUMOTO N., KOJIMA M., DAHAN F., TUCHAGUES J.-P., RE N., IJIMA S.

Chem. Eur. J., 2006, **12**, pp. 4536-4549 (LCC-7556).

Experimental and theoretical studies of magnetic exchange in silole-bridged diradicals

ROQUES N., GERBIER P., SCHATZSCHNEIDER U., SUTTER J.-P., GUIONNEAU PH., VIDAL-GANCEDO J., VECIANA J., RENTSCHLER E., GUERIN CH.

Chem. Eur. J., 2006, **12**, pp. 5547-5562 (LCC-7565).

A range of spin crossover temperature $T_{1/2} > 300$ K results from out-of-sphere anion exchange in a series of ferrous materials based on the 4-(4-imidazolylmethyl)-2-(2-imidazolylmethyl)imidazole (trim) ligand (trim), [Fe(trim)₂]X₂ (X=F, Cl, Br, I) : comparison of experimental results with those derived from density functional theory calculations

LEMERCIER G., BREFUEL N., SHOVA S., WOLNY J., DAHAN F., VERELST M., PAULSEN H., TRAUTWEIN A.X., TUCHAGUES J.-P.

Chem. Eur. J., 2006, **12**, pp. 7421-7432 (LCC-7605).

Second-Harmonic Generation within the $P2_12_12_1$ space group, in a series of chiral (salicylaldiminato)tin schiff base complexes

RIVIERA J.M., REYES H., CORTES A., SANTILLAN R., LACROIX P.G., LEPETIT C., NAKATANI K., FARFAN N.

Chem. Mater., 2006, **18**, pp. 1174-1183 (LCC-7527).

Large quadratic nonlinear optical efficiencies in pseudosymmetric streptocyanine dyes

GUIEU V., PAYRASTRE C., MADAULE Y., GARCIA-ALONSO S., LACROIX P.G., NAKATANI K.

Chem. Mater., 2006, **18**, pp. 3674-3691 (LCC-7587).

Fe^{II} bi-stable materials based on dissymmetrical ligands: N₄ Schiff bases including 2-Pyridyl and 5-methylimidazol-4-yl rings yield various Fe^{II} spin-crossover phenomena around 300 K

BREFUEL N., SHOVA S., LIPKOWSKI J., TUCHAGUES J.-P.

Chem. Mater., 2006, **18**, pp. 5467-5479 (LCC-7627).

DFT calculation of molecular structure and vibrational spectra of the phosphorus-containing G⁰₁ generation dendrimer with terminal aldehyde groups

FURER V.L., VANDYUKOV A.E., MAJORAL J.-P., CAMINADE A.-M., KOVALENKO V.I.

Chem. Phys., 2006, **326**, pp. 417-424 (LCC-7566).

DFT study and IR spectra of hexaphenoxycyclotriphosphazene G¹_{0c} generation phosphorus dendrimer

FURER V.L., VANDYUKOV A.E., PADIE C., MAJORAL J.-P., CAMINADE A.-M., KOVALENKO V.I.

Chem. Phys., 2006, **330**, pp. 349-354 (LCC-7625).

Two-step spin-crossover phenomenon under high pressure in the coordination polymer Fe(3-methylpyridine)₂[Ni(CN)₄]

MOLNAR G., GUILLON T., OULD-MOUSSA N., RECHIGNAT L., KITAZAWA T., NARDONE M., BOUSSEKSOU A.

Chem. Phys. Lett., 2006, **423**, pp. 152-156 (LCC-7580).

Sidewall functionalization of single-wall carbon nanotubes (SWNTs) through aryl free radical addition
LIU J., RODRIGUEZ I. ZUBIRI M., DOSSOT M., VIGOLO B., HAUGE R.H., FORT Y., EHRHARDT J.-J., MCRAE E.

Chem. Phys. Lett., 2006, **430**, pp. 93-96 (LCC-7614).

From macrocyclic oligo-acetylenes to aromatic ring *carbo*-mers

MARAVAL V., CHAUVIN R.

Chem. Rev., 2006, **106**, pp. 5317-5343 (LCC-7690).

Guanine oxidation by electron transfer: One- versus two-electron oxidation mechanism

KUPAN A., SAULIERE A., BROUSSY S., SEGUY C., PRATVIEL G., MEUNIER B.

ChemBioChem, 2006, **7**, pp. 125-133 (LCC-7496).

Optical properties of zinc oxide nanoparticles and nanorods synthesized using an organometallic method

KAHN M.L., CARDINAL T., BOUSQUET B., MONGE M.A., JUBERA V., CHAUDRET B.

ChemPhysChem, 2006, **7**, pp. 2392-2397 (LCC-7620).

Five new cobalt(II) and copper(II)-1,2,4,5-benzenetetracarboxylate supramolecular architectures :
syntheses, structure and magnetic properties

MAJUMDER A., GRAMLICH V., ROSAIR G., BATTEN S.R., MASUDA J.D., EL FALLAH M.S.,
RIBAS J., SUTTER J.-P., DESPLANCHES C., MITRA S.

Cryst. Growth Des., 2006, **6**, pp. 2355-2368 (LCC-7622).

Synthetic pathways towards phosphorus dendrimers and dendritic architectures

CAMINADE A.-M., TURRIN C.O., LAURENT R., MARAVAL A., MAJORAL J.-P.

Curr. Org. Chem., 2006, **10**, pp. 2333-2355 (LCC-7629).

Interplay between lead carboxylate and Ti or Zr isopropoxides in solution routes to perovskites :
synthesis, molecular structures and reactivity of single source non-oxo Pb-Zr and Pb-Ti
carboxylatoalkoxides supported by 2-ethylhexanoate ligands

BRETHON A., HUBERT-PFALZGRAF L., DARAN J.-C.

Dalton Trans., 2006, pp. 250-257 (LCC-7673).

Contrasting photochemical and thermal reactivity of Ru(CO)₂(PPh₃)(dppe) towards hydrogen
rationalised by *para*hydrogen NMR and DFT studies

BLAZINA D., DUNNE J.P., AIKEN S., DUCKETT S.B., ELKINGTON C., MCGRADY J.E., POLI R.,
WALTON S.J., SABIEH ANWAR M., JONES J.A., CARTERET H.A.

Dalton Trans., 2006, pp. 2072-2080 (LCC-7672).

Structure and bonding in a cyclobutyl tris(pyrazolyl)boratoniobium complex and the variation in agostic
behaviour with ring size in the series Tp^{Me}₂NbCl(*c*-C_nH_{2n-1})(MeCCMe), *n* = 3-6

BESORA M., MASERAS F., MCGRADY J.E., OULIE P., DINH D.H., DUHAYON C., ETIENNE M.

Dalton Trans., 2006, pp. 2362-2367 (LCC-7548).

Parahydrogen studies of H₂ addition to Ir(I) complexes containing chiral phosphine-thioether ligands :
implications for catalysis

MALACEA R., DARAN J.-C., DUCKETT S.B., DUNNE J.P., GODARD C., MANOURY E., POLI R.,
WHITWOOD A.C.

Dalton Trans., 2006, pp. 3350-3359 (LCC-7596).

Synthesis, structure and catalase-like activity of dimanganese(III) complexes of 1,5-bis(X-
salicylidenamino)pentan-3-ol (X = 3- and 5-methyl). Influence of phenyl-ring substituents on catalytic
activity

MORENO D., PALOPOLI C., DAIER V., SHOVA S., VENDIER L., GONZALEZ-SIERRA M.,
TUCHAGUES J.-P., SIGNORELLA S.

Dalton Trans., 2006, pp. 5156-5166 (LCC-7626).

Advances in molecular and supramolecular fullerene chemistry

MARTIN N., SOLLADIE N., NIERENGARTEN J.-F.

Electrochem. Soc. Interface, 2006, **Summer**, pp. 29-33 (LCC-7584).

Amino-phosphanes in Rh^I-catalyzed hydroformylation: Hemilabile behavior of P,N ligands under high CO pressure and catalytic properties

ANDRIEU J., CAMUS J.-M., RICHARD P., POLI R., GONSALVI L., VIZZA F., PERUZZINI M.
Eur. J. Inorg. Chem., 2006, pp. 51-61 (LCC-7516).

Amino-phosphanes in Rh^I-catalyzed hydroformylation: New mechanistic insights using D₂O as deuterium-labeling agent

ANDRIEU J., CAMUS J.-M., BALAN C., POLI R.
Eur. J. Inorg. Chem., 2006, pp. 62-68 (LCC-7515).

New, multi-dimensional Cu(tn)-[M(CN)₆]ⁿ⁻ cyano-bridged, bimetallic coordination materials (M = Fe^{II}, Co^{III}, Cr^{III} and tn=1,3-diaminopropane)

TRIKI S., SALA-PALA J., THETIOT F., GOMEZ-GARCIA C.J., DARAN J.-C.
Eur. J. Inorg. Chem., 2006, pp. 185-199 (LCC-7514).

Evidence for hydrogen-bond-mediated exchange coupling in an aqua-bridged Cu^{II} dimer: Synthesis, magnetic study and correlation with density functional calculations

TALUKDER P., SEN S., MITRA S., DAHLENBERG L., DESPLANCHES C., SUTTER J.-P.
Eur. J. Inorg. Chem., 2006, pp. 329-333 (LCC-7489).

Tetra- and decanuclear iron(II) complexes of thiacalixarene macrocycles: Synthesis, structure, Mossbauer spectroscopy and magnetic properties

DESROCHES C., PILET G., SZILAGYI P., MOLNAR G., BORSHCH S.A., BOUSSEKSOU A., PAROLA S., LUNEAU D.
Eur. J. Inorg. Chem., 2006, pp. 357-365 (LCC-7506).

Solid-state luminescence and pi-stacking in crystalline uranyl dipicolinates

HARROWFIELD J.M., LUGAN N., SHAHVERDIZADEH G.H., SOUDI A.A., THUERY P.
Eur. J. Inorg. Chem., 2006, pp. 389-396 (LCC-7507).

Reduction of [Cp*₂Mo₂O₅] in an aqueous medium. Structure and properties of a triangular mixed oxo-hydroxo-bridged product, [Cp*₃Mo₃(μ-O)₂(μ-OH)₄](X)₂ (X = CF₃CO₂ or CF₃SO₃)

DERMIRHAN F., CAGATAY B., DEMIR D., BAYA M., DARAN J.-C., POLI R.
Eur. J. Inorg. Chem., 2006, pp. 757-764 (LCC-7529).

Phosphorus-containing dendrons : synthesis, reactivity, properties, and use as building blocks for various dendritic architectures

CAMINADE A.-M., MARAVAL A., MAJORAL J.-P.
Eur. J. Inorg. Chem., 2006, pp. 887-901 (LCC-7501).

σ-silane ruthenium complexes : the crucial role of secondary interactions

LACHAIZE S., SABO-ETIENNE S.
Eur. J. Inorg. Chem., 2006, pp. 2115-2127 (LCC-7561).

Photoinduced processes in a dendritic Zn porphyrin structure with a free-base porphyrin core

FLAMIGNI L., TALARICO A.M., VENTURA B., SOOAMBAR C., SOLLADIE N.
Eur. J. Inorg. Chem., 2006, pp. 2155-2165 (LCC-7659).

Hydrogen bonding and proton transfer to the trihydride complex [Cp*MoH₃(dppe)]: IR, NMR, and theoretical investigations

BELKOVA N.V., REVIN P.O., BESORA M., BAYA M., EPSTEIN L.M., LLEDOS A., POLI R., SHUBINA E.S., VORONTSOV E.V.
Eur. J. Inorg. Chem., 2006, pp. 2192-2209 (LCC-7664).

First example of dendrons as topological amplifiers

TURRIN C.O., MARAVAL A., MAGRO G., MARAVAL V., CAMINADE A.-M., MAJORAL J.-P.
Eur. J. Inorg. Chem., 2006, pp. 2556-2560 (LCC-7560).

Synthesis and characterization of $\text{MoOI}_2(\text{PMe}_3)_3$, and use of $\text{MoOX}_2(\text{PMe}_3)_3$ (X = Cl, I) in controlled radical polymerization

MATA J., MARIA S., DARAN J.-C., POLI R.

Eur. J. Inorg. Chem., 2006, pp. 2624-2633 (LCC-7668).

A two-step spin transition and order-disorder phenomena in the mononuclear compound $[\text{Fe}(\text{Hpy-DAPP})](\text{BF}_4)_2$

MATOUZENKO G.S., LUNEAU D., MOLNAR G., OULD-MOUSSA N., ZEIN S., BORSHCH S.A., BOUSSEKSOU A., AVERSENG F.

Eur. J. Inorg. Chem., 2006, pp. 2671-2682 (LCC-7574).

Synthesis, crystal structure and second-order nonlinear optical properties of ruthenium(II) complexes with substituted bipyridine and phenylpyridine ligands

LABAT G., LAMERE J.-F., SASAKI I., LACROIX P.G., VENDIER L., ASSELBERGHS I., PEREZ-MORENO J., CLAYS K.

Eur. J. Inorg. Chem., 2006, pp. 3105-3113 (LCC-7569).

Facile synthesis of cyclometalated ruthenium complexes with substituted phenylpyridines

SASAKI I., VENDIER L., SOURNIA-SQUET A., LACROIX P.G.

Eur. J. Inorg. Chem., 2006, pp. 3294-3302 (LCC-7570).

Synthesis of a BEDT-TTF bipyridine organic donor and the first Fe^{II} coordination complex with a redox-active ligand

HERVE K., LIU S.-X., CADOR O., GOLHEN S., LE GAL Y., BOUSSEKSOU A., STOECKLI-EVANS H., DECURTINS S., OUAHAB L.

Eur. J. Inorg. Chem., 2006, pp. 3498-3502 (LCC-7573).

A general and facile one-step synthesis of imido-titanium(IV) complexes : application to the synthesis of compounds containing functionalized or chiral imido ligands and bimetallic diimido architectures

LORBER C., CHOUKROUN R., VENDIER L.

Eur. J. Inorg. Chem., 2006, pp. 4503-4518 (LCC-7621).

New chiral ferrocene-bridged phosphole-phosphane ligands

CORTES J.G.L., RAMON O., VINCENDEAU S., SERRA D., LAMY F., DARAN J.-C., MANOURY E., GOUYGOU M.

Eur. J. Inorg. Chem., 2006, pp. 5148-5157 (LCC-7647).

Coordination chemistry and diphenylacetylene hydrogenation catalysis of planar chiral ferrocenylphosphane-thioether ligands with cyclooctadieneiridium (I)

MALACEA R., MANOURY E., ROUTABOUL L., DARAN J.-C., POLI R., DUNNE J.P., WITHWOOD A.C., GODARD C., DUCKETT S.B.

Eur. J. Inorg. Chem., 2006, **9**, pp. 1803-1816 (LCC-7544).

Synthesis of dendritic branches with peripheral fullerene subunits

HAHN U., HOSOMIZU K., IMAHORI H., NIERENGARTEN J.-F.

Eur. J. Org. Chem., 2006, pp. 85-91 (LCC-7505).

Influence of bridge topology and torsion on the intramolecular electron transfer

LLOVERAS V., VIDAL-GANCEDO J., RUIZ-MOLINA D., FIGUEIRA DUARTE T.M., NIERENGARTEN J.-F., VECIANA J., ROVIRA C.

Faraday Discuss., 2006, **131**, pp. 291-305 (LCC-7649).

Design of phosphorylated dendritic architectures to promote human monocyte activation

POUPOT M., GRIFFE L., MARCHAND P., MARAVAL A., ROLLAND O., MARTINET L., L'FAQIHI-OLIVE F.-E., TURRIN C.O., CAMINADE A.-M., FOURNIE J.J., MAJORAL J.-P., POUPOT R.

FASEB J., 2006, **20**, pp. 2340-2351 (LCC-7618).

Heterodinuclear Cu-Tb single-molecule magnet

COSTES J.-P., DAHAN F., WERNSDORFER W.

Inorg. Chem., 2006, **45**, pp. 5-7 (LCC-7513).

An octanuclear complex containing the $\{\text{Fe}_3\text{O}\}^{(7+)}$ metal core: Structural, magnetic, Mossbauer, and electron paramagnetic resonance studies

BOUDALIS A.K., SANAKIS Y., DAHAN F., HENDRICH M., TUCHAGUES J.-P.

Inorg. Chem., 2006, **45**, pp. 443-453 (LCC-7494).

Production and reactions of organic-soluble lanthanide complexes of the monolacunary Dawson $[\alpha_1\text{-P}_2\text{W}_{17}\text{O}_{61}]^{10-}$ polyoxotungstate

BOGLIO C., LENOBLE G., DUHAYON C., HASENKNOPF B., THOUVENOT J.-P., ZHANG C., HOWELL R.C., BURTON-PYE B.P., FRANCESCO L.C., LACOTE E., THORIMBERT S., MALACRIA M., AFONSO C., TABEL J.-C.

Inorg. Chem., 2006, **45**, pp. 1389-1398 (LCC-7602).

Synthesis, structures and magnetic properties of tetranuclear $\text{Cu}^{\text{II}}\text{-Ln}^{\text{III}}$ complexes.

COSTES J.-P., AUCHEL M., DAHAN F., PEYROU V., SHOVA S., WERNSDORFER W.

Inorg. Chem., 2006, **45**, pp. 1924-1934 (LCC-7525).

Monomeric iron(II) hydroxo and iron(III) dihydroxo complexes stabilized by intermolecular hydrogen bonding

BENISVY L., HALUT S., DONNADIEU B., TUCHAGUES J.-P., CHOTTARD J.-C., LI Y.

Inorg. Chem., 2006, **45**, pp. 2403-2406 (LCC-7555).

A new family of mono- and dicarboxylic ruthenium complexes $[\text{Ru}(\text{DIP})_2(\text{L}_2)]^{2+}$ (DIP = 4,7-diphenyl-1,10-phenanthroline): synthesis, solution behavior, and X-ray molecular structure of $\text{trans-}[\text{Ru}(\text{DIP})_2(\text{MeOH})_2][\text{OTf}]_2$

CASPAR R., CORDIER C., WAERN J.B., DUHAYON C., GRUSELLE M., LE FLOCH P., AMOURI H.

Inorg. Chem., 2006, **45**, pp. 4071-4078 (LCC-7601).

Novel *tert*-butyl-tris(3-hydrocarbylpyrazol-1-yl)borate ligands : synthesis, spectroscopic studies and coordination chemistry

GRAZIANI M., HAMON P., THEPOT J.-Y., TOUPET L., SZILAGYI P., MOLNAR G., BOUSSEKSOU A., TILSET M., HAMON J.-R.

Inorg. Chem., 2006, **45**, pp. 5661-5674 (LCC-7575).

Ferrocenyl compound as a multiresponsive calcium chemosensor with remarkable fluorescence properties in CH_3CN

DELAVAUX-NICOT B., MAYNADIE J., LAVABRE D., FERY-FORGUES S.

Inorg. Chem., 2006, **45**, pp. 5691-5702 (LCC-7563).

Structural-electronic correlation in the first-order Phase Transition of $[\text{FeH}_2\text{L}^2\text{-Me}](\text{ClO}_4)_2$ ($\text{H}_2\text{L}^2\text{-Me} = \text{bis}[\text{((2-methylimidazol-4-yl)methylidene)-3-aminopropyl}]\text{ethylenediamine}$)

BREFUEL N., IMATOMI S., TORIGOE H., HAGIWARA H., SHOVA S., MEUNIER J.F., BONHOMMEAU S., TUCHAGUES J.-P., MATSUMOTO N.

Inorg. Chem., 2006, **45**, pp. 8126-8135 (LCC-7607).

Dihydrogen to dihydride isomerisation mechanism in $[(\text{C}_5\text{Me}_5)\text{FeH}_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)]^+$ through the experimental and theoretical analysis of kinetic isotope effects

BAYA M., MARESCA O., POLI R., COPPEL Y., MASERAS F., LLEDOS A., BELKOVA N.V., DUB P.A., EPSTEIN L.M., SHUBINA E.S.

Inorg. Chem., 2006, **45**, pp. 10248-10262 (LCC-7670).

Fluorescence detection of Al(III) using derivatives of oxazoline et imidazoline

JEANSON A., BERAU V.

Inorg. Chem. Commun., 2006, **9**, pp. 13-17 (LCC-7524).

A new synthetic route towards heterotrimetallic complexes. Synthesis, crystal structure and magnetic properties of a $[\text{Cu}^{\text{II}}\text{Mn}^{\text{II}}\text{Cr}^{\text{III}}]$ trinuclear complex

VISINESCU D., SUTTER J.-P., RUIZ-PEREZ C., ANDRUH M.

Inorg. Chim. Acta, 2006, **359**, pp. 433-440 (LCC-7490).

Synthesis, crystal structures and magnetic properties of mononuclear tris(croconate)ferrate (III) complexes

CURRELI S., DEPLANO P., FAULMANN C., MERCURI M.L., PILIA L., SERPE A., CORONADO E., GOMEZ-GARCIA C.J.

Inorg. Chim. Acta, 2006, **359**, pp. 1177-1183 (LCC-7546).

Two new end-to-end single dicyanamide bridged Cu(II) complexes with Schiff base ligands : structural, electrochemical and magnetic properties

KARMAKAR R., ROY CHOUDHURY C., HUGUES D.L., YAP G., SALAH EL FALLAH M., DESPLANCHES C., SUTTER J.-P., MITRA S.

Inorg. Chim. Acta, 2006, **359**, pp. 1184-1192 (LCC-7531).

A manganese(II) dichloro-bridged one-dimensional polymer : structural, fluorescence and low-temperature magnetic study

MAJUMDER A., WESTERHAUSEN M., KNEIFEL A.N., SUTTER J.-P., DARO N., MITRA S.

Inorg. Chim. Acta, 2006, **359**, pp. 3841-3846 (LCC-7658).

Synthesis, X-ray crystal structure and magnetic study of the 1D $\{[\text{Cu}_2(\text{N,N,N',N'}\text{-tetramethylethylenediamine})_2(\mu\text{-1,5-dca})_2(\text{dca})_2]\}_n$ complex

MAL D., TUCHAGUES J.-P., CHAKRABORTY S., MUKHERJEE A.K., SEN R., KONER S.

Inorg. Chim. Acta, 2006, **359**, pp. 4431-4435 (LCC-7610).

Half-sandwich Mo(III) complexes with asymmetric diazadiene ligands

STOFFELBACH F., RICHARD P., POLI R., JENNY T., SAVARY C.

Inorg. Chim. Acta, 2006, **359**, pp. 4447-4453 (LCC-7669).

Structure and characterization of a μ -phenoxo-bis μ -acetato dinuclear Mn(II,II) complex $[\text{Mn}_2(\text{LO})(\mu\text{-OAc})_2](\text{ClO}_4)$ (LOH = 2,6-bis{bis(2-(2-pyridyl)ethyl) aminomethyl}-4-methylphenol): substituent effects

GULTNEH Y., TESEMA Y.T., AHVAZI B., YISGEDU T.B., BUTCHER R.J., TUCHAGUES J.-P.

Inorg. Chim. Acta, 2006, **359**, pp. 4463-4469 (LCC-7609).

Synthesis, isolation, spectroscopic and structural characterization of a new pH complex structural variant from the vanadium(V)-peroxo-citrate ternary system

KALIVA M., GABRIEL C., RAPTOPOULOU C.P., TERZIS A., TUCHAGUES J.-P., SALIFOGLU A.

Inorg. Chim. Acta, 2006, **359**, pp. 4535-4548 (LCC-7608).

Metallic polycrystalline thin films of the single-component neutral molecular solid Ni(tmtd)₂

MALFANT I., RIVASSEAU K., FRAXEDAS J., FAULMANN C., DE CARO D., VALADE L., KABOUB L., FABRE J.-M., SENOCQ F.

J. Am. Chem. Soc., 2006, **128**, pp. 5612-5613 (LCC-7557).

Evidence for increased exchange interactions with 5d compared to 4d metal ions. Experimental and theoretical insights into the ferromagnetic interactions of a series of trinuclear $\{[\text{M}(\text{CN})_8\}^{3-}/\text{Ni}^{\text{II}}]$ compounds (M=Mo^V or W^V)

VISINESCU D., DESPLANCHES C., IMAZ I., BAHERS V., PRADHAN R., VILLAMENA F.A., GUIONNEAU PH., SUTTER J.-P.

J. Am. Chem. Soc., 2006, **128**, pp. 10202-10212 (LCC-7589).

Advanced fine-tuning of grubbs/hoveyda olefin metathesis catalysts : a further step toward an optimum balance between antinomic properties

BIENIEK M., BUJOK R., CABAJ M., LUGAN N., LAVIGNE G., ARLT D., GRELA K.

J. Am. Chem. Soc., 2006, **128**, pp. 13652-13653 (LCC-7615).

Extention of the experimental electron density analysis to metastable states : a case example of the spin crossover complex $\text{Fe}(\text{btr})_2(\text{NCS})_2 \cdot \text{H}_2\text{O}$

LEGRAND V., PILLET S., SOUHASSOU M., LUGAN N., LECOMTE C.

J. Am. Chem. Soc., 2006, **128**, pp. 13921-13931 (LCC-7616).

C-H bond activation of arenes by a transient n^2 -cyclopropene niobium complex

OULIE P., BOULHO C., VENDIER L., COPPEL Y., ETIENNE M.

J. Am. Chem. Soc., 2006, **128**, pp. 15962-15963 (LCC-7633).

Enhanced catalytic properties of copper in O- and N-Arylation and vinylation reactions, using phosphorus dendrimers as ligands

OUALI A., LAURENT R., CAMINADE A.-M., MAJORAL J.-P., TAILLEFER M.

J. Am. Chem. Soc., 2006, **128**, pp. 15990-15991 (LCC-7642).

Structural and thermodynamical properties of Cu^{II} amyloid- β 16/28 complexes associated with alzheimer's disease

GUILLOREAU L., DAMIAN L., COPPEL Y., MAZARGUIL H., WINTERHALTER M., FALLER P.

J. Biol. Inorg. Chem., 2006, **11**, pp. 1024-1038 (LCC-7641).

In vitro antiplasmodial activity of 18 plants used in Congo Brazzaville traditional medicine

MBATCHI S.F., MBATCHI B., BANZOUZI J.T., BANSIMBA T., NSONDE NTANDOU G.F., OUMBA J.-M., BERRY A., BENOIT-VICAL F.

J. Ethnopharmacol., 2006, **104**, pp. 168-174 (LCC-7645).

New dimanganese(III) complexes of pentadentate (N_2O_3) schiff base ligands with the $[\text{Mn}_2(\mu\text{-OAc})(\mu\text{-OR})_2]^{3+}$ core: synthesis, characterisation and mechanistic studies of H_2O_2 disproportionation

BIAVA H., PALOPOLI C., SHOVA S., DE GAUDIO M., DAIER V., GONZALEZ-SIERRA M., TUCHAGUES J.-P., SIGNORELLA S.

J. Inorg. Biochem., 2006, **100**, pp. 1660-1671 (LCC-7606).

Zinc(II) binds to the neuroprotective peptide humanin

ARMAS A., SONOIS V., MOTHESE E., MAZARGUIL H.

J. Inorg. Biochem., 2006, **100**, pp. 1672-1678 (LCC-7599).

Influence of chelators and iron ions on the production and degradation of H_2O_2 by β -amyloid-copper complexes

DERAEVE C., PITIE M., MEUNIER B.

J. Inorg. Biochem., 2006, **100**, pp. 2117-2126 (LCC-7684).

Synthesis, characterization and nonlinear optical (NLO) properties of a push-pull bisboronate chromophore with a potential electric field induced NLO switch

LAMERE J.-F., LACROIX P.G., FARFAN N., RIVERA J.M., SANTILLAN R., NAKATANI K.

J. Mater. Chem., 2006, **16**, pp. 2913-2920 (LCC-7567).

Aryl Grignard cross-coupling of aryl chlorides catalysed by new, highly active phosphine/imidazolium nickel(II) complexes

WOLF J., LABANDE A., NATELLA M., DARAN J.-C., POLI R.

J. Mol. Catal. A, 2006, **259**, pp. 205-212 (LCC-7613).

DFT study and IR spectra of the phosphorus-containing G_1 generation dendrimer

FURER V.L., VENDYUKOV A.E., MAJORAL J.-P., CAMINADE A.-M., KOVALENKO V.I.

J. Mol. Struct., 2006, **785**, pp. 133-138 (LCC-7500).

Charge transfer in films of (BEDT-TTF)-based molecular conductors as seen by Raman spectroscopy

KOWALSKA A., SAVY J.-P., DE CARO D., FAULMANN C., VALADE L., ULANSKI J.

J. Mol. Struct., 2006, **792-793**, pp. 146-150 (LCC-7564).

Hybrid organic-inorganic nanostructures fabricated from layer-by-layer self-assembled multilayers of hyperbranched polyglycerols and phosphorus dendrimers

KIM D.H., LEE O.-J., BARRIAU E., LI X., CAMINADE A.-M., MAJORAL J.-P., FREY H., KNOLL W.

J. Nanosci. Nanotechnol., 2006, **6**, pp. 3871-3879 (LCC-7619).

Total *carbo*-mer of benzene, its *carbo*-trannulene form, and the zigzag nanotube thereof

LEPETIT C., ZOU C., CHAUVIN R.

J. Org. Chem., 2006, **71**, pp. 6317-6324 (LCC-7600).

Trimesitylmethylphosphonium cation. Supramolecular stereocontrol and simple enantiomerization mechanism determination

LALEU B., BERNARDINELLI G., CHAUVIN R., LACOUR J.

J. Org. Chem., 2006, **71**, pp. 7472-7416 (LCC-7464).

Nickel(II) complexes with bifunctional phosphine-imidazolium ligands and their catalytic activity in the Kumada-Corriu coupling reaction

WOLF J., LABANDE A., DARAN J.-C., POLI R.

J. Organomet. Chem., 2006, **691**, pp. 433-443 (LCC-7512).

Reduction of [Cp₂*Mo₂O₅] by thioglycolic acid in an aqueous medium: Synthesis and structure of [Cp₂*Mo(μ-SCH₂COO)]₂(μ-S)]

DEMIRHAN F., TABAN G., BAYA M., DINOI C., DARAN J.-C., POLI R.

J. Organomet. Chem., 2006, **691**, pp. 648-654 (LCC-7511).

Monosubstitued ferrocenyl chalcones : effect of structural changes upon the ability to detect calcium by absorption spectroscopy

MAYNADIE J., DELAVALUX-NICOT B., LAVABRE D., FERY-FORGUES S.

J. Organomet. Chem., 2006, **691**, pp. 1101-1109 (LCC-7497).

Functionalized phosphorus derivatives of Salpen-like compounds : synthesis and preliminary complexation studies

MARAVAL A., MAGRO G., MARAVAL V., VENDIER L., CAMINADE A.-M., MAJORAL J.-P.

J. Organomet. Chem., 2006, **691**, pp. 1333-1340 (LCC-7499).

Synthesis, characterization and nonlinear optical properties in a series of new chiral organotin(IV) Schiff base complexes

RIVERA J.M., GUZMAN D., RODRIGUEZ M., LAMERE J.-F., NAKATANI K., SANTILLAN R., LACROIX P.G., FARFAN N.

J. Organomet. Chem., 2006, **691**, pp. 1722-1732 (LCC-7586).

Synthesis and catalytic applications of new chiral ferrocenyl P, O ligands

MATEUS N., ROUTABOUL L., DARAN J.-C., MANOURY E.

J. Organomet. Chem., 2006, **691**, pp. 2297-2310 (LCC-7597).

Probing the 3d spin momentum with X-ray emission spectroscopy : the case of molecular-spin transitions

VANKO G., NEISIUS T., MOLNAR G., KARPATI S., SHUKLA A., DE GROOT F.M.F.

J. Phys. Chem. B, 2006, **110**, pp. 11647-11653 (LCC-7576).

Heme alkylation by artemisinin and trioxaquinones

ROBERT A., BONDUELLE C., LAURENT S., MEUNIER B.

J. Phys. Org. Chem., 2006, **19**, pp. 562-569 (LCC-7691).

A macrocyclic supramolecular complex obtained from a fullerene ligand bearing two pyridine substituents and a bis-Zn(II)-porphyrin receptor

AJAMAA F., ALBRECHT-GARY A.-M., DELGADO DE LA CRUZ J.L., ELHABIRI M., NIERENGARTEN J.-F., SOLLADIE N., TRABOLSI A., URBANI M.

J. Porph. Phtal., 2006, **10**, pp. 1337-1345 (LCC-7688).

Effect of dendrimer generation on the assembly and mechanical properties of DNA/Phosphorus dendrimer multilayer microcapsules

KIM B.-S., LEBEDEVA O.V., KOYNOV K., GONG H., CAMINADE A.-M., MAJORAL J.-P., VINOGRADOVA O.I.

Macromolecules, 2006, **39**, pp. 5479-5483 (LCC-7571).

Synthesis, characterization and catalytic reactivity of ruthenium nanoparticles stabilized by chiral N-donor ligands
JANSAT S., PICURELLI D., PELZER K., PHILIPPOT K., GOMEZ M., MULLER G., LECANTE P., CHAUDRET B.

New J. Chem., 2006, **30**, pp. 115-122 (LCC-7508).

Towards polymerizable fullerene derivatives to stabilize the initially formed phases in bulk-heterojunction solar cells

NIERENGARTEN J.-F., SETAYESH S.

New J. Chem., 2006, **30**, pp. 313-316 (LCC-7533).

Synthesis and structural characterisation of $[\text{Tp}^{\text{Me}}\text{e}^2\text{Nb}(\text{CH}_3)_2(\text{CH}_3\text{CCCH}_3)]$ and $[\text{Tp}^{\text{Me}}\text{e}^2\text{NbCl}(\text{CH}_3)_2(\text{CH}_3\text{CCCH}_3)]$: is there an intrinsic (alpha)-agostic interaction in alkyl complexes of the $[\text{Tp}^{\text{Me}}\text{e}^2\text{Nb}(\text{alkyle})]$ moiety ?

TEUMA E., ETIENNE M., DONNADIEU B., MCGRADY G.S.

New J. Chem., 2006, **30**, pp. 409-415 (LCC-7528).

An original 1D Cu-Co heterometallic compound : synthesis, structure and magnetic properties

COSTES J.-P., GHEORGHE R., ANDRUH M., SHOVA S., CLEMENTE-JUAN J.M.

New J. Chem., 2006, **30**, pp. 572-576 (LCC-7539).

Aromatic interactions in hydrotris(3-methylindazolyl)borate organoniobium complexes : control of an alkyl ligand orientation in the crystal

OULIE P., TEICHERT M., VENDIER L., DABLEMONT C., ETIENNE M.

New J. Chem., 2006, **30**, pp. 679-682 (LCC-7547).

Electrochemical and DFT studies of the oxidative decomposition of the trihydride complexes $\text{Cp}^*\text{M}(\text{dppe})\text{H}_3$ (M = Mo, W) in acetonitrile

POLI R., BAYA M., MEUNIER-PREST R., RAVEAU S.

New J. Chem., 2006, **30**, pp. 759-773 (LCC-7666).

The effect of the conformation on the quadratic nonlinear optical response of metal carbonyl based chromophores with one-dimensional charge transfer capabilities: a computational investigation

LAMERE J.-F., SASAKI I., LACROIX P.G., NAKATANI K.

New J. Chem., 2006, **30**, pp. 921-928 (LCC-7558).

Organometallic approach for platinumium and palladium doping of tin and tin oxide nanoparticles : structural characterisation and gas sensor investigations

ERADES L., GRANDJEAN D., NAYRAL C., SOULANTICA K., CHAUDRET B., MENINI P., PARRET F., MAISONNAT A.

New J. Chem., 2006, **30**, pp. 1026-1035 (LCC-7591).

A simple and reproducible method for the synthesis of silica-supported rhodium nanoparticles and their investigation in the hydrogenation of aromatic compounds

MEVELLEC V., NOWICKI A., ROUCOUX A., DUJARDIN C., GRANGER P., PAYEN E., PHILIPPOT K.

New J. Chem., 2006, **30**, pp. 1214-1219 (LCC-7568).

Towards a better understanding of photo-excited spin alignment processes using silole diradicals

ROQUES N., GERBIER P., TEKI Y., CHOUA S., LESNIAKOVA P., SUTTER J.-P., GUIONNEAU PH., GUERIN C.

New J. Chem., 2006, **30**, pp. 1319-1326 (LCC-7583).

Design of tailored multi-charged phosphorus surface-block dendrimers

MARAVAL V., MARAVAL A., SPATARO G., CAMINADE A.-M., MAJORAL J.-P., KIM D.H.

New J. Chem., 2006, **30**, pp. 1731-1736 (LCC-7631).

Dispirofluorene-indenofluorene (DSFIF) : synthesis, electrochemical and optical properties of a promising new family of luminescent materials

HORHANT D., LIANG J.-J., VIRBOUL M., PORIEL C., ALCARAZ G., RAULT-BERTHELOT J.

Org. Lett., 2006, **8**, pp. 257-260 (LCC-7646).

Six-coordinate alkynyldiphenylphosphine ruthenium(II) complexes: Synthesis, structure, and catalytic activity as ROMP initiators

BERNECHEA M., LUGAN N., GIL B., LALINDE E., LAVIGNE G.

Organometallics, 2006, **25**, pp. 684-692 (LCC-7523).

Vanadocene-Mediated Ionization of Water in the Aqua Species $[H_2O \cdot B(C_6F_5)_3]$: Structural Characterization of the Hydride and Hydroxide Complexes $[Cp_2V(\mu-H)B(C_6F_5)_3]$ and $[Cp_2V(\mu-OH)B(C_6F_5)_3]$

CHOUKROUN R., LORBER C., VENDIER L., LEPETIT C.

Organometallics, 2006, **25**, pp. 1551-1553 (LCC-7534).

A new class of rhodium(I) κ^1-P and κ^2-P,N complexes with rigid PTN(R) ligands (PTN = 7-Phospha-3-methyl-1,3,5-triazabicyclo[3.3.1]nonane)

PHILLIPS A.D., BOLANO S., BOSQUAIN S.S., DARAN J.-C., MALACEA R., PERUZZINI M., POLI R., GONSALVI L.

Organometallics, 2006, **25**, pp. 2189-220 (LCC-7545).

Platinum-catalyzed formation of quinolines from anilines. Aliphatic α -C-H activation of alkylamines and aromatic *ortho*-C-H activation of anilines

ANGUILLE S., BRUNET J.-J., CHU N.C., DIALLO O.S., PAGES C., VINCENDEAU S.

Organometallics, 2006, **25**, pp. 2943-2948 (LCC-7559).

$B(C_6F_5)_3$ adducts of TCNE -and TCNQ- vanadium complexes as new building blocks for molecule-based magnets

CHOUKROUN R., LORBER C., DE CARO D., VENDIER L.

Organometallics, 2006, **25**, pp. 4243-4246 (LCC-7577).

Promoting role of $[PtI_2(CO)]_2$ in the iridium-catalyzed methanol carbonylation to acetic acid and its interaction with involved iridium species

GAUTRON S., LASSAUQUE N., LE BERRE C., AZAM L., GIORDANO R., SERP P., LAURENCZY G., DARAN J.-C., DUHAYON C., THIEBAUT D., KALCK P.

Organometallics, 2006, **25**, pp. 5894-5905 (LCC-7671).

Microscopic model for superexchange interactions and photomagnetism in binuclear transition metal complexes

RAMASESHA S., RAGHUNATHAN R., DUCASSE L., SUTTER J.-P., MATHONIERE C.

Phase Transit., 2006, **79**, pp. 637-654 (LCC-7678).

Photoinduced energy and electron transfer in fullerene-oligophenyleneethynylene systems : dependence on the substituents of the oligomer unit

CLIFFORD J., GU T., NIERENGARTEN J.-F., ARMAROLI N.

Photochem. Photobiol. Sci., 2006, **5**, pp. 1165-1172 (LCC-7630).

Microscopic model for high-spin versus low-spin ground state in $[Ni_2M(CN)_8](M=Mo^V, W^V, Nb^{IV})$ magnetic clusters

RAGHUNATHAN R., SUTTER J.-P., DUCASSE L., DESPLANCHES C., RAMASESHA S.

Phys. Rev. B-Cond. Matt., 2006, **73**, pp. 104438-1/8 (LCC-7536).

Unified dynamical description of pulsed magnetic field and pressure effects on the spin crossover phenomenon

BONHOMMEAU S., MOLNAR G., GOIRAN M., BOUKHEDDADEN K., BOUSSEKSOU A.

Phys. Rev. B-Cond. Matt., 2006, **74**, pp. 064424/1-8 (LCC-7588).

On the dielectric properties of the spin crossover complex $[\text{Fe}(\text{bpp})_2][\text{BF}_4]_2$
GUILLON T., BONHOMMEAU S., COSTA J.S., ZWICK A., LETARD J.-F., DEMONT P., MOLNAR G., BOUSSEKSOU A.

Phys. Status Solidi A-Appl. Res., 2006, **203**, pp. 2974-2980 (LCC-7590).

A novel polymeric Cu(II) assemblage and a monomeric Ni(II) complex from a new easy-to-prepare flexible polytopic ligand : synthesis, structural and magnetic studies

SEN S., ROY CHOUDHURY C., TALUKDER P., MITRA S., WESTERHAUSEN M., NIKOLAI KNEIFEL A., DESPLANCHES C., DARO N., SUTTER J.-P.

Polyhedron, 2006, **25**, pp. 1271-1278 (LCC-7532).

Phosphorus dendritic architectures : polyanionic and polycationic derivatives

CAMINADE A.-M., TURRIN C.O., LAURENT R., REBOUT C., MAJORAL J.-P.

Polym. Int., 2006, **55**, pp. 1155-1160 (LCC-7579).

Ring *carbo*-mers : from questionable homoaromaticity to bench aromaticity

ZOU C., LEPETIT C., COPPEL Y., CHAUVIN R.

Pure Appl. Chem., 2006, **78**, pp. 791-811 (LCC-7541).

Synthesis and properties of phenylethynylene-based dendritic structures

NIERENGARTEN J.-F.

Pure Appl. Chem., 2006, **78**, pp. 847-853 (LCC-7537).

Uses of dendrimers for DNA microarrays

CAMINADE A.-M., PADIE C., LAURENT R., MARAVAL A., MAJORAL J.-P.

Sens., 2006, **6**, pp. 901-914 (LCC-7578).

Improvement of micromachined SnO₂ gas sensors selectivity by optimised dynamic temperature operating mode

PARRET F., MENINI P., MARTINEZ A., SOULANTICA K., MAISONNAT A., CHAUDRET B.

Sens. Actuat. B, 2006, **118**, pp. 276-282 (LCC-7593).

DFT calculations of structure and IR spectra of the phosphorus-containing G^{0v} generation dendron

FURER V.L., VANDYUKOVA I.I., MAJORAL J.-P., CAMINADE A.-M., KOVALENKO V.I.

Spectrochim. Acta, Part A, 2006, **65**, pp. 358-365 (LCC-7582).

Synthesis and excited-state properties of an oligophenylenevinylene heptamer substituted with two fullerenes moieties

GEGOUT A., FIGUEIRA DUARTE T.M., NIERENGARTEN J.-F., LISTORTI A., ARMAROLI N.

Synlett, 2006, **18**, pp. 3095-3099 (LCC-7617).

Supramolecular chemistry of fullerenes - Preface

MARTIN N., NIERENGARTEN J.-F.

Tetrahedron, 2006, **62**, 1917 p. (LCC-7495).

Supramolecular complexes obtained from porphyrin-crown ether conjugates and a fullerene derivative bearing an ammonium unit

SOLLADIE N., WALTHER M.E., HERSCHBACH H., LEIZE E., VAN DORSSELAER A., FIGUEIRA DUARTE T.M., NIERENGARTEN J.-F.

Tetrahedron, 2006, **62**, pp. 1979-1987 (LCC-7493).

Synthesis of fullerohelicates and fine tuning of the photoinduced processes by changing the number of addends on the fullerene subunits

HOLLER M., CARDINALI F., MAMLOUK H., NIERENGARTEN J.-F., GISSELBRECHT J.P., GROSS M., RIO Y., BARIGELLETI F., ARMAROLI N.

Tetrahedron, 2006, **62**, pp. 2060-2073 (LCC-7492).

Synthesis of phosphorus dendrimers bearing chromophoric end groups : toward organic blue light-emitting diodes

BRAUGE L., VERIOT G., FRANC G., DELONCLE R., CAMINADE A.-M., MAJORAL J.-P.

Tetrahedron, 2006, **62**, pp. 11891-11899 (LCC-7623).

Synthesis and spectroscopic NMR studies of a highly stable cross-ozonide product derived from a carbohydrate system

MANGIONE M.I., TESTERO A., SUAREZ A.G., SPANEVELLO R.A., TUCHAGUES J.-P.

Tetrahedron Asymmetry, 2006, **17**, pp. 1780-1785 (LCC-7611).

Stereoselective double addition of chiral alkynyl-zincs to cobalt-stabilized acetylenedicarbonyl aldehyde

LI M., ZOU C., DUHAYON C., CHAUVIN R.

Tetrahedron Lett., 2006, **47**, pp. 1047-1050 (LCC-7509).

Alkyne metathesis : toward simplicity and efficiency

MARAVAL V., LEPETIT C., CAMINADE A.-M., MAJORAL J.-P., CHAUVIN R.

Tetrahedron Lett., 2006, **47**, pp. 2155-2159 (LCC-7502).

Synthesis of fullerene-substituted oligo(phenylenebutadienyldiyl)

DELGADO DE LA CRUZ J.L., HAHN U., NIERENGARTEN J.-F.

Tetrahedron Lett., 2006, **47**, pp. 3715-3718 (LCC-7551).

DFT study and vibrational spectra of the phosphorus-containing G₀ generation dendrimer

FURER V.L., VANDYUKOV A.E., MAJORAL J.-P., CAMINADE A.-M., KOVALENKO V.I.

Vibr. Spectrosc., 2006, **40**, pp. 155-160 (LCC-7498).

Chapitres parus dans des livres

N-heterocyclic carbenes as ligands for olefin metathesis catalysts

DESPAGNET-AYOUB E., RITTER T.

In : *Topics in Organometallic Chemistry : N-heterocyclic carbenes (Nhc) in transition metal catalysis*, Glorius F. (Ed.), Springer-Verlag, 2006, **21**, pp. 193-218, ISBN : 3-5403-69295 (LCC-7628).

Fullerenes and calixarenes : toward molecular devices

DELGADO DE LA CRUZ J.L., NIERENGARTEN J.-F.

In : *Calixarenes in the Nanoworld*, Harrowfield J.M., Vicens J. (Eds), Springer, 2006, pp. 173-196 (LCC-7594).

Cobalt

GRELLIER M., PFEFFER M.

In : *Comprehensive Organometallic Chemistry III*, Crabtree R.H., Mingos D.M.P. (Eds), Elsevier, Oxford (G.B.), 2006, **7**, ISBN : 008044590X (LCC-7661).

Vanadium

LORBER C.

In : *Comprehensive Organometallic Chemistry III*, Mingos D.M.P., Crabtree R.H. (Eds), Elsevier, Oxford (G.B.), 2006, **5**, pp. 1-60, ISBN : 008044590X (LCC-7656).

Organometallic derived -I : metal, colloids and nanoparticles

PHILIPPOT K., CHAUDRET B.

In : *Comprehensive Organometallic Chemistry III*, Crabtree R.H., Mingos D.M.P. (Eds), Elsevier, Oxford (G.B.), 2006, **12**, pp. 71-99, ISBN : 008044590X (LCC-7660).

Encapsulation of [60] fullerene into dendritic materials to facilitate their nanoscopic organization

NIERENGARTEN J.-F., SOLLADIE N., DESCHENAUX R.

In : *Fullerenes : principles and applications*, Nierengarten J.-F., Langa F. (Eds), RSC Cambridge, 2006, pp. 131-155, ISBN : 085404551 (LCC-7624).

Homogeneous hydrogenation : colloids - hydrogenation with noble metal nanoparticles

ROUCOUT A., PHILIPPOT K.

In : *Handbook of homogeneous hydrogenation*, de Vries J.G., Cornelis J. (Eds), Wiley-VCH, 2006, **1**, pp. 217-255, ISBN : 3-527-31161-0 (LCC-7662).

Metallo groups linked to the surface of phosphorus-containing dendrimers

MAJORAL J.-P., CAMINADE A.-M., LAURENT R.

In : *Metal-containing and metallocupramolecular polymers and materials* (Ed.), American Chemical Society, 2006, **928**, pp. 230-243 (LCC-7535).