

PUBLICATIONS LCC 2007

174 articles dont :

10 *Angewandte Chemie*

9 *Chemical Communications*

9 *Chemistry : An European Journal*

2 *Dalton Transactions*

11 *European Journal of Inorganic Chemistry*

6 *Inorganic Chemistry*

8 *Journal of Organometallic Chemistry*

4 *JACS*

11 *New Journal of Chemistry*

6 *Organometallics*

Articles parus dans des revues

Dichlorido[(*S,R,S*)-1-diphenyl-phosphino-2-(ethylsulfanylmethyl)-ferrocene]palladium
DIAB L., DARAN J.-C., GOUYGOU M., MANOURY E., URRUTIGOITY M.
Acta Crystallogr., Sect. C, 2007, **63**, pp. m586-m588 (LCC-7838).

(1,10-phenanthroline-*k*²*N,N'*)(triphenyl-phosphine-*kP*)silver(I) perchlorate acetonitrile hemisolvate
DEHNO KHALAJI A., AMIRNASR M., DARAN J.-C.
Acta Crystallogr., Sect. E, 2007, **E63**, pp. m309-m311 (LCC-7826).

(1*S*,3*RS*,5*SR*)-3-hydroxy-3-(2-hydroxyethyl)-*N*-phenyl-5-(*p*-tolyl)pyrrolidin-2-one
LAGHRIB N., AZROUR M., DARAN J.-C., FIHI R., MAJIDI L.
Acta Crystallogr., Sect. E, 2007, **E63**, pp. o402-o404 (LCC-7825).

{2,2'-[1,1'-(4-azaheptane-1,7-diyl)dinitrilo]-diethylene}diphenolato}(pyridine)cobalt(III)
hexafluorophosphane
MEGHDAI S., DARAN J.-C., AMIRNASR M., MORSHEDI M.
Acta Crystallogr., Sect. E, 2007, **E63**, pp. m982-m984 (LCC-7827).

(1*S*,3*R*,6*S*,7*R*)-3,7-dichloro-*trans*-himachalane
OURHRISS N., MAZOIR N., DARAN J.-C., BERRAHO M., BENHARREF A.
Acta Crystallogr., Sect. E, 2007, **E63**, pp. o1497-o1499 (LCC-7829).

4-amino-2,2,6,6-tetramethylpiperidin-1-oxyl radical (ATEMPO)
LEGROS J.-P., DE CARO D., CASELLAS H.
Acta Crystallogr., Sect. E, 2007, **E63**, p. o3414 (LCC-7747).

2,3bis(2-cyanoethylsulfanyl)-6,7-tetra-methylenetetra-thiafulvalene
LEGROS J.-P., FABRE J.-M., KABOUB L.
Acta Crystallogr., Sect. E, 2007, **E63**, o3572 (LCC-7831).

(1*S*,3*R*,6*R*)-3-chloro-*trans*-himachalene
BENHARREF A., MAZOIR N., MOHA B., ESSEDIYA L., DARAN J.-C.
Acta Crystallogr., Sect. E, 2007, **E63**, o3681 (LCC-7830).

(3*SR*,2'*SR*)-3-(2'-anilino-2'-phenylethyl)-phthalide
LAGHRIB N., AZROUR M., DARAN J.-C., FIHI R., MAJIDI L.
Acta Crystallogr., Sect. E, 2007, **E63**, o4333 (LCC-7828).

Shape control of platinum nanoparticles

RAMIREZ E., ERADES L., PHILIPPOT K., LECANTE P., CHAUDRET B.

Adv. Funct. Mater., 2007, **17**, pp. 2219-2228 (LCC-7761).

Synthesis of new RuO₂@SiO₂ composite nanomaterials and their application as catalytic filters for selective gas detection

JANSAT S., PELZER K., GARCIA-ANTON J., RAUCOULES R., PHILIPPOT K., MAISONNAT A., CHAUDRET B., GUARI Y., MEHDI A., REYE C., CORRIU R.

Adv. Funct. Mater., 2007, **17**, pp. 3339-3341 (LCC-7799).

Graded-bandgap quantum-dot-modified nanotubes : a sensitive biosensor for enhanced detection of DNA hybridization

FENG C.-L., ZHONG X., STEINHART M., CAMINADE A.-M., MAJORAL J.-P., KNOLL W.

Adv. Mater., 2007, **19**, pp. 1933-1936 (LCC-7762).

A combined top-down/bottom-up approach for the nanoscale patterning of spin-crossover coordination polymers

MOLNAR G., COBO S., REAL J.A., CARCENAC F., DARAN E., VIEU C., BOUSSEKSOU A.

Adv. Mater., 2007, **19**, pp. 2163-2167 (LCC-7768).

Highly efficient asymmetric hydrogenation of alkyl aryl ketones catalyzed by iridium complexes with chiral planar ferrocenyl phosphino-thioether ligands

LE ROUX E., MALACEA R., MANOURY E., POLI R., GONSALVI L., PERUZZINI M.

Adv. Synth. Catal., 2007, **349**, pp. 309-313 (LCC-7700).

Palladium catalysis species containing chiral phosphites : towards a discrimination between molecular and colloidal catalysts

FAVIER I., GOMEZ M., MULLER G., AXET R., CASTILLON S., CLAVER C., JANSAT S., CHAUDRET B., PHILIPPOT K.

Adv. Synth. Catal., 2007, **349**, pp. 2459-2469 (LCC-7802).

Formation and structure of a sterically protected molybdenum hydride complex with a 15-electron configuration : [(1,2,4-C₅H₂tBu₃)Mo(PMe₃)₂H]⁺

BAYA M., HOUGHTON J., DARAN J.-C., POLI R.

Angew. Chem. (Int. Ed. Engl.), 2007, **46**, pp. 429-432 (LCC-7746).

Synthesis and electrochemical properties of fullerene-rich nanoclusters synthesized by Cobalt-catalyzed cyclotrimerization of bis(aryl)alkyne fullerodendrimers

HAHN U., MAISONHAUTE E., AMATORE C., NIERENGARTEN J.-F.

Angew. Chem. (Int. Ed. Engl.), 2007, **46**, pp. 951-954 (LCC-7653).

Multiplication of human natural killer cells by nanosized phosphonate-capped dendrimers

GRIFFE L., POUPOT M., MARCHAND P., MARAVAL A., TURRIN C.O., ROLLAND O., METIVIER P., BACQUET G., FOURNIE J.J., CAMINADE A.-M., POUPOT R., MAJORAL J.-P.

Angew. Chem. (Int. Ed. Engl.), 2007, **46**, pp. 2523-2526 (LCC-7704).

The σ -CAM mechanism : σ complexes as the basis of σ -bond metathesis at late-transition-metal centers

PERUTZ R.N., SABO-ETIENNE S.

Angew. Chem. (Int. Ed. Engl.), 2007, **46**, pp. 2578-2592 (LCC-7701).

Ruthenium complexes carrying hydride, dihydrogen and phosphine ligands : reversible hydrogen release

GRELLIER M., VENDIER L., SABO-ETIENNE S.

Angew. Chem. (Int. Ed. Engl.), 2007, **46**, pp. 2613-2615 (LCC-7702).

A cubic 3d-4f structure with only ferromagnetic Gd-Mn interactions

PRASAD T.K., RAJASEKHARAN M.V., COSTES J.-P.

Angew. Chem. (Int. Ed. Engl.), 2007, **46**, pp. 2851-2854 (LCC-7708).

Hexasilylated total carbomer of benzene

ZOU C., DUHAYON C., MARAVAL V., CHAUVIN R.

Angew. Chem. (Int. Ed. Engl.), 2007, **46**, pp. 4337-4341 (LCC-7820).

- Hard-X-ray-induced excited-spin-state trapping
VANKO G., RENZ M., MOLNAR G., NEISIUS T., KARPATI S.
Angew. Chem. (Int. Ed. Engl.), 2007, **46**, pp. 5306-5309 (LCC-7777).
- A diaminocarbene-phosphonium ylide : direct access to C,C chelating ligands
CANAC Y., DUHAYON C., CHAUVIN R.
Angew. Chem. (Int. Ed. Engl.), 2007, **46**, pp. 6313-6315 (LCC-7769).
- Hybrid Co-Au nanorods : controlling Au nucleation and location
WETZ F., SOULANTICA K., FALQUI A., RESPAUD M., SNOECK E., CHAUDRET B.
Angew. Chem. (Int. Ed. Engl.), 2007, **46**, pp. 7079-7081 (LCC-7832).
- Trioxaquinones are new antimalarial agents active on all erythrocytic forms, including gametocytes
BENOIT-VICAL F., LELIEVRE J., BERRY A., DEYMIER C., DECHY-CABARET O., CAZELLES J., LOUP C., ROBERT A., MAGNAVAL J.-F., MEUNIER B.
Antimicrob. Agents Chemother., 2007, **51**, pp. 1463-1472 (LCC-7821).
- Trioxaquinones and heme-artemisinin adducts inhibit the in vitro formation of hemozoin better than chloroquine
LOUP C., LELIEVRE J., BENOIT-VICAL F., MEUNIER B.
Antimicrob. Agents Chemother., 2007, **51**, pp. 3768-3770 (LCC-7784).
- Identification of key parameters for the selective growth of single or double wall carbon nanotubes on FeMo/Al₂O₃ CVD catalysts
LAMOUROUX E., SERP P., KIHN Y., KALCK P.
Appl. Catal. A, 2007, **323**, pp. 162-173 (LCC-7720).
- Raman study of E₂ and surface phonon in zinc oxide nanoparticles surrounded by organic molecules
CHASSAING P.M., DEMANGEOT F., PAILLARD V., COMBES C., PAGES C., KAHN M.L., MAISONNAT A., CHAUDRET B.
Appl. Phys. Lett., 2007, **91**, pp. 053108/1-3 (LCC-7778).
- Evidence that the principal Co^{II}-binding site in human serum albumin is not at the N-Terminus : implication on the albumin cobalt binding test for detecting myocardial ischemia
MOTHES E., FALLER P.
Biochem., 2007, **46**, pp. 2267-2274 (LCC-7692).
- Zinc binding to amyloid- β : isothermal titration calorimetry and Zn competition experiments with Zn sensors
TALMARD C., BOUZAN A., FALLER P.
Biochem., 2007, **46**, pp. 13658-13666 (LCC-7841).
- Influence of phosphorus dendrimers on the aggregation of the prion peptide PrP 185-208
KLAJNERT B., CORTIJO-ARELLANO M., CLADERA J., MAJORAL J.-P., CAMINADE A.-M., BRYSEWSKA M.
Biochem. Biophys. Res. Commun., 2007, **364**, pp. 20-25 (LCC-7800).
- Modifications of the chemical structure of terpenes in antiplasmodial and antifungal drug research
OLAGNIER D., COSTES P., BERRY A., LINAS M.-D., URRUTIGOITY M., DECHY-CABARET O., BENOIT-VICAL F.
Bioorg. Med. Chem. Lett., 2007, **17**, pp. 6075-6078 (LCC-7854).
- J-strain and antisymmetric exchange in a polynuclear compound containing the (Fe₃O)⁷⁺
SANAKIS Y., BOUDALIS A.K., TUCHAGUES J.-P.
C. R. Chimie, 2007, **10**, pp. 116-124 (LCC-7686).
- A parametric study of the large scale production of multi-walled carbon nanotubes by fluidized bed catalytic chemical vapor deposition
MORANCAIS A., CAUSSAT B., KIHN Y., KALCK P., PLEE D., GAILLARD P., BERNARD D., SERP P.
Carbon, 2007, **45**, pp. 627-635 (LCC-7853).

Catalytic routes towards single wall carbon nanotubes

LAMOUREUX E., SERP P., KALCK P.

Catal. Rev.-Sci. Eng., 2007, **49**, pp. 341-405 (LCC-7728).

Molecular and supramolecular C₆₀-oligophenylene conjugates

FIGUEIRA DUARTE T.M., GEGOUT A., NIERENGARTEN J.-F.

Chem. Commun., 2007, pp. 109-119 (LCC-7640).

Self-assembly of fullerene-rich nanostructures with a stannoxane core

HAHN U., GEGOUT A., DUHAYON C., COPPEL Y., SOURNIA-SAQUET A., NIERENGARTEN J.-F.

Chem. Commun., 2007, pp. 516-518 (LCC-7648).

Functionalization of silicon surfaces with Si-C linked β -cyclodextrin monolayers

LAGROST C., ALCARAZ G., BERGAMINI J.-F., FABRE B., SERBANESCU I.

Chem. Commun., 2007, pp. 1050-1052 (LCC-7861).

Electrophosphorescent homo- and heteroleptic copper(I) complexes prepared from various bis-phosphine ligands

MOUDAM O., KAESER A., DELAVALUX-NICOT B., DUHAYON C., HOLLER M., ACCORSI G., ARMAROLI N., SEGUY C., NAVARRO J., DESTRUDEL P., NIERENGARTEN J.-F.

Chem. Commun., 2007, pp. 3077-3079 (LCC-7755).

A luminescent multicomponent species made of fullerene and Ir(III) cyclometallated subunits

NASTASI F., PUNTORIERO F., CAMPAGNA S., SCHERGNA S., MAGGINI M., CARDINALI F., DELAVALUX-NICOT B., NIERENGARTEN J.-F.

Chem. Commun., 2007, pp. 3556-3558 (LCC-7758).

Agostic Si-H bond coordination assists C-H bond activation at ruthenium in bis(phosphinobenzylsilane) complexes

MONTIEL-PALMA V., MUNOZ-HERNANDEZ M.A., AYED T., BARTHELAT J.-C., GRELLIER M., VENDIER L., SABO-ETIENNE S.

Chem. Commun., 2007, pp. 3963-3965 (LCC-7785).

Changes in electronic couplings of mixed-valence systems due to through-space intramolecular interactions

FIGUEIRA DUARTE T.M., LLOVERAS V., VIDAL-GANCEDO J., GEGOUT A., DELAVALUX-NICOT B., WELTER R., VECIANA J., ROVIRA C., NIERENGARTEN J.-F.

Chem. Commun., 2007, pp. 4345-4347 (LCC-7788).

Modular construction and hierarchical gelation of organooxotin nanoclusters derived from simple building blocks

HAHN U., HIRST A.R., DELGADO DE LA CRUZ J.L., KAESER A., DELAVALUX-NICOT B., NIERENGARTEN J.-F., SMITH D.K.

Chem. Commun., 2007, pp. 4943-4945 (LCC-7804).

An unprecedented co-crystal including a *cis*-high-spin and a *trans*-low-spin Fe^{II} complex molecule

BREFUEL N., DUHAYON C., SHOVA S., TUCHAGUES J.-P.

Chem. Commun., 2007, pp. 5223-5225 (LCC-7805).

Synthesis of supported catalysts by dry impregnation in fluidized bed

BARTHE L., DESPORTES S., HEMATI M., PHILIPPOT K., CHAUDRET B.

Chem. Eng. Res. Des., 2007, **85**, pp. 1-11 (LCC-7848).

Ligand influence on connectivity and processing : magnetic crystals based on metalloceniums and films of TCNE-based magnets

DE CARO D., FAULMANN C., VALADE L.

Chem. Eur. J., 2007, **13**, pp. 1650-1663 (LCC-7689).

Effect of electron donors on the radical polymerization of vinyl acetate mediated by [Co(acac)₂] : degenerative transfer versus reversible homolytic cleavage of an organocobalt(III) complex
MARIA S., KANEYOSHI H., MATYJASZEWSKI K., POLI R.
Chem. Eur. J., 2007, **13**, pp. 2480-2492 (LCC-7745).

Spontaneous reduction of mixed 2,2'-bipyridine/methylamine/chloro complexes of Pt^{IV} in water in the presence of light is accompanied by complex isomerization, loss of methylamine and formation of a strong oxidant, presumably HOCl.
NAKABAYASHI Y., ERXLEBEN A., LETINOIS U., PRATVIEL G., MEUNIER B., HOLLAND L., LIPPERT B.
Chem. Eur. J., 2007, **13**, pp. 3980-3988 (LCC-7717).

Functional [6]pericyclines : synthesis through [14+4] and [8+10] cyclization strategies
SACCAVINI C., TEDESCHI C., MAURETTE L., SUI-SENG C., ZOU C., SOLEILHAVOUP M., VENDIER L., CHAUVIN R.
Chem. Eur. J., 2007, **13**, pp. 4895-4913 (LCC-7862).

Functional [6]pericyclines : aromatization to substituted *carbo*-benzenes
SACCAVINI C., SUI-SENG C., MAURETTE L., LEPETIT C., SOULA S., ZOU C., DONNADIEU B., CHAUVIN R.
Chem. Eur. J., 2007, **13**, pp. 4914-4931 (LCC-7823).

Synthesis, structure and electrochemical properties of sterically protected molybdenum trihydride redox pairs : a paramagnetic "stretched" dihydrogen complex ?
BAYA M., HOUGHTON J., DARAN J.-C., POLI R., MALE L., ALBINATI A., GUTMAN M.
Chem. Eur. J., 2007, **13**, pp. 5347-5359 (LCC-7740).

Dispirofluorene-indenofluorene derivatives as new building blocks for blue organic electroluminescent devices and electroactive polymers
PORIEL C., LIANG J.-J., RAULT-BERTHELOT J., BARRIERE F., COCHEREL N., SLAWIN A.M.Z., HORHANT D., VIRBOUL M., ALCARAZ G., AUDEBRAND N., VIGNAU L.
Chem. Eur. J., 2007, **13**, pp. 10055-10069 (LCC-7860).

Quadratic nonlinear optical response in partially charged donor-substituted tetrathiafulvalene : from a computational investigation to a rational synthetic feasibility
LAMERE J.-F., MALFANT I., SOURNIA-SAQUET A., LACROIX P.G.
Chem. Mater., 2007, **19**, pp. 805-815 (LCC-7818).

One-pot synthesis of core-shell FeRh nanoparticles
CIUCULESCU E.-D., AMIENS C., RESPAUD M., FALQUI A., LECANTE P., BENFIELD R.E., JIANG L., FAUTH K., CHAUDRET B.
Chem. Mater., 2007, **19**, pp. 4624-4626 (LCC-7863).

Dual-mode X-band EPR and magnetic study of (Cu²⁺, Ln³⁺) pairs : investigation of magnetic anisotropy
TANGOULIS V., COSTES J.-P.
Chem. Phys., 2007, **334**, pp. 77-84 (LCC-7732).

Nanoscale needle shaped histidine and narrow vibrational Raman bands using visible excitation
SONOIS V., FALLER P., BASCA W., FAZOUAN N., ESTEVE A.
Chem. Phys. Lett., 2007, **439**, pp. 360-363 (LCC-7719).

3d electrons-molecular vibrations coupling in spin conversion compounds molecules : a quantitative study for the [Fe(phen)₂(NCS)₂] molecules
NASSER J., TOPCU S., CHASSAGNE L., BOUSSEKSOU A., GUILLON T., ALAYLI Y.
Chem. Phys. Lett., 2007, **446**, pp. 385-390 (LCC-7814).

Catalytic production of carbon nanotubes by fluidized-bed CVD
PHILIPPE R., MORANCAIS A., CORRIAS M., CAUSSAT B., KIHN Y., KALCK P., PLEE D., GAILLARD P., BERNARD D., SERP P.
Chem. Vap. Deposit., 2007, **13**, pp. 447-457 (LCC-7782).

- Amyloid-beta peptides forms monomeric complexes with Cu^{II} and Zn^{II} prior to aggregation
TALMARD C., GUILLOREAU L., COPPEL Y., MAZARGUIL H., FALLER P.
ChemBioChem, 2007, **8**, pp. 163-165 (LCC-7654).
- Redox chemistry of copper-amyloid- β : the generation of hydroxyl radical in the presence of ascorbate is linked to redox-potentials and aggregation state
GUILLOREAU L., COMBALBERT S., SOURNIA-SAQUET A., MAZARGUIL H., FALLER P.
ChemBioChem, 2007, **8**, pp. 1317-1325 (LCC-7736).
- Spin crossover and photomagnetism in dinuclear iron(II) compounds
BOUSSEKSOU A., MOLNAR G., REAL J.A., TANAKA K.
Coord. Chem. Rev., 2007, **251**, pp. 1822-1833 (LCC-7780).
- Charge-assisted H-bonded assemblage of an anionic $\{M(C_2O_4)_4\}^{4-}$ building unit and organic cations : a versatile approach to hybrid supramolecular architectures
IMAZ I., THILLET A., SUTTER J.-P.
Cryst. Growth Des., 2007, **7**, pp. 1753-1761 (LCC-7772).
- Artemisinin and chloroquine : do mode of action and mechanism of resistance involve the same protagonists
LELIEVRE J., BERRY A., BENOIT-VICAL F.
Curr. Opin. Investig. Drugs, 2007, **8**, pp. 117-123 (LCC-7703).
- Synthesis of phosphorus ligands from Zirconium reagents. A useful approach
ZABLOCKA M., MAJORAL J.-P.
Curr. Org. Chem., 2007, **11**, pp. 49-60 (LCC-7839).
- Spin crossover behavior in a family of iron(II) zigzag coordination polymers
MATOUZENKO G.S., PERRIN M., LE GUENNIC B., GENRE C., MOLNAR G., BORSHCH S.A., BOUSSEKSOU A.
Dalton Trans., 2007, pp. 934-942 (LCC-7710).
- Synthesis, structure and coordination of the ambiphilic ligand (2-picolyl)BCy₂
VERGNAUD J., AYED T., HUSSEIN K., VENDIER L., GRELLIER M., BOUHADIR G., BARTHELAT J.-C., SABO-ETIENNE S., BOURISSOU D.
Dalton Trans., 2007, pp. 2370-2372 (LCC-7734).
- IL-13 induces expression of CD36 in human monocytes through PPAR γ activation
BERRY A., BALARD P., COSTE A., OLAGNIER D., LAGANE C., AUTHIER H., BENOIT-VICAL F., LEPERT J.-C., SEGUELA J.-P., MAGNAVAL J.-F., CHAMBON P., METZGER D., DESVERGNE B., WAHLI W., AUWERX J., PIPY B.
Eur. J. Immunol., 2007, **37**, pp. 1642-1652 (LCC-7851).
- Neutral yttrium tris(amide) and ate complexes coordinated by an (*R*)-*N,N'*-diisopropyl-1,1'-binaphthyl-2,2'-diamino ligand as enantioselective catalysts for intramolecular hydroamination
RIEGERT D., COLLIN J., DARAN J.-C., FILLEBEEN-KHAN T., SCHULZ E., LYUBOV D., FUKIN G., TRIFONOV A.
Eur. J. Inorg. Chem., 2007, pp. 1159-1168 (LCC-7819).
- New (1-phosphanylferrocen-1' - and -2-yl)methyl-linked diaminocarbene ligands : synthesis and rhodium(I) complexes
LABANDE A., DARAN J.-C., MANOURY E., POLI R.
Eur. J. Inorg. Chem., 2007, pp. 1205-1209 (LCC-7699).
- Correlation between the stoichiometry and the bistability of electronic states in valence-tautomeric Rb_xMn[Fe(CN)₆]_y.zH₂O complexes
COBO S., FERNANDEZ R., SALMON L., MOLNAR G., BOUSSEKSOU A.
Eur. J. Inorg. Chem., 2007, pp. 1549-1555 (LCC-7713).

A differrous single-molecule magnet

BOUDALIS A.K., SANAKIS Y., CLEMENTE-JUAN J.M., MARI A., TUCHAGUES J.-P.

Eur. J. Inorg. Chem., 2007, pp. 2409-2415 (LCC-7724).

Mixed titanium-hafnium chloridometallate complexes

ROBE E., MARIA S., RICHARD P., POLI R.

Eur. J. Inorg. Chem., 2007, pp. 2434-2442 (LCC-7742).

Solvent control in the protonation of [Cp*Mo(dppe)H₃] by CF₃COOH

DUB P.A., BAYA M., HOUGHTON J., BELKOVA N.V., DARAN J.-C., POLI R., EPSTEIN L.M., SHUBINA E.S.

Eur. J. Inorg. Chem., 2007, pp. 2813-2826 (LCC-7741).

Metallated phthalocyanines as the core of dendrimers - synthesis and spectroscopic studies

LECLAIRE J., DAGIRAL R., PLAT-QUINTANA A., CAMINADE A.-M., MAJORAL J.-P.

Eur. J. Inorg. Chem., 2007, pp. 2890-2896 (LCC-7725).

Aqueous reduction of [Cp*₂W₂O₅] : characterization of the triangular clusters [Cp*₃W₃O₄(OH)₂]²⁺ and [Cp*₃W₃O₆]⁺ - comparison with molybdenum

DINOI C., SOZEN P., TABAN G., DEMIR D., DEMIRHAN F., PRIKHODCHENKO P., GUN J., LEV O., DARAN J.-C., POLI R.

Eur. J. Inorg. Chem., 2007, pp. 4306-4316 (LCC-7795).

Fe^{II} bi-stable materials with dissymmetrical ligands : synthesis, crystal structure, magnetic and Mössbauer properties of Fe^{II} complexes based on N₄ Schiff Bases possessing 2-pyridyl and 1-R-imidazol-2-yl rings

BREFUEL N., SHOVA S., TUCHAGUES J.-P.

Eur. J. Inorg. Chem., 2007, pp. 4326-4334 (LCC-7781).

Platinum-catalyzed intermolecular hydroamination of alkenes : halide-anions-promoted catalysis

BRUNET J.-J., CHU N.C., RODRIGUEZ-ZUBIRI M.

Eur. J. Inorg. Chem., 2007, pp. 4711-4722 (LCC-7796).

Nickel(II), Palladium(II) and Rhodium(I) complexes of New NHC-thioether ligands : efficient ketone hydrosylation catalysis by a cationic Rh complex

WOLF J., LABANDE A., DARAN J.-C., POLI R.

Eur. J. Inorg. Chem., 2007, pp. 5069-5079 (LCC-7797).

A new synthetic route for the preparation of 1,10-phenanthroline derivatives

MOUDAM O., AJAMAA F., EKOUAGA A., MAMLOUK H., HAHN U., HOLLER M., WELTER R., NIERENGARTEN J.-F.

Eur. J. Org. Chem., 2007, pp. 417-419 (LCC-7643).

Ring-chain tautomerism of simplified analogues of isoniazid-NAD(P) adducts : an experimental and theoretical study

DELAINE T., BERNARDES-GENISSON V., STIGLIANI J.-L., GORNITZKA H., MEUNIER B., BERNADOU J.

Eur. J. Org. Chem., 2007, pp. 1624-1630 (LCC-7698).

Fullerene derivatives substituted with differently branched phenyleneethynylene dendrons : synthesis, electronic and excited state properties

CLIFFORD J., GEGOUT A., ZHANG S., PEREIRA DE FREITAS R., URBANI M., HOLLER M., CERONI P., NIERENGARTEN J.-F., ARMAROLI N.

Eur. J. Org. Chem., 2007, pp. 5899-5908 (LCC-7803).

Synthesis and transport properties of ZnO nanorods and nanoparticles assemblies

CARREY J., KAHN M.L., SANCHEZ S., CHAUDRET B., RESPAUD M.

Eur. Phys. J., Appl. Phys., 2007, **40**, pp. 71-75 (LCC-7779).

Superconductivity in TTF [Ni(dmit)₂]₂

SAVY J.-P., DE CARO D., VALADE L., LEGROS J.-P., AUBAN-SENZIER P., PASQUIER C., FRAXEDAS J., SENOCQ F.

Europhys. Lett., 2007, **78**, pp. 37005/1-5 (LCC-7822).

Reaction of *p*-toluenesulfonylamide and M(NMe₂)₄ (M=Ti, V) : generation of electron-deficient imido complexes of early transition metals

LORBER C., CHOUKROUN R., VENDIER L.

Inorg. Chem., 2007, **46**, pp. 3192-3202 (LCC-7714).

Nature of Cp*MoO₂⁺ in water and intramolecular proton transfer mechanism by stopped-flow kinetics and DFT calculations

JEE J.-E., COMAS-VIVES A., DINOI C., UJAQUE G., VAN ELDIK R., LLEDOS A., POLI R.

Inorg. Chem., 2007, **46**, pp. 4103-4113 (LCC-7749).

New BEDT-TTF/[Fe(C₅O₅)₃]³⁻ hydrid system : synthesis, crystal structure and physical properties of a chirality-induced α phase and a novel magnetic molecular metal

CORONADO E., CURRELI S., GIMENEZ-SAIZ C., GOMEZ-GARCIA C.J., DEPLANO P., MERCURI M.L., SERPE A., PILIA L., FAULMANN C., CANADELL E.

Inorg. Chem., 2007, **46**, pp. 4446-4457 (LCC-7855).

Structure and properties of dinuclear manganese(III) complexes with pentaanionic pentadentate ligands including alkoxo, amido and phenoxo donors

STOICESCU L., JEANSON A., DUHAYON C., TESOURO-VALLINA A., BOUDALIS A.K., COSTES J.-P., TUCHAGUES J.-P.

Inorg. Chem., 2007, **46**, pp. 6902-6910 (LCC-7766).

Electrical conductivity and spin crossover : a new achievement with a metal bis dithiolene complex

FAULMANN C., JACOB K., DORBES S., LAMPERT S., MALFANT I., DOUBLET M.-L., VALADE L., REAL J.A.

Inorg. Chem., 2007, **46**, pp. 8548-8559 (LCC-7857).

Synthesis, crystal structure and magnetic properties of hexanuclear [$\{MnL_2\}_4\{Nb(CN)_8\}_2$] and nonanuclear [$\{MnL_2\}_6\{Nb(CN)_8\}_3$] heterometallic clusters (L=bpy, phen)

VENKATAKRISHNAN T.S., RAJAMANI R., SUTTER J.-P.

Inorg. Chem., 2007, **46**, pp. 9569-9574 (LCC-7789).

Reevaluation of the kinetics of polynuclear mimics for manganese catalases

SIGNORELLA S., ROMPEL A., BULDT-KARENTZOPOULOS K., KREBS B., PECORARO V.L., TUCHAGUES J.-P.

Inorg. Chem., 2007, **46**, pp. 10864-10868 (LCC-7806).

Heteroleptic Cu(I) complexes containing phenanthroline-type and 1-1'-bis(diphenylphosphino)ferrocene ligands : structure and electronic properties

ARMAROLI N., ACCORSI G., BERGAMINI G., CERONI P., HOLLER M., MOUDAM O., DUHAYON C., DELAVAUUX-NICOT B., NIERENGARTEN J.-F.

Inorg. Chim. Acta, 2007, **360**, pp. 1032-1042 (LCC-7652).

X-ray structure, redox and spectroscopic properties of ruthenium phosphine complexes [Ru(tpy)(bpy)(PPh₃)]²⁺ and [Ru(tpy)(bpy)(PCy₃)]²⁺

LEBON E., DIXON I.M., VENDIER L., IGAU A., SUTRA P.

Inorg. Chim. Acta, 2007, **360**, pp. 1235-1239 (LCC-7722).

Encapsulation of [Mn(bpy)₃]²⁺ cations in 2D[Mn(dca)₃]⁻ sheet : synthesis, x-ray structure and EPR study

MAL D., KONER S., TUCHAGUES J.-P., ROSAIR G.

Inorg. Chim. Acta, 2007, **360**, pp. 3575-3580 (LCC-7752).

Europium (III) complexes derived from carboxylic-substituted polychlorotriphenylmethyl radicals
ROQUES N., PERRUCHAS S., MASPOCH D., DATCU A., WURST K., SUTTER J.-P., RIVIRA C.,
VECIANA J.

Inorg. Chim. Acta, 2007, **360**, pp. 3861-3869 (LCC-7783).

Crystal structure, magnetic properties and Mössbauer studies of $[\text{Fe}(\text{qsal})_2][\text{Ni}(\text{dmit})_2]$

FAULMANN C., DORBES S., LAMPERT S., JACOB K., GARREAU DE BONNEVAL B., MOLNAR
G., BOUSSEKSOU A., REAL J.A., VALADE L.

Inorg. Chim. Acta, 2007, **360**, pp. 3870-3878 (LCC-7813).

Making 3d-4f hexanuclear clusters from heterotrinary cationic building blocks

GHEORGHE R., ANDRUH M., COSTES J.-P., DONNADIEU B., SCHMIDTMANN M., MULLER A.

Inorg. Chim. Acta, 2007, **360**, pp. 4044-4050 (LCC-7816).

A G-quadruplex ligand with 10000-fold selectivity over duplex DNA

DIXON I.M., LOPEZ F., TEJERA A.M., ESTEVE J.-P., BLASCO M.A., PRATVIEL G., MEUNIER B.

J. Am. Chem. Soc., 2007, **129**, pp. 1502-1503 (LCC-7665).

Bis(phenyl)dirhodium(III) caprolactamate : a dinuclear paddlewheel complex with no metal-metal bond
NICHOLS J.M., WOLF J., ZAVALIJ P., VARUGHESE B., DOYLE M.P.

J. Am. Chem. Soc., 2007, **129**, pp. 3504-3505 (LCC-7705).

Mesitylborane as a bis(σ -B-H) ligand : an unprecedented bonding mode to a metal center

ALCARAZ G., CLOT E., HELMSTEDT U., VENDIER L., SABO-ETIENNE S.

J. Am. Chem. Soc., 2007, **129**, pp. 8704-8705 (LCC-7750).

Nanoporous magnets of chiral and racemic $[\{\text{Mn}(\text{HL})\}_2\text{Mn}\{\text{Mo}(\text{CN})_7\}_2]$ with switchable ordering
temperatures ($T_C=85\text{ K} \leftrightarrow 106\text{ K}$) driven by H_2O sorption ($L=N,N$ -dimethylalaninol)

MILON J., DANIELE S., KAIBA A., GUIONNEAU PH., BRANDES S., SUTTER J.-P.

J. Am. Chem. Soc., 2007, **129**, pp. 13872-13878 (LCC-7790).

Structural investigation of the photoinduced spin conversion in the dinuclear compound
 $\{[\text{Fe}(\text{bt}(\text{NCS})_2)_2(\text{bpym})]\}$: toward controlled multi-stepped molecular switches

TRZOP E., BURON-LE COINTE M., CAILLEAU H., TOUPET L., MOLNAR G., BOUSSEKSOU A.,
GASPAR A.B., REAL J.A., COLLET A.

J. Appl. Crystallogr., 2007, **40**, pp. 158-164 (LCC-7712).

Atom transfer radical polymerization of methyl acrylate with molybdenum halides as catalysts in a ionic
liquid

MARIA S., BIEDRON T., POLI R., KUBISA P.

J. Appl. Polym. Sci., 2007, **105**, pp. 278-281 (LCC-7743).

Redox silencing of copper in metal-linked neurodegenerative disorders

MELONI G., FALLER P., VASAK M.

J. Biol. Chem., 2007, **282**, pp. 16068-16078 (LCC-7738).

Critical role of the correlation functional in DFT descriptions of an agostic niobium complex

PANTAZIS D.A., MCGRADY J.E., MASERAS F., ETIENNE M.

J. Chem. Theory Comput., 2007, **3**, pp. 1329-1336 (LCC-7757).

Are West African plants a source of future antimalarial drugs ?

NJOMNANG SOH P., BENOIT-VICAL F.

J. Ethnopharmacol., 2007, **114**, pp. 130-140 (LCC-7817).

Interaction of iron(II)-heme and artemisinin with a peptide mimic of *Plasmodium falciparum* HRP-II

ACCARDO A., LAURENT S., MAZARGUIL H., MEYER M., ROBERT A., MEUNIER B.

J. Inorg. Biochem., 2007, **101**, pp. 1739-1747 (LCC-7850).

- Influence of the self-organization of ionic liquids on the size of ruthenium nanoparticles : effect of the temperature and stirring
GUTEL T., GARCIA-ANTON J., PELZER K., PHILIPPOT K., SANTINI C.C., CHAUVIN Y., CHAUDRET B., BASSET J.-M.
J. Mater. Chem., 2007, **17**, pp. 3290-3292 (LCC-7765).
- Dithiazolyethene-based molecular switches for nonlinear optical properties and fluorescence : synthesis, crystal structure and ligating properties
GIRAUD M., LEAUSTIC A., GUILLOT G., YU P., LACROIX P.G., NAKATANI K., PANSU R., MAUREL F.
J. Mater. Chem., 2007, **17**, pp. 4414-4425 (LCC-7833).
- New approach for the preparation of efficient DNA cleaving agents : ditopic copper-platinum complexes based on 3-clip-phen and cisplatin
DE HOOG P., BOLDRON C., GAMEZ P., SLIEDREGT-BOL K., ROLAND I.
J. Med. Chem., 2007, **50**, pp. 3148-3152 (LCC-7824).
- Intermolecular hydroamination of non-activated alkenes catalyzed by Pt(II) or Pt(IV)-n-Bu₄PX (X=Cl, Br, I) systems : key effect of the halide anion
RODRIGUEZ-ZUBIRI M., ANGUILLE S., BRUNET J.-J.
J. Mol. Catal. A, 2007, **271**, pp. 145-150 (LCC-7852).
- Critical solvent effect on the chiral recognition of a catalytic species by a chiral substrate
DIAB L., GOUYGOU M., MANOURY E., KALCK P., URRUTIGOITY M.
J. Mol. Catal. A, 2007, **278**, pp. 102-106 (LCC-7837).
- Synthesis of the isonicotinoylnicotinamide scaffolds of the naturally occurring isoniazid-NAD(P) adducts
DELAINE T., BERNARDES-GENISSON V., MEUNIER B., BERNADOU J.
J. Org. Chem., 2007, **72**, pp. 675-678 (LCC-7682).
- Synthesis and properties of dendrimers possessing the same fluorophore(s) located either peripherally or off-center
FRANC G., MAZERES S., TURRIN C.O., VENDIER L., DUHAYON C., CAMINADE A.-M., MAJORAL J.-P.
J. Org. Chem., 2007, **72**, pp. 8707-8715 (LCC-7798).
- Ca²⁺ vs. Ba²⁺ electrochemical detection by two disubstituted ferrocenyl chalcone chemosensors. Study of the ligand-metal interactions in CH₃CN
DELAVAUUX-NICOT B., MAYNADIE J., LAVABRE D., FERY-FORGUES S.
J. Organomet. Chem., 2007, **692**, pp. 874-886 (LCC-7651).
- New phosphorus dendrimers with chiral ferrocenyl phosphine-thioether ligands on the periphery for asymmetric catalysis
ROUTABOUL L., VINCENDEAU S., TURRIN C.O., CAMINADE A.-M., MAJORAL J.-P., DARAN J.-C., MANOURY E.
J. Organomet. Chem., 2007, **692**, pp. 1064-1073 (LCC-7655).
- Decorating step-by-step and independently the surface and the core of dendrons
ANGURELL I., TURRIN C.O., LAURENT R., MARAVAL V., SERVIN P., ROSSELL O., SECO M., CAMINADE A.-M., MAJORAL J.-P.
J. Organomet. Chem., 2007, **692**, pp. 1928-1939 (LCC-7706).
- Reduction of [Cp*₂Mo₂O₅] by mercaptopropionic acid in an aqueous medium. Isolation and characterization of a dinuclear oxo- and 3-sulfido-propionato(2-)-bridged molybdenum(IV) compound
DINOI C., PRIKHODCHENKO P., DEMIRHAN F., GUN J., LEV O., DARAN J.-C., POLI R.
J. Organomet. Chem., 2007, **692**, pp. 2599-2605 (LCC-7744).
- How the interplay of different control mechanisms affects the initiator efficiency factor in controlled radical polymerization : an investigation using organometallic Mo^{III}-based catalysts
STOFFELBACH F., POLI R., RICHARD P.
J. Organomet. Chem., 2007, **692**, pp. 3133-3143 (LCC-7739).

Proton reduction catalysis by manganese vinylidene and allenylidene complexes
VALYAEV D.A., PETERLEITNER M.G., SEMEIKIN O.V., UTEGENOV K.I., USTYNYUK N.A.,
SOURNIA-SAQUET A., LUGAN N., LAVIGNE G.
J. Organomet. Chem., 2007, **692**, pp. 3207-3211 (LCC-7726).

Two electroactive ferrocenyl chalcones as original optical chemosensors for Ca²⁺ and Ba²⁺ cations in CH₃CN
DELAVAUUX-NICOT B., MAYNADIE J., LAVABRE D., FERY-FORGUES S.
J. Organomet. Chem., 2007, **692**, pp. 3351-3362 (LCC-7735).

Improved syntheses of [Cp₂*Mo₂O₅] and [Cp₂*W₂O₅] : structural characterization of Na[Cp*Mo₃].5H₂O and [Cp₂*W₂O₅]
DINOI C., TABAN G., SOZEN P., DEMIRHAN F., DARAN J.-C., POLI R.
J. Organomet. Chem., 2007, **692**, pp. 3743-3749 (LCC-7810).

S₂ and S₁-states properties of zinc porphyrin polypeptide
FUJITSUKA M., WON CHO D., SOLLADIE N., TROIANI V., QIU H., MAJIMA T.
J. Photochem. Photobiol. A, 2007, **188**, pp. 346-350 (LCC-7709).

Description of *carbo*-oxocarbons and assessment of exchange-correlation functionals for the DFT description of *carbo*-mers
LEPETIT C., CHERMETTE H., GICQUEL M., HEULLY J.L., CHAUVIN R.
J. Phys. Chem. A, 2007, **111**, pp. 136-149 (LCC-7680).

Investigation of the two-step spin crossover complex Fe[5-NO₂-sal-(1,4,7,10)] using density functional theory
GUILLON T., SALMON L., MOLNAR G., ZEIN S., BORSHCH S.A., BOUSSEKSOU A.
J. Phys. Chem. A, 2007, **111**, pp. 8223-8228 (LCC-7770).

Nondestructive formation of supramolecular nanohybrids of single-walled carbon nanotubes with flexible porphyrinic polypeptides
SAITO K., TROIANI V., QIU H., SOLLADIE N., SAKATA K., MORI H., OHAMA M., FUKUZUMI S.
J. Phys. Chem. C, 2007, **111**, pp. 1194-1199 (LCC-7650).

Dendritic effects on structure and photophysical and photoelectrochemical properties of fullerenes dendrimers and their nanoclusters
HOSOMIZU K., IMAHORI H., HAHN U., NIERENGARTEN J.-F., LISTORTI A., ARMAROLI N., NEMOTO T., ISODA S.
J. Phys. Chem. C, 2007, **111**, pp. 2777-2786 (LCC-7681).

Host-guest complexes of phenol derivatives with β -cyclodextrin : an experimental and theoretical investigation
CHELLI S., MAJDOUB M., JOUINI M., AEIYACH S., MAUREL F., CHANE-CHING K.I., LACAZE P.-C.
J. Phys. Org. Chem., 2007, **20**, pp. 30-43 (LCC-7858).

Light harvesting porphyrin-crown ether conjugates : toward artificial photosynthetic systems
SOLLADIE N., REIN R., WALTHER M.E.
J. Porph. Phtal., 2007, **11**, pp. 375-382 (LCC-7737).

EPR study of the interactions between dendrimers and peptides involved in Alzheimer's and prion diseases
KLAJNERT B., CANGIOTTI M., MAJORAL J.-P., CAMINADE A.-M., CLADERA J., BRYSEWSKA M.
Macromol. Biosci., 2007, **7**, pp. 1065-1074 (LCC-7763).

Ab initio study of the penultimate effect for the ATRP activation step using propylene, methyl acrylate and methyl methacrylate monomers
YEH LIN C., COOTE M.L., PETIT A., RICHARD P., POLI R., MATYJASZEWSKI K.
Macromolecules, 2007, **40**, pp. 5985-5994 (LCC-7812).

- Origin of activity in Cu-, Ru- and Os-mediated radical polymerization
 BRAUNECKER W., BROWN W.C., MORELLI B.C., TANG W., POLI R., MATYJASZEWSKI K.
Macromolecules, 2007, **40**, pp. 8576-8585 (LCC-7811).
- Synthesis and magnetic properties of Co nanorod superlattices
 WETZ F., SOULANTICA K., RESPAUD M., FALQUI A., CHAUDRET B.
Mater. Sci. Eng. C, 2007, **27**, pp. 1162-1166 (LCC-7834).
- Organometallic synthesis of nanoparticles
 AMIENS C., CHAUDRET B.
Mod. Phys. Lett. B, 2007, **21**, pp. 1133-1141 (LCC-7775).
- Synthesis and characterization of FeRh nanoparticles
 CIUCULESCU E.-D., AMIENS C., RESPAUD M., LECANTE P., FALQUI A., CHAUDRET B.
Mod. Phys. Lett. B, 2007, **21**, pp. 1153-1159 (LCC-7773).
- Effect of air exposure on structural and magnetic features of FeCo nanoparticles
 MOURDIKOU DIS S., SIMEONIDIS K., ANGELAKERIS M., TSIAOUSSIS I., KALOGIROU O.,
 DESVAUX C., AMIENS C., CHAUDRET B.
Mod. Phys. Lett. B, 2007, **21**, pp. 1161-1168 (LCC-7776).
- Bis-8-hydroxyquinoline ligands as potential anti-Alzheimer agents
 DERA EVE C., PITIE M., MAZARGUIL H., MEUNIER B.
New J. Chem., 2007, **31**, pp. 193-195 (LCC-7683).
- Catalytic evidence of the core/shell structure of bimetallic Pd/Rh colloids
 BERGOUNHO U C., BLANDY C., CHOUKROUN R., LECANTE P., LORBER C., PELLEGATTA J.-
 L.
New J. Chem., 2007, **31**, pp. 218-223 (LCC-7657).
- Nanowires of molecule-based charge-transfer salts
 SAVY J.-P., DE CARO D., FAULMANN C., VALADE L., ALMEIDA M., KOIKE T., FUJIWARA H.,
 SUGIMOTO T., FRAXEDAS J., ONDARCUHU T., PASQUIER C.
New J. Chem., 2007, **31**, pp. 519-527 (LCC-7723).
- The structure of fluorinated indazoles : the effect of the replacement of a H by F atom on the
 supramolecular structure of NH-indazoles
 TEICHERT M., OULIE P., JACOB K., VENDIER L., ETIENNE M., CLARAMUNT R.M., LOPEZ C.,
 PEREZ MEDINA C., ALKORTA I., ELGUERO J.
New J. Chem., 2007, **31**, pp. 936-946 (LCC-7727).
- State of the art developments in the chemistry and properties of dendrimers and hyperbranched polymers
 MAJORAL J.-P.
New J. Chem., 2007, **31**, pp. 1039-1040 (LCC-7865).
- Supramolecular chemistry for the self-assembly of fullerene-rich dendrimers
 HAHN U., CARDINALI F., NIERENGARTEN J.-F.
New J. Chem., 2007, **31**, pp. 1128-1138 (LCC-7748).
- Influence of cationic phosphorus dendrimers on the surfactant-induced synthesis of mesostructured
 nanoporous silica
 REINERT P., CHANE-CHING J.Y., BULL L., DAGIRAL R., BATAIL P., LAURENT R., CAMINADE
 A.-M., MAJORAL J.-P.
New J. Chem., 2007, **31**, pp. 1259-1263 (LCC-7731).
- Organic nanodots for multiphotonics : synthesis and photophysical studies
 MONGIN O., PLAT-QUINTANA A., TEREZIANI F., DROUIN D., LE DROUMAGUET C.,
 CAMINADE A.-M., MAJORAL J.-P., BLANCHARD-DESCE M.
New J. Chem., 2007, **31**, pp. 1354-1367 (LCC-7730).

Fullerodendrimers with a tris-isothiocyanate core allowing their anchoring onto gold electrodes
CAMERANO J.A., CASADO M.A., HAHN U., NIERENGARTEN J.-F., MAISONHAUTE E.,
AMATORE C.

New J. Chem., 2007, **31**, pp. 1395-1399 (LCC-7767).

Carbo-mers : from skeleton to function

MARAVAL V., CHAUVIN R.

New J. Chem., 2007, **31**, pp. 1853-1873 (LCC-7791).

Evaluating the cyclic π -electron delocalization energy through a double cut of conjugated rings
MALRIEU J.-P., LEPETIT C., GICQUEL M., HEULLY J.L., FOWLER P.W., CHAUVIN R.

New J. Chem., 2007, **31**, pp. 1918-1927 (LCC-7792).

Organometallic nanoparticles of metals or metal oxides

CHAUDRET B., PHILIPPOT K.

Oil Gas Sci. Technol., 2007, **62**, pp. 799-817 (LCC-7849).

Synthesis and application of phosphorus dendrimer immobilized azabis(oxazolines)

GISSIBL A., PADIE C., HAGER M., JAROSCHIK F., RASAPPAN R., CUEVAS-YANEZ E., TURRIN
C.O., CAMINADE A.-M., MAJORAL J.-P., REISER O.

Org. Lett., 2007, **9**, pp. 2895-2898 (LCC-7751).

Ruthenium-catalyzed hydroboration and dehydrogenative borylation of linear and cyclic alkenes with
pinacolborane

CABALLERO A., SABO-ETIENNE S.

Organometallics, 2007, **26**, pp. 1191-1195 (LCC-7685).

Reaction of $V(C_6H_6)_2$ with the borane adducts of malononitrile $[(C_6F_5)_3B.NCCH_2CN.B(C_6F_5)_3]$ and
water $[H_2O.B(C_6F_5)_3]$

CHOUKROUN R., LORBER C., VENDIER L.

Organometallics, 2007, **26**, pp. 3604-3606 (LCC-7729).

Activation of chlorosilanes at ruthenium : a route to silyl σ -dihydrogen complexes

LACHAIZE S., CABALLERO A., VENDIER L., SABO-ETIENNE S.

Organometallics, 2007, **26**, pp. 3713-3721 (LCC-7753).

CC and CN coupling of nitriles mediated by $B(C_6F_5)_3$ and Cp_2ZrPh_2

CHOUKROUN R., LORBER C., VENDIER L.

Organometallics, 2007, **26**, pp. 3784-3790 (LCC-7756).

Snapshot of a chelation-assisted C-H/Alkyne coupling : a ruthenium complex caught in the act of C-C
bond formation

BENHAMOU L., CESAR V., LUGAN N., LAVIGNE G.

Organometallics, 2007, **26**, pp. 4673-4676 (LCC-7759).

Rhodium-catalyzed hydroamination of ethylene. Highly promoting effect of iodide ions

BAUDEQUIN C., BRUNET J.-J., RODRIGUEZ-ZUBIRI M.

Organometallics, 2007, **26**, pp. 5264-5266 (LCC-7794).

Synthesis and characterization of diaminodithio- and aminotrithiophosphoric acid esters

MARCHAND P., MEFFRE A., DONNADIEU B., TATON D., GNANOU Y., DESTARAC M.,
LEISING F., CAMINADE A.-M., MAJORAL J.-P.

Phosph. Sulf. Silicon, 2007, **182**, pp. 1233-1244 (LCC-7715).

Photogeneration of two metastable NO linkage isomers with high populations of up to 76% in *trans*-
 $[RuCl(py)_4(NO)][PF_6]_2 \cdot 1/2H_2O$

SCHANIEL D., CORMARY B., MALFANT I., VALADE L., WOIKE T., DELLEY B., KRAMER
K.W., GUDEL H.-U.

Phys. Chem. Chem. Phys., 2007, **9**, pp. 3717-3724 (LCC-7856).

- Wavelength selective light-induced magnetic effects in the binuclear spin crossover compound {[Fe(bt)(NCS)₂]₂(bpym)}
- OULD-MOUSSA N., TRZOP E., MOURI S., ZEIN S., MOLNAR G., GASPAR A.B., COLLET A., BURON-LE COINTE M., REAL J.A., BORSHCH S.A., TANAKA K., CAILLEAU H., BOUSSEKSOU A.
Phys. Rev. B-Cond. Matt., 2007, **75**, pp. 054101/1-8 (LCC-7711).
- Transport in superlattices of magnetic nanoparticles : coulomb blockade, hysteresis and switching induced by a magnetic field
- TAN R.P., CARREY J., DESVAUX C., GRISOLIA J., RENAUD P., CHAUDRET B., RESPAUD M.
Phys. Rev. Lett., 2007, **99**, pp. 176805/1-4 (LCC-7815).
- Selective deposition of gold nanoparticles using Van Der Waals interactions
- VIALLET B., RESSIER L., GRISOLIA J., PEYRADE J.-P., PODGAJNY R., AMIENS C., VAN DEN BOOGAART M.A.F., BRUGGER J.
Phys. Status Solidi C- Curr. Top. Solid State Phys., 2007, **4**, pp. 276-278 (LCC-7864).
- Half-sandwich ruthenium(II) complexes containing a tricyclic β-iminophosphine ligand : catalytic activity in Diels-Alder reactions
- DIAZ-ALVAREZ A.E., CROCHET P., ZABLOCKA M., CADIerno V., VENDIER L., GIMENO J., MAJORAL J.-P.
Polyhedron, 2007, **26**, pp. 933-940 (LCC-7721).
- Fe^{II} Spin crossover materials based on dissymmetrical N₄ Schiff bases including 2-pyridyl and 2R-imidazol-4-yl rings: Synthesis, crystal structure and magnetic and Mössbauer properties
- BREFUEL N., VANG I., SHOVA S., DAHAN F., COSTES J.-P., TUCHAGUES J.-P.
Polyhedron, 2007, **26**, pp. 1745-1757 (LCC-7716).
- Polynuclear 3d complexes based on potentially tetra-anionic heptadente ligands including amido, amino and phenoxo donors : synthesis, crystal structure and magnetic properties
- LOUHIBI S., YACOUTA NOUR A., VENDIER L., COSTES J.-P., TUCHAGUES J.-P.
Polyhedron, 2007, **26**, pp. 3448-3454 (LCC-7754).
- Step-by-step synthesis of multifunctionalized linear oligophosphazenes : X-ray crystal structures of compounds issued from the first steps
- MAGRO G., DONNADIEU B., SPATARO G., CAMINADE A.-M., MAJORAL J.-P.
Polyhedron, 2007, **26**, pp. 3885-3892 (LCC-7764).
- Varying the metal/metal ratio in related Cu-Ca complexes
- CHIBOUB FELLAH F.Z., COSTES J.-P., DAHAN F., DUHAYON C., TUCHAGUES J.-P.
Polyhedron, 2007, **26**, pp. 4209-4215 (LCC-7801).
- Polyether-based polyrotaxane synthesis with controlled β-cyclodextrin threading ratio
- CHELLI S., MAJDOUB M., TRIPPE G., AEIYACH S., CHANE-CHING K.I., JOUINI M.
Polymer, 2007, **48**, pp. 3612-3615 (LCC-7859).
- Agostic interaction and intramolecular proton transfer from the protonation of dihydrogen ortho metalated ruthenium complexes
- TONER A.J., GRUNDEMANN S., LIMBACH H.-H., CHAUDRET B., CLOT E., SABO-ETIENNE S.
Proc. Nat. Acad. Sci., 2007, **104**, pp. 6945-6950 (LCC-7718).
- NiFe nanoparticles : a soft magnetic material ?
- MARGEAT O., CIUCULESCU E.-D., LECANTE P., RESPAUD M., AMIENS C., CHAUDRET B.
Small, 2007, **3**, pp. 451-458 (LCC-7774).
- DFT analysis of structure and IR spectra of phosphorus G_{1v} generation dendron
- FURER V.L., VANDYUKOVA I.I., MAJORAL J.-P., CAMINADE A.-M., KOVALENKO V.I.
Spectrochim. Acta, Part A, 2007, **66**, pp. 745-753 (LCC-7679).

Large scale synthesis of zinc oxide nanorods by homogeneous chemical vapour deposition and their characterisation

BASCA R., KIHN Y., VERELST M., DEXPERT J., BASCA W., SERP P.
Surf. Coat. Technol., 2007, **201**, pp. 9200-9204 (LCC-7760).

Reduced number of steps for the synthesis of dense and highly functionalized dendrimers

SERVIN P., REBOUT C., LAURENT R., PERUZZINI M., CAMINADE A.-M., MAJORAL J.-P.
Tetrahedron Lett., 2007, **48**, pp. 579-583 (LCC-7644).

Restricted rotation in a tetrakis(*para*-substitued phenyl) porphyrin bearing four porphyrin-fullerene substituents

URBANI M., NIERENGARTEN J.-F.
Tetrahedron Lett., 2007, **48**, pp. 8111-8115 (LCC-7787).

Spectral additive properties of phosphorus-containing dendrimers

FURER V.L., VANDUKOV A.E., MAJORAL J.-P., CAMINADE A.-M., KOVALENKO V.I.
Vibr. Spectrosc., 2007, **43**, pp. 351-357 (LCC-7687).

FTIR spectroscopy studies of dendrimers built from cyclophosphazene core

FURER V.L., VANDUKOVA I.I., PADIE C., MAJORAL J.-P., CAMINADE A.-M., KOVALENKO V.I.
Vibr. Spectrosc., 2007, **44**, pp. 89-93 (LCC-7707).

Articles parus dans des livres

N-heterocyclic carbenes as ligands for olefin metathesis catalysts

DESPAGNET-AYOUB E., RITTER T.

In : *Topics in Organometallic Chemistry : N-heterocyclic carbenes (Nhc) in transition metal catalysis*, Glorius F. (Ed.), Springer-Verlag, 2007, **21**, pp. 193-218, ISBN : 3-5403-69295 (LCC-7628).

Phosphorus-containing dendrimers. Syntheses, reactivity, properties and uses

CAMINADE A.-M., MAJORAL J.-P.

In : *Inorganic Polymers*, Gleria M., de Jaeger R. (Eds), NOVA Science publishers, 2007, pp. 809-854, ISBN : 1-60021-656-0 (LCC-7809).